



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9161 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9164 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9168 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9171 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9172 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9176 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9180 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9181 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9184 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9188 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9191 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9192 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9209 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9212 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9215 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9219 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9224 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9225 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9226 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9227 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9228 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9234 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9235 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9241 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9245 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9246 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9249 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9305 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9309 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9315 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9317 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9322 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9323 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9326 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9327 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9332 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9333 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9338 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9341 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9344 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9350 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9363 ROSSER ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9139 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9138 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9133 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9132 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9129 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9128 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9123 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9122 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9119 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9118 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9113 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9112 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9107 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9106 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9103 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9102 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9071 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9070 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9065 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9064 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9059 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9058 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9055 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9054 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9049 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9048 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9045 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9044 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9039 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9038 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9033 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9032 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9029 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9028 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9023 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9022 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9019 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9018 SCOTT ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9013 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9012 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9007 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9006 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9003 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9002 SCOTT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14503 SYBLE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14509 SYBLE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14515 SYBLE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14519 SYBLE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14525 SYBLE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14531 SYBLE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14535 SYBLE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14602 SYBLE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14603 SYBLE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14608 SYBLE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14609 SYBLE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14612 SYBLE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14613 SYBLE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14618 SYBLE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14619 SYBLE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14624 SYBLE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14625 SYBLE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9003 LOUISE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9007 LOUISE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9013 LOUISE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9019 LOUISE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9023 LOUISE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9029 LOUISE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9033 LOUISE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9039 LOUISE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9045 LOUISE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9049 LOUISE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9055 LOUISE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9061 LOUISE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9065 LOUISE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9069 LOUISE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9103 LOUISE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9107 LOUISE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9113 LOUISE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9119 LOUISE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9123 LOUISE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9129 LOUISE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9133 LOUISE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9139 LOUISE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14602 ROBERT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14603 ROBERT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14608 ROBERT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14609 ROBERT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14612 ROBERT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14613 ROBERT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14618 ROBERT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14619 ROBERT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14624 ROBERT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14625 ROBERT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14602 SUSAN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14603 SUSAN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14608 SUSAN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14609 SUSAN AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14612 SUSAN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14613 SUSAN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14618 SUSAN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14619 SUSAN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14624 SUSAN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14625 SUSAN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14700 BRUCE AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14701 BRUCE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14706 BRUCE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14707 BRUCE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14712 BRUCE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14713 BRUCE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14718 BRUCE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14719 BRUCE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14724 BRUCE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14725 BRUCE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14702 DELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14703 DELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14708 DELL AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14709 DELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14712 DELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14713 DELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14718 DELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14719 DELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14724 DELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14725 DELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14002 CERRITOS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14012 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14017 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14022 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14023 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14025 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14030 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14031 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14037 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14038 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14041 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14100 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14103 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14106 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14111 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14112 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14116 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14117 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14125 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14310 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14314 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14318 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14323 CERRITOS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14324 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14328 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14329 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14332 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14333 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14400 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14405 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14409 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14415 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14423 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14431 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14432 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14509 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14511 CERRITOS AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
14514 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14522 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14608 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14612 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14620 CERRITOS AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
14626 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14628 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14634 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14702 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14712 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14719 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14725 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14731 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14735 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14801 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14808 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14815 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14816 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
14818 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
14820 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14822 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14830 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14838 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14906 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14912 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14920 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14929 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14929 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14929 CERRITOS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14930 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14936 CERRITOS AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
14942 CERRITOS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14948 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14950 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14951 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14954 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14955 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14957 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14960 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14961 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14961 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14963 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14967 CERRITOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10237 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10240 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10241 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10244 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10245 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10248 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10249 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10254 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10255 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10260 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10261 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10265 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10266 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10303 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10304 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10309 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10310 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10313 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10314 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10319 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10320 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10323 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10324 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10329 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10330 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10334 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10335 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10339 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10340 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
10343 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10344 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10349 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10350 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10354 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10355 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10359 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10360 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10402 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10403 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10408 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10409 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10414 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10415 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10418 FAYWOOD ST	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
10419 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10424 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10425 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10430 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10434 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10435 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10440 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10441 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10446 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10447 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10451 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10452 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10456 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10457 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10462 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10463 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10466 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10467 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10472 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10473 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10478 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10479 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9100 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9101 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9104 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9105 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9110 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9111 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9116 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9117 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9122 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9123 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9128 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9129 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9134 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9137 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9140 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9143 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9146 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9149 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9154 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9155 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9160 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9161 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9200 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9211 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9212 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9217 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9223 FAYWOOD ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9225 1/2 FAYWOOD ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9225 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9231 FAYWOOD ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9237 FAYWOOD ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9245 FAYWOOD ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9247 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9253 FAYWOOD ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9259 1/2 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9259 FAYWOOD ST	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
9262 FAYWOOD ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9267 FAYWOOD ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9272 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9273 FAYWOOD ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9279 FAYWOOD ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9281 FAYWOOD ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9285 FAYWOOD ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9301 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9309 FAYWOOD ST	Non-Lead - Plastic	No	Galvanized	Field inspection	Non-Lead
9315 FAYWOOD ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9321 FAYWOOD ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9327 FAYWOOD ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9332 FAYWOOD ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9333 FAYWOOD ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9336 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9337 FAYWOOD ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9339 FAYWOOD ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9340 FAYWOOD ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9341 FAYWOOD ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9343 FAYWOOD ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9344 FAYWOOD ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9347 FAYWOOD ST	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
9348 FAYWOOD ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9352 FAYWOOD ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9353 FAYWOOD ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9355 FAYWOOD ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9358 FAYWOOD ST	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
9359 1/2 FAYWOOD ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9359 FAYWOOD ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9361 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9367 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9506 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9514 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9519 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9520 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9526 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9527 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9532 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9533 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9538 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9539 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9544 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9550 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9551 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9556 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9604 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9607 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9610 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9613 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9616 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9619 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9622 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9625 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9628 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9634 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9641 FAYWOOD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9017 JEFF ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9019 JEFF ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9027 JEFF ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9030 JEFF ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9034 JEFF ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9037 JEFF ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9038 JEFF ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9039 JEFF ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9041 JEFF ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9043 JEFF ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9045 JEFF ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9046 JEFF ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9050 JEFF ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9052 JEFF ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9054 JEFF ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9055 JEFF ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9058 JEFF ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9061 JEFF ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9064 JEFF ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9065 JEFF ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10002 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10003 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10006 ROSECRANS AVE	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
10011 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10012 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10018 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10019 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10023 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10027 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10030 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10030 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10033 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10037 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10040 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
10040 ROSECRANS AVE	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10040 ROSECRANS AVE	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10043 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10080 ROSECRANS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10116 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10117 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10125 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10137 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10148 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10153 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
10153 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10205 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10210 ROSECRANS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10237 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10239 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10239 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10239 ROSECRANS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10250 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10259 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10265 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10303 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10309 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10315 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10321 ROSECRANS AVE	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
10325 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
10340 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10400 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
10400 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10400 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10400 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10400 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10404 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10406 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
10408 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10410 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
10414 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10460 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10460 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10640 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10646 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10646 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10656 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10801 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10807 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10811 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10817 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10821 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10827 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10831 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10837 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10843 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10849 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10903 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
10911 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10915 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10916 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10925 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10930 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10946 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10946 ROSECRANS AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
10951 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10951 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10968 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10995 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11006 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11009 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11013 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
11018 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11023 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11033 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
 PWS. CA 1910211
 SERVICE LINES INVENTORY
 IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11033 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11037 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11042 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11046 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11053 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11056 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11057 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11116 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11122 ROSECRANS AVE	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
11128 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11134 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11142 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11202 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11210 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11216 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11222 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11228 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11234 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11240 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11246 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11252 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11258 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11302 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11306 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11312 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11316 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11322 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11328 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11334 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11344 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11348 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11354 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11360 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11400 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11408 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11414 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11420 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11426 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11432 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11438 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11444 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11450 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11456 ROSECRANS AVE	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
11462 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11468 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11502 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11508 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11514 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11520 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11526 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11532 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11538 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11544 ROSECRANS AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11550 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11558 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
11559 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11560 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11562 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11568 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11600 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11623 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11701 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11701 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11701 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11701 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11703 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11707 ROSECRANS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11709 ROSECRANS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11713 ROSECRANS AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
11715 ROSECRANS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11719 ROSECRANS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11721 ROSECRANS AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
11721 ROSECRANS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11725 ROSECRANS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11725 ROSECRANS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11727 ROSECRANS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11739 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12345 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12350 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12350 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12366 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12366 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12405 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12423 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12541 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12546 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12556 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12564 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12606 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12624 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12624 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12737 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12800 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12801 ROSECRANS AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
12801 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12801 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12816 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12832 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12832 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12838 ROSECRANS AVE	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
12935 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12941 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12949 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12952 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12958 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12959 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12964 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13001 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13004 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13008 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13014 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13018 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13019 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13019 ROSECRANS AVE STE 101	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13019 ROSECRANS AVE STE 102	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13019 ROSECRANS AVE STE 103	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13019 ROSECRANS AVE STE 104	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13019 ROSECRANS AVE STE 105	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13019 ROSECRANS AVE STE 106	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13024 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13030 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13034 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13035 ROSECRANS AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13035 ROSECRANS AVE # 301	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13035 ROSECRANS AVE # 302	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13040 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13041 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13041 ROSECRANS AVE STE # 201	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13041 ROSECRANS AVE STE # 202	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13041 ROSECRANS AVE STE # 203	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13041 ROSECRANS AVE STE # 204	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13041 ROSECRANS AVE STE # 205	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13041 ROSECRANS AVE STE # 206	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13041 ROSECRANS AVE STE # 207	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13044 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13050 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG ROSECRANS/BLOOMFIELD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
IRRIG ROSECRANS AVE/STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
IRRIG ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
IRRIG ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
IRRIG ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
IRRIG ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
IRRIG ROSECRANS AVE/E-605 FWY	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
IRRIG ROSECRANS AVE/605 FWY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13054 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13055 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13060 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13063 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13065 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13066 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13070 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13071 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13081 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13102 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13106 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13108 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13112 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13118 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13120 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13122 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13128 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13132 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13138 ROSECRANS AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13144 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9006 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9024 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9031 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9031 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9031 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9035 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9040 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9045 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9050 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9050 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9052 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9052 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9056 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9056 ROSECRANS AVE	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9058 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9058 ROSECRANS AVE	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9062 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9062 ROSECRANS AVE	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9065 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9066 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9066 ROSECRANS AVE	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9068 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9068 ROSECRANS AVE	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9070 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9070 ROSECRANS AVE	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9072 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9072 ROSECRANS AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
9073 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9076 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9076 ROSECRANS AVE	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9078 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9078 ROSECRANS AVE	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9080 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9080 ROSECRANS AVE	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9082 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9082 ROSECRANS AVE	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9086 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9086 ROSECRANS AVE	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9088 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9088 ROSECRANS AVE	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9097 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9113 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9130 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9139 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9145 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9151 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
IRRIG ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9152 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9157 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9162 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9163 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9164 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9203 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9206 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9209 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9213 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9219 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9222 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9225 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9231 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9312 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9333 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9333 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9400 ROSECRANS AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9400 ROSECRANS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9400 ROSECRANS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9400 ROSECRANS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9400 ROSECRANS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9409 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9421 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9427 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9433 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9439 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9445 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9451 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9455 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9509 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9515 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9521 ROSECRANS AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
9524 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9525 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9530 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9531 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9536 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9537 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9542 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9543 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9547 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9548 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9552 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9553 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9558 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9559 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9564 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9565 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9569 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9570 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9570 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9575 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9576 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9601 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9602 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9607 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9610 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9613 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9614 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9617 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9620 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9623 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9626 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9629 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9630 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9635 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9636 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9639 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9642 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9645 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9646 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9651 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9652 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9657 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9658 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9703 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9704 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9708 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9709 ROSECRANS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9714 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9715 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9718 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9721 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9724 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9725 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9730 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9731 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9734 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9735 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9738 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9818 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9823 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9824 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9828 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9834 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9835 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9838 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9839 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9844 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9845 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9848 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9849 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9854 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9855 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9858 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9863 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9864 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9865 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9865 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9868 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9871 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9874 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9875 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9878 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9881 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9887 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9891 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9903 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9906 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9909 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9912 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9913 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9916 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9917 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9922 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9923 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9926 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9932 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9936 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9939 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9942 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9945 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9946 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9951 ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10001 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10002 VAN RUITEN ST	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
10006 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10009 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10010 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10015 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10018 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10019 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10025 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10026 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10030 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10031 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10034 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10037 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10040 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10043 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10046 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10047 VAN RUITEN ST	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
10050 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10053 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10056 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10059 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10061 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10069 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10072 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10076 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10080 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10090 VAN RUITEN ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10094 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10101 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10104 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10109 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10115 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10116 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10122 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10123 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10124 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10127 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10132 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10133 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10202 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10206 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10212 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10218 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10224 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10230 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10236 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10240 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10258 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10259 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10264 VAN RUITEN ST	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
10265 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10302 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10303 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10308 VAN RUITEN ST	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
10309 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10314 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
10315 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10320 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10321 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10324 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10746 VAN RUITEN ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10802 VAN RUITEN ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
10806 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10807 VAN RUITEN ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
10812 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10813 VAN RUITEN ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10816 VAN RUITEN ST	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
10822 VAN RUITEN ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10826 VAN RUITEN ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10832 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
10833 VAN RUITEN ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10836 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10839 VAN RUITEN ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10842 VAN RUITEN ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10902 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
10907 VAN RUITEN ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10908 VAN RUITEN ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
9203 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9207 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9213 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9217 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9218 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9223 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9224 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9229 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9230 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9236 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9237 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9240 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9243 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9246 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9249 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9252 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9253 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9258 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9259 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9262 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9263 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9274 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9275 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9278 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9281 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9284 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9403 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9418 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9421 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9424 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9430 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9436 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9442 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9443 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9448 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9453 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9454 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9475 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9478 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9482 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9488 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9494 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9498 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9504 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9509 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9510 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9514 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9520 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9526 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9532 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9538 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9541 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9542 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9545 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9548 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9551 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9554 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9555 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9604 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9607 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9608 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9614 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9617 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9620 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9624 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9625 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9628 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9636 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9640 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9646 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9652 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9702 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9706 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9712 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9716 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9722 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9726 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9734 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9834 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9840 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9843 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9844 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9847 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9850 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9853 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9854 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9855 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9858 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9861 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9864 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9865 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9870 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9871 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9875 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9876 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9902 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9903 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9907 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9908 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9910 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9913 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9917 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9918 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9923 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9924 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9927 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9930 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9933 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9938 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9939 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9944 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9947 VAN RUITEN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10402 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10403 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10408 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10409 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10413 NICHOLS ST	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
10414 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10418 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10419 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10424 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10425 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10430 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10431 NICHOLS ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
10434 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10435 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10440 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10441 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10446 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10447 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
10450 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10451 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10456 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10457 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10462 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10463 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10466 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10467 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10472 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10473 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10478 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10479 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9200 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9203 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9206 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9207 NICHOLS ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9212 NICHOLS ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9215 NICHOLS ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9219 NICHOLS ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9220 NICHOLS ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9226 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9227 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9229 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9232 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9233 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9238 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9239 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9245 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9246 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9250 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9251 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9258 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9259 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9301 NICHOLS ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9302 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9304 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9311 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9312 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9317 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9318 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9324 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9325 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9330 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9335 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9336 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9339 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9340 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9344 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9345 NICHOLS ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9346 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9348 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9351 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9401 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9402 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9408 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9409 NICHOLS ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9414 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9415 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9422 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9423 NICHOLS ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9425 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9428 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9429 NICHOLS ST	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
9434 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9435 NICHOLS ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9440 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9441 NICHOLS ST	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
9445 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9446 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9451 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9453 NICHOLS ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9454 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9459 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9460 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9501 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9502 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9507 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9510 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9513 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9516 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9519 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9522 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9523 NICHOLS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9528 NICHOLS ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15301 STEVENS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10303 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10307 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10313 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10317 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10323 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10329 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10333 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10339 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10343 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10349 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10353 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10359 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10402 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10403 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10408 SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10409 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10414 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10415 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10418 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10419 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10424 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10425 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10428 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10431 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10434 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10435 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10440 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10441 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10446 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10447 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10452 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10453 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10456 E SOMERSET BLVD	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
10457 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10462 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10463 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10468 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10469 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10472 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10473 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10478 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10479 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9016 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9016 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9020 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9030 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9030 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9030 E SOMERSET BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9030 E SOMERSET BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9031 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9035 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9037 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9039 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9041 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9043 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9045 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9047 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9049 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9051 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9111 E SOMERSET BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9119 E SOMERSET BLVD	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
9135 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9141 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9143 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9146 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9149 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9153 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9159 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9161 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9164 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9165 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9200 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9209 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9210 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9215 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9219 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9221 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9228 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9229 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9233 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9234 1/2 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9234 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9236 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9237 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9238 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9240 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9241 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9242 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9244 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9252 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9308 E SOMERSET BLVD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9309 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9313 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9318 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9320 1/2 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9320 1/4 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9320 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9320 3/4 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9326 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9328 E SOMERSET BLVD #A	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9328 E SOMERSET BLVD #B	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9328 E SOMERSET BLVD #C	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9330 E SOMERSET BLVD #A	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9330 E SOMERSET BLVD #B	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9330 E SOMERSET BLVD #C	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9332 E SOMERSET BLVD #A	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
 PWS. CA 1910211
 SERVICE LINES INVENTORY
 IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9332 E SOMERSET BLVD #B	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9332 E SOMERSET BLVD #C	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9333 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9334 E SOMERSET BLVD #A	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9334 E SOMERSET BLVD #B	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9334 E SOMERSET BLVD #C	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9336 E SOMERSET BLVD #A	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9336 E SOMERSET BLVD #B	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9336 E SOMERSET BLVD # C	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9338 E SOMERSET BLVD #A	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9338 E SOMERSET BLVD #B	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9339 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9340 E SOMERSET BLVD #A	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9340 E SOMERSET BLVD #B	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9340 E SOMERSET BLVD #C	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9342 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9342 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9347 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9348 E SOMERSET BLVD	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
9349 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9355 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9402 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9403 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9409 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9410 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9426 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9432 E SOMERSET BLVD	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
9436 E SOMERSET BLVD	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
9439 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9442 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9443 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9446 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9452 E SOMERSET BLVD	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
9458 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9502 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9505 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9506 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9510 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9516 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9517 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9518 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9522 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9523 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9527 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9533 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9543 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9547 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9601 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9603 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9611 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9615 E SOMERSET BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9617 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9623 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9627 SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9637 SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9639 SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9647 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9649 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9651 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9653 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9655 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
14702 S BETTY JEAN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14703 S BETTY JEAN AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14708 S BETTY JEAN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14711 S BETTY JEAN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14714 S BETTY JEAN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14717 S BETTY JEAN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14720 S BETTY JEAN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14723 S BETTY JEAN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14729 S BETTY JEAN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14735 S BETTY JEAN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14740 S BETTY JEAN AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14741 S BETTY JEAN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14745 S BETTY JEAN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14746 S BETTY JEAN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14751 S BETTY JEAN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14754 S BETTY JEAN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14757 S BETTY JEAN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14765 S BETTY JEAN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14767 S BETTY JEAN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9203 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9204 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9211 MANDALE ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9214 MANDALE ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
9215 MANDALE ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9221 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9222 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9224 MANDALE ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9225 MANDALE ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9226 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9229 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9231 MANDALE ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9232 MANDALE ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9234 MANDALE ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9236 MANDALE ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9238 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9240 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9242 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9244 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9248 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9249 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9251 MANDALE ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9254 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9255 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9259 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9303 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9308 MANDALE ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9309 1/2 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9309 MANDALE ST	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
9312 MANDALE ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9315 MANDALE ST	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
9316 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9317 1/2 MANDALE ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9317 MANDALE ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9318 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9320 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9325 MANDALE ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9326 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9331 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9332 MANDALE ST	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
9336 MANDALE ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9338 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9339 MANDALE ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9341 MANDALE ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9342 MANDALE ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9345 MANDALE ST	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
9346 MANDALE ST	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
9351 MANDALE ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9352 MANDALE ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9354 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9355 MANDALE ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9356 MANDALE ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9359 MANDALE ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9362 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9365 MANDALE ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9366 MANDALE ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9369 MANDALE ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9407 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9411 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9417 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9421 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9429 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9433 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9434 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9439 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9445 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9449 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9453 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9459 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9465 MANDALE ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9502 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9503 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9509 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9510 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9515 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9521 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9527 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9533 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9539 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9542 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9545 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9550 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9551 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9556 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9557 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9563 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9569 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9579 MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG MANDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13415 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13416 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13422 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13426 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13431 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13432 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13601 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13602 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13607 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13608 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13611 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13612 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13617 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13618 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13622 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13628 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13632 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13638 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13803 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13804 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13809 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13810 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13814 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13815 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13819 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13820 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13824 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13825 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13902 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13903 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13906 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13909 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13912 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13915 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13916 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13919 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13922 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13925 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14003 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14009 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14010 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14015 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14016 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14019 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14022 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14025 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14026 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14031 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14032 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14037 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14038 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14038 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14043 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14044 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14048 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14049 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14606 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14612 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14616 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14622 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14625 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14628 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14632 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14634 CHARLEMAGNE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9276 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9277 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9282 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9283 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9286 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9287 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9292 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9293 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9302 HEINER ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9303 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9306 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9307 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9311 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9312 HEINER ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9317 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9318 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9321 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9324 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9327 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9328 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9333 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9334 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9337 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9338 HEINER ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9343 HEINER ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9344 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9347 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9348 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9352 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9353 HEINER ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9357 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9358 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9363 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9367 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9373 HEINER ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9377 HEINER ST	Non-Lead - Plastic	No	Galvanized	Field inspection	Non-Lead
9404 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9419 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9420 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9424 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9427 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9430 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9431 HEINER ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9434 HEINER ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9435 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9440 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9441 HEINER ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9444 HEINER ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9445 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9450 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9451 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9454 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9455 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9460 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9461 HEINER ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9464 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9465 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9470 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9471 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9474 HEINER ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9475 HEINER ST	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
9479 HEINER ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9480 HEINER ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9502 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9503 HEINER ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9506 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9507 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9512 HEINER ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9513 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9518 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9519 HEINER ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9522 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9525 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9528 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9529 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9534 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9535 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9538 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9541 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9544 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9545 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9550 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9551 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9554 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9555 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9560 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9561 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9566 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9567 HEINER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13402 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13403 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13408 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13409 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13412 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13413 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13418 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13419 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13422 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13423 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13428 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13429 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13502 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13503 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13508 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13509 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13512 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13513 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13518 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13519 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13522 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13523 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13528 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13529 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13602 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13603 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13608 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13609 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13612 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13613 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13618 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13619 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13622 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13623 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13628 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13629 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13702 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13703 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13708 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13709 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13712 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13713 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13718 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13719 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13723 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13724 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13728 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13729 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14008 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14009 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14013 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14014 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14018 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14019 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14025 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14026 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14030 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14031 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14103 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14104 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14108 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14109 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14113 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14114 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14117 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14118 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14124 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14132 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14203 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14217 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14303 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14317 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14403 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14411 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14710 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14716 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14719 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14719 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14722 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14728 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14734 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14735 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14739 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14740 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14745 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14746 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14751 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14752 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14757 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14758 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14761 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14767 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14768 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14773 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14777 ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13405 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13409 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13415 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13418 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13421 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13424 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13425 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13431 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13432 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13502 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13503 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13507 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13508 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13512 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13513 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13519 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13523 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13529 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13533 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13537 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13603 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13604 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13608 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13609 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13610 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13613 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13619 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13623 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13624 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13628 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13629 CLARK AVE	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
13630 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13638 CLARK AVE	Non-Lead - Plastic	No	Galvanized	Field inspection	Non-Lead
13640 CLARK AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13703 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13704 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13707 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13713 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13714 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13718 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13719 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13723 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13724 CLARK AVE	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
13729 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13730 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13735 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13736 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13740 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13746 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13762 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13764 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13770 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14301 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14317 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14317 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14317 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14317 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14317 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14317 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14339 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14339 CLARK AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14341 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14357 CLARK AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14602 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14604 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14613 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14618 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14619 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14621 CLARK AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
14631 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14640 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14717 1/2 CLARK AVE UNIT A	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
14717 CLARK AVE UNIT B	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14722 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14722 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14723 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14732 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14900 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14908 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14912 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14913 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14918 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14924 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14925 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14930 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15105 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15106 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15111 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15112 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15114 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15116 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15116 1/2 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15118 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15121 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
15124 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15127 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15141 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15303 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15403 CLARK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG CLARK AVE/PRICHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG CLARK AVE/ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14903 BAYOU AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14904 BAYOU AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14910 BAYOU AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14913 BAYOU AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14916 BAYOU AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14917 BAYOU AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14919 BAYOU AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14923 BAYOU AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14924 BAYOU AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14929 BAYOU AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14930 BAYOU AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14937 BAYOU AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14943 BAYOU AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14944 BAYOU AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14948 BAYOU AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14949 BAYOU AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14953 BAYOU AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14957 BAYOU AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14902 TOUCHWOOD AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
14905 TOUCHWOOD AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14910 TOUCHWOOD AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14911 TOUCHWOOD AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14912 TOUCHWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14916 TOUCHWOOD AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14918 TOUCHWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14919 TOUCHWOOD AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
14920 TOUCHWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14924 TOUCHWOOD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14924 TOUCHWOOD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14925 TOUCHWOOD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14926 TOUCHWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14927 TOUCHWOOD AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
14929 TOUCHWOOD AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14930 TOUCHWOOD AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14934 TOUCHWOOD AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14940 TOUCHWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14943 TOUCHWOOD AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9329 GREENWELL ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9332 GREENWELL ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9335 GREENWELL ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9338 GREENWELL ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9341 GREENWELL ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9344 GREENWELL ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9345 GREENWELL ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9347 GREENWELL ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9349 GREENWELL ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9354 GREENWELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9355 GREENWELL ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15620 FACULTY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15706 FACULTY AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15710 FACULTY AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15714 FACULTY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15717 FACULTY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15718 FACULTY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15722 FACULTY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15726 FACULTY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15727 FACULTY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15730 FACULTY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15734 FACULTY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15735 FACULTY AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15738 FACULTY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15744 FACULTY AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15745 FACULTY AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15748 FACULTY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15749 FACULTY AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
15754 FACULTY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15755 FACULTY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15758 FACULTY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15759 FACULTY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15765 FACULTY AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14702 RYON AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14703 RYON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14706 RYON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14709 RYON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14712 RYON AVE	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
14715 RYON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14718 RYON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14721 RYON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14724 RYON AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14727 RYON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14730 RYON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14733 RYON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14736 RYON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14742 RYON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14748 RYON AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14751 RYON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14754 RYON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14758 RYON AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
14760 RYON AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
14762 RYON AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
14763 RYON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14764 RYON AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
14767 RYON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14768 RYON AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14772 RYON AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14549 LIBLEN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14601 LIBLEN AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14604 LIBLEN AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
14607 LIBLEN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14610 LIBLEN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14611 LIBLEN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14612 LIBLEN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14615 LIBLEN AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14621 LIBLEN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14702 LIBLEN AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14703 LIBLEN AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
14707 LIBLEN AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14711 LIBLEN AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14712 LIBLEN AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14717 LIBLEN AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14720 LIBLEN AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14723 LIBLEN AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14724 LIBLEN AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14902 LIBLEN AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
14902 1/2 LIBLEN AVE	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
14903 LIBLEN AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14907 LIBLEN AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14908 LIBLEN AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14909 LIBLEN AVE	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
14912 LIBLEN AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14915 LIBLEN AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14916 LIBLEN AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14919 LIBLEN AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14924 LIBLEN AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14925 LIBLEN AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14929 LIBLEN AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14932 LIBLEN AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14938 LIBLEN AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14901 WANETTE AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
14904 WANETTE AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14907 WANETTE AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14913 WANETTE AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14917 WANETTE AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14921 WANETTE AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14925 WANETTE AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14926 WANETTE AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14933 WANETTE AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14937 WANETTE AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14938 WANETTE AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9212 SCHARN LN	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9215 SCHARN LN	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9219 SCHARN LN	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9223 SCHARN LN	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9224 SCHARN LN	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9227 SCHARN LN	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9233 SCHARN LN	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9300 PRICHARD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9303 PRICHARD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9306 PRICHARD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9309 PRICHARD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9312 PRICHARD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9313 PRICHARD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9316 PRICHARD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9319 PRICHARD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9320 PRICHARD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9323 PRICHARD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9326 PRICHARD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9331 PRICHARD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9332 PRICHARD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9333 PRICHARD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9338 PRICHARD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9339 PRICHARD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9342 PRICHARD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9345 PRICHARD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9348 PRICHARD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9349 PRICHARD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9352 PRICHARD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9355 PRICHARD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9356 PRICHARD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9361 PRICHARD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9362 PRICHARD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9365 PRICHARD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9368 PRICHARD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9370 PRICHARD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9373 PRICHARD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9378 PRICHARD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9379 PRICHARD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9380 PRICHARD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15606 VIRGINIA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15702 VIRGINIA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15707 VIRGINIA AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15708 VIRGINIA AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15709 VIRGINIA AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
15712 VIRGINIA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15718 VIRGINIA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15722 VIRGINIA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15728 VIRGINIA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15732 VIRGINIA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15738 VIRGINIA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15802 VIRGINIA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15803 VIRGINIA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15805 VIRGINIA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15809 VIRGINIA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15813 VIRGINIA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15134 SANTA ANA AVE	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
15416 SANTA ANA AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
15420 SANTA ANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15424 SANTA ANA AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15426 SANTA ANA AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15502 SANTA ANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15505 SANTA ANA AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15506 SANTA ANA AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15510 SANTA ANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15511 SANTA ANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15514 SANTA ANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15519 SANTA ANA AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
15520 SANTA ANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15523 SANTA ANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15524 SANTA ANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15530 SANTA ANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15531 SANTA ANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15533 SANTA ANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15534 SANTA ANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15540 SANTA ANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15541 SANTA ANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15547 SANTA ANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15551 SANTA ANA AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15701 SANTA ANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15705 SANTA ANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15706 SANTA ANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15709 SANTA ANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15712 SANTA ANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15713 SANTA ANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15718 SANTA ANA AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15719 SANTA ANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15722 SANTA ANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15723 SANTA ANA AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
15728 SANTA ANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15729 SANTA ANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15732 SANTA ANA AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15800 SANTA ANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15806 SANTA ANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15812 SANTA ANA AVE #1	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15812 SANTA ANA AVE #2	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15812 SANTA ANA AVE #3	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15812 SANTA ANA AVE #4	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15812 SANTA ANA AVE #5	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15812 SANTA ANA AVE #6	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9004 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9020 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9021 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9026 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9027 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9030 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9031 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9036 RENDALIA ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9037 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9040 RENDALIA ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9041 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9046 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9047 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9050 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9051 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9056 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9057 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9060 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9061 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9102 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9103 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9108 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9109 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9112 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9113 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9118 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9119 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9122 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9123 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9128 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9129 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9132 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9133 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9138 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9139 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9142 RENDALIA ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9143 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9148 RENDALIA ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9149 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9152 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9153 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9158 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9159 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9206 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9212 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9216 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9222 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9226 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9232 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9235 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9236 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9242 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9246 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9252 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9256 RENDALIA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9015 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9016 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9019 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9022 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9026 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9027 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9030 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9031 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9035 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9036 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9040 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9041 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9044 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9045 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9048 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9049 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9050 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9053 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9056 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9057 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9058 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9061 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9100 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9103 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9105 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9106 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9108 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9111 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9114 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9115 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9117 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9118 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9121 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9122 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9125 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9126 ALGEROMA ST	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
9129 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9134 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9135 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9136 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9139 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9142 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9143 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9146 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9147 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9150 ALGEROMA ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9151 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9152 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9153 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9159 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9163 ALGEROMA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9012 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9017 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9020 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9021 HEGEL ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9022 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9025 HEGEL ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9027 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9028 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9032 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9033 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9036 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9037 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9040 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9041 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9044 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9045 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9047 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9048 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9052 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9053 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9056 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9057 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9060 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9061 HEGEL ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
9102 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9103 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9106 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9107 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9108 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9111 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9112 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9115 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9118 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9119 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9122 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9123 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9126 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9127 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9129 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9130 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9134 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9135 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9138 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9139 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9142 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9143 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9146 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9150 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9154 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9158 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9162 HEGEL ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9201 IVES ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9202 IVES ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9207 IVES ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9208 IVES ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9213 IVES ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9214 IVES ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9218 IVES ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9219 IVES ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9224 IVES ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9227 IVES ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9232 IVES ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9233 IVES ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9238 IVES ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9239 IVES ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9239 IVES ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9245 IVES ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9246 IVES ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9249 IVES ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9252 IVES ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9255 IVES ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9258 IVES ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9259 IVES ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9300 IVES ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9301 IVES ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9304 IVES ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9312 IVES ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9313 IVES ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9319 IVES ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9320 IVES ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9324 IVES ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9325 IVES ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9330 IVES ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9331 IVES ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9337 IVES ST	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9338 IVES ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9340 IVES ST	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
9343 IVES ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9344 IVES ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9350 IVES ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9351 IVES ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9355 IVES ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11302 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11303 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11307 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11308 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11312 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11313 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11317 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11318 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11322 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11323 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11327 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11328 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11332 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11333 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11338 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11339 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11342 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11343 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11347 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11348 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11352 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11353 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11358 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11359 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11803 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11807 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11813 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11816 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11817 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11822 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11823 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11827 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11828 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11834 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11839 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11840 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11902 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11903 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11907 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11908 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11912 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11913 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11917 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11918 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11922 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11923 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11928 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11929 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11932 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11933 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11938 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11939 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11943 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11944 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11948 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11949 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11954 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11955 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12003 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12007 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12013 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12017 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12023 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12027 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12033 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12037 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12043 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12047 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12062 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12063 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12068 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12069 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12073 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12074 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12078 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12079 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12102 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12103 HIGHDALE ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
12107 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12108 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12112 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12113 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12117 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12118 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12122 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12123 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12127 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12128 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12132 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12133 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12601 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12605 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12611 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12617 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12621 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12627 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12633 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12639 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12643 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12649 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12703 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12709 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12715 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12721 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12725 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12731 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12735 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12741 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12747 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12751 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12757 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9202 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9205 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9208 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9211 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9214 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9217 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9218 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9223 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9226 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9227 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9230 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9233 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9236 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9239 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9240 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9244 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9245 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9251 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9255 HIGHDALE ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9259 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9344 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9350 HIGHDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9203 FLORA VISTA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9223 FLORA VISTA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9233 FLORA VISTA ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9237 FLORA VISTA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9243 FLORA VISTA ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9247 FLORA VISTA ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9255 FLORA VISTA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15501 WOODINGTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15502 WOODINGTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15507 WOODINGTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15508 WOODINGTON AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15512 WOODINGTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15513 WOODINGTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15516 WOODINGTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15517 WOODINGTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15522 WOODINGTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15523 WOODINGTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15528 WOODINGTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15529 WOODINGTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15532 WOODINGTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15535 WOODINGTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15537 WOODINGTON AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15538 WOODINGTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9003 MAPLESIDE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9004 MAPLESIDE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9009 MAPLESIDE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9012 MAPLESIDE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9015 MAPLESIDE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9018 MAPLESIDE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9019 MAPLESIDE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9024 MAPLESIDE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9025 MAPLESIDE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9030 MAPLESIDE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9031 MAPLESIDE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9034 MAPLESIDE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9037 MAPLESIDE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9040 MAPLESIDE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9041 MAPLESIDE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9046 MAPLESIDE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9047 MAPLESIDE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9102 MAPLESIDE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9103 MAPLESIDE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9106 MAPLESIDE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9109 MAPLESIDE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9112 MAPLESIDE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9113 MAPLESIDE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9116 MAPLESIDE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9116 MAPLESIDE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9119 MAPLESIDE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9122 MAPLESIDE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9123 MAPLESIDE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9126 MAPLESIDE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9129 MAPLESIDE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9132 MAPLESIDE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9133 MAPLESIDE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9138 MAPLESIDE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9139 MAPLESIDE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9149 MAPLESIDE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9003 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9004 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9009 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9010 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9016 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9022 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9028 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9032 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9040 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9045 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9046 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9050 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9051 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9056 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9057 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9061 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9062 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9066 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9067 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9072 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9073 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9076 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9077 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9102 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9103 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9106 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9109 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9112 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9113 DALBERG ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9118 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9119 DALBERG ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9128 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9140 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9141 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9151 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9157 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9203 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9207 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9213 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9217 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9223 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9229 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9235 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9239 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9245 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9249 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9255 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9259 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9265 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9271 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9275 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9281 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9285 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9291 DALBERG ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9058 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9060 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9064 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9072 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9080 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9084 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9090 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9100 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9106 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9110 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9116 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9150 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9156 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9169 GARDENDALE ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9202 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9206 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9207 GARDENDALE ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9212 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9216 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9222 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9228 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9229 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9234 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9237 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9238 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9243 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9244 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9250 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9251 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9254 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9258 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9261 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9302 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9305 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9306 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9311 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9312 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9316 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9317 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9322 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9328 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9329 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9333 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9339 GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13702 ACTINA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13703 ACTINA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13706 ACTINA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13707 ACTINA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13712 ACTINA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13713 ACTINA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13716 ACTINA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13719 ACTINA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13722 ACTINA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13723 ACTINA AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13728 ACTINA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13729 ACTINA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13733 ACTINA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13734 ACTINA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13737 ACTINA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13740 ACTINA AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13743 ACTINA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13802 ACTINA AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13803 ACTINA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13808 ACTINA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13809 ACTINA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13813 ACTINA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13814 ACTINA AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13819 ACTINA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13820 ACTINA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13823 ACTINA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13702 BIRKHALL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13703 BIRKHALL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13706 BIRKHALL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13707 BIRKHALL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13712 BIRKHALL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13713 BIRKHALL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13718 BIRKHALL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13719 BIRKHALL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13722 BIRKHALL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13723 BIRKHALL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13728 BIRKHALL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13729 BIRKHALL AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13734 BIRKHALL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13735 BIRKHALL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13738 BIRKHALL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13739 BIRKHALL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13802 BIRKHALL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13803 BIRKHALL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13808 BIRKHALL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13809 BIRKHALL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13813 BIRKHALL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13814 BIRKHALL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13817 BIRKHALL AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13820 BIRKHALL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13823 BIRKHALL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13824 BIRKHALL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13827 BIRKHALL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13830 BIRKHALL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13833 BIRKHALL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13836 BIRKHALL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13839 BIRKHALL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13842 BIRKHALL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13843 BIRKHALL AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13849 BIRKHALL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13102 VULTEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13103 VULTEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13108 VULTEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13109 VULTEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13112 VULTEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13115 VULTEE AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13118 VULTEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13119 VULTEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13122 VULTEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13125 VULTEE AVE	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
13306 PEPPERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13309 PEPPERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13312 PEPPERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13316 PEPPERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13319 PEPPERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13320 PEPPERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13326 PEPPERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13331 PEPPERWOOD AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13334 PEPPERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13337 PEPPERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13345 PEPPERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13351 PEPPERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13352 PEPPERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13355 PEPPERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13361 PEPPERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13365 PEPPERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13403 PEPPERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13602 HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13603 HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13607 HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13608 HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13613 HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13614 HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13619 HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13620 HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13625 HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13708 HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13709 HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13712 HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13715 HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13718 HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13722 HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13726 HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13732 HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13733 HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13738 HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13739 HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13742 HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13745 HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13746 HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13752 HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13753 HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13758 HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13802 HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13805 HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13808 HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13811 HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13812 HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13817 HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13818 HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13822 HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13823 HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG HANWELL AVE/GARDENDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9104 HARGILL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9109 HARGILL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9115 HARGILL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9117 HARGILL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9118 HARGILL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9123 HARGILL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9124 HARGILL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9127 HARGILL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9130 HARGILL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9133 HARGILL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9134 HARGILL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9137 HARGILL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9140 HARGILL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9143 HARGILL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9144 HARGILL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9105 BRIGHTLY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9110 BRIGHTLY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9111 BRIGHTLY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9115 BRIGHTLY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
 PWS. CA 1910211
 SERVICE LINES INVENTORY
 IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9120 BRIGHTLY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9121 BRIGHTLY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9125 BRIGHTLY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9128 BRIGHTLY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9131 BRIGHTLY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9134 BRIGHTLY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9157 BRIGHTLY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9161 BRIGHTLY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9165 BRIGHTLY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13124 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13124 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13240 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13300 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13322 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13332 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13338 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13344 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13348 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13418 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13440 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13440 LAKEWOOD BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13512 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13516 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13528 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13532 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13536 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13540 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13542 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13542 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
14328 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
14338 LAKEWOOD BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
14338 LAKEWOOD BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
14512 LAKEWOOD BLVD	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
14520 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14530 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14600 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14602 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14616 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
14710 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14822 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14822 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14834 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14834 LAKEWOOD BLVD	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
14834 LAKEWOOD BLVD	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
14904 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
14950 LAKEWOOD BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15000 LAKEWOOD BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15000 LAKEWOOD BLVD	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15010 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15010 LAKEWOOD BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15024 LAKEWOOD BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15118 LAKEWOOD BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15220 LAKEWOOD BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15220 LAKEWOOD BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15230 LAKEWOOD BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15300 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15320 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15334 LAKEWOOD BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15510 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15520 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
IRRIG LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15602 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15602 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15624 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15700 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15708 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15712 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15722 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15740 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15804 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15812 LAKEWOOD BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13510 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13511 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13514 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13519 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13520 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13523 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13526 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13529 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13530 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13533 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13536 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13540 COWLEY AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13541 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13544 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13702 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13708 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13712 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13718 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13724 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13728 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13732 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13802 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13803 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13808 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13809 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13812 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13815 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13818 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13821 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13824 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13825 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13828 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13829 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13834 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13835 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13838 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13842 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13845 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13848 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13852 COWLEY AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10005 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10011 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10019 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10103 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10104 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10109 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10112 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10113 MUROC ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10116 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10119 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10122 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10123 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10126 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10205 MUROC ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10208 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10214 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10215 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10221 MUROC ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10226 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10227 MUROC ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
10232 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10233 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10236 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10237 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10242 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10243 MUROC ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10246 MUROC ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10247 MUROC ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
10253 MUROC ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10256 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10257 MUROC ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10262 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10263 MUROC ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10267 MUROC ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10268 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10272 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10273 MUROC ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10278 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10279 MUROC ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10902 MUROC ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10903 MUROC ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10908 MUROC ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10909 MUROC ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10914 MUROC ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10915 MUROC ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10918 MUROC ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10919 MUROC ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10924 MUROC ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10925 MUROC ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10930 MUROC ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10931 MUROC ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10936 MUROC ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10937 MUROC ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12702 MUROC ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12703 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12706 MUROC ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12707 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12712 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12713 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12716 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12717 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12722 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12723 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12728 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12729 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12732 MUROC ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12733 MUROC ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12738 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12739 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12742 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12743 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12748 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12749 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12802 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12803 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12806 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12807 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12812 MUROC ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12813 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12816 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12817 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12822 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12823 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12826 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12827 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12832 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12833 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12838 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12839 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12842 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12843 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12848 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12849 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9209 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9210 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9213 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9217 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9220 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9223 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9224 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9227 MUROC ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9230 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9233 MUROC ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9236 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9302 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9303 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9306 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9309 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9312 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9315 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9319 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9324 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9331 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9337 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9339 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9343 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9345 MUROC ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9349 MUROC ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9353 MUROC ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9403 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9407 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9409 MUROC ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9413 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9421 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9423 MUROC ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9429 MUROC ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9435 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9441 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9447 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9451 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9455 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9461 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9465 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9469 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9475 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9481 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9483 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9489 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9903 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9909 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9912 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9915 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9918 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9921 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9924 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9925 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9931 MUROC ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9936 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9937 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9940 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9943 MUROC ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9946 MUROC ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9949 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9952 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9955 MUROC ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG MUROC ST/WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10004 1/2 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10008 1/2 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10012 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10018 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10022 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10028 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10212 FOSTER RD	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
10218 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10222 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10228 FOSTER RD	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
10232 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10238 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10244 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10250 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10254 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10260 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10264 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10270 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10276 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10326 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10326 FOSTER RD	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10326 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10603 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10626 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10630 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10633 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10638 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10642 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10648 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10903 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10909 FOSTER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10913 FOSTER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10917 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10922 FOSTER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10923 FOSTER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10926 FOSTER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10927 FOSTER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10932 FOSTER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10933 FOSTER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10937 FOSTER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10938 FOSTER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10943 FOSTER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10944 FOSTER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10947 FOSTER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10950 FOSTER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10953 FOSTER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10956 FOSTER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11005 FOSTER RD	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
11039 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11051 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11125 FOSTER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11151 FOSTER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11401 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11402 FOSTER RD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11406 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11407 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11408 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11411 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11412 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11417 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11418 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11419 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11422 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11425 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11428 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11429 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11432 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11435 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11436 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11437 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11438 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11442 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11443 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11444 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11445 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11446 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11449 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11450 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11452 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11453 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11454 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11457 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11458 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11501 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11502 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11507 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11508 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11510 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11511 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11516 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11517 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11519 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11523 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11524 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11527 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11528 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11533 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11534 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11535 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11538 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11539 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11543 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11544 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11546 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11547 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11550 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11553 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11556 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11557 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11563 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11567 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11572 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11573 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11578 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11616 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11703 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11729 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11733 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11739 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11743 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11749 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11755 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11759 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11865 FOSTER RD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12641 FOSTER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12657 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12657 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12665 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12703 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12706 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12709 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12712 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12713 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12716 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12719 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12722 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12725 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12728 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12732 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12738 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12742 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12748 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12802 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12806 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12812 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12816 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12822 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12826 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12832 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12838 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12842 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12848 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12902 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12937 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12940 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12940 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12941 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12947 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12951 FOSTER RD	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
12957 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12963 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12967 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12973 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12977 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12983 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12987 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12993 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13019 FOSTER RD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13023 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13029 FOSTER RD	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13035 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13039 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13045 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13049 FOSTER RD	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13055 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13059 FOSTER RD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13113 FOSTER RD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13119 FOSTER RD	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
13123 FOSTER RD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13131 FOSTER RD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9210 1/2 FOSTER	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9210 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9216 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9220 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9226 FOSTER RD	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
9230 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9236 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9240 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9246 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9250 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9256 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9302 FOSTER RD	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
9306 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9312 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9318 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9322 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9328 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9334 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9340 FOSTER RD	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
9346 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9352 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9400 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9418 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9424 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9428 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9434 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9436 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9442 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9450 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9454 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9460 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9466 FOSTER RD	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
9470 FOSTER RD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9472 FOSTER RD	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9476 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9482 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9488 FOSTER RD	Galvanized	No	Galvanized	Field inspection	Non-Lead
9498 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9502 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9508 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9510 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9516 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9522 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9536 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9918 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9922 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9928 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9934 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9940 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9946 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9952 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9958 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9962 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9968 FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
IRRIG FOSTER RD/REGENTVIEW AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
IRRIG FOSTER RD/ARDIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG FOSTER RD/DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13501 BLUEGROVE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13502 BLUEGROVE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13505 BLUEGROVE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13506 BLUEGROVE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13507 BLUEGROVE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13702 BLUEGROVE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13703 BLUEGROVE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13706 BLUEGROVE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13707 BLUEGROVE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13712 BLUEGROVE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13713 BLUEGROVE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13718 BLUEGROVE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13719 BLUEGROVE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13723 BLUEGROVE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13724 BLUEGROVE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13801 BLUEGROVE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13804 BLUEGROVE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13807 BLUEGROVE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13811 BLUEGROVE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13812 BLUEGROVE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13817 BLUEGROVE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13818 BLUEGROVE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13821 BLUEGROVE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10902 HOBACK ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10903 HOBACK ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10908 HOBACK ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10909 HOBACK ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10912 HOBACK ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10913 HOBACK ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10918 HOBACK ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10919 HOBACK ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10924 HOBACK ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10925 HOBACK ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10930 HOBACK ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10931 HOBACK ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10936 HOBACK ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10937 HOBACK ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11702 HOBACK ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11708 HOBACK ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11718 HOBACK ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11724 HOBACK ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11728 HOBACK ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11734 HOBACK ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
11740 HOBACK ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11746 HOBACK ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11752 HOBACK ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12702 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12706 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12707 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12712 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12713 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12716 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12717 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12722 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12723 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12728 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12729 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12732 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12733 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12738 HOBACK ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
12739 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12742 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12743 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12748 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12749 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12802 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12803 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12806 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12807 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12812 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12813 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12816 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12817 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12822 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12823 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12826 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12827 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12832 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12833 HOBACK ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
12838 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12839 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12842 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12843 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12848 HOBACK ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
12849 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12852 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9401 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9402 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9408 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9414 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9420 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9421 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9426 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9432 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9433 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9438 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9446 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9447 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9452 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9457 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9458 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9470 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9473 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9476 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9483 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9484 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9490 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9497 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9502 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9508 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9509 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9516 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9522 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9523 HOBACK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13502 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13503 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13507 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13508 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13512 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13513 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13517 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13518 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13802 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13803 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13808 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13809 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13812 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13815 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13818 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13819 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13824 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13825 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13828 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13829 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13902 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13903 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13908 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13909 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13912 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13913 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13918 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13919 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13924 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13925 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14002 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14003 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14008 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14009 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14013 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14014 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14018 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14019 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14023 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14024 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14029 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14030 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14033 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14036 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14039 PREMIERE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13502 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13503 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13506 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13507 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13512 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13513 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13516 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13517 GREENBRIER AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13804 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13805 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13808 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13809 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13813 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13814 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13818 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13821 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13824 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13825 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13828 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13831 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13902 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13905 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13908 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13911 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13914 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13915 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13918 GREENBRIER AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13924 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13927 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13928 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14001 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14004 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14005 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14010 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14011 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14016 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14017 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14021 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14022 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14026 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14027 GREENBRIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13502 TANGIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13503 TANGIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13508 TANGIER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13509 TANGIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13514 TANGIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13515 TANGIER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13518 TANGIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13519 TANGIER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13502 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13503 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13508 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13509 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13513 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13514 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13518 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13519 FIDLER AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13802 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13803 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13808 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13809 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13812 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13815 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13818 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13819 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13824 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13825 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13828 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13831 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13902 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13903 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13908 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13909 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13912 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13915 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13918 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13919 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13924 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13925 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14002 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14003 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14006 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14009 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14012 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14015 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14018 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14021 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14024 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14027 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14028 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14050 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14051 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14056 FIDLER AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14060 FIDLER AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14061 FIDLER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13403 STANBRIDGE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13409 STANBRIDGE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13413 STANBRIDGE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13419 STANBRIDGE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13423 STANBRIDGE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13429 STANBRIDGE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13503 STANBRIDGE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13509 STANBRIDGE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13513 STANBRIDGE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13519 STANBRIDGE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13523 STANBRIDGE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13529 STANBRIDGE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13603 STANBRIDGE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13609 STANBRIDGE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13613 STANBRIDGE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13619 STANBRIDGE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13623 STANBRIDGE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13629 STANBRIDGE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13703 STANBRIDGE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13709 STANBRIDGE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13713 STANBRIDGE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13719 STANBRIDGE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13725 STANBRIDGE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10003 ARTHURDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10017 ARTHURDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10021 ARTHURDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10027 ARTHURDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10033 ARTHURDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10039 ARTHURDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10045 ARTHURDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10049 ARTHURDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10055 ARTHURDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9540 ARTHURDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9558 ARTHURDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9608 ARTHURDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9502 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9505 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9510 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9511 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9517 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9518 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9521 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9524 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9527 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9530 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9533 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9536 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9539 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9542 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9543 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9548 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9549 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9552 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9555 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9605 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9615 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9621 MAPLEWOOD AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9625 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9631 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9637 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9641 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9647 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9653 MAPLEWOOD AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9657 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9665 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9703 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9711 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9715 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9721 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9725 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9733 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9737 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9743 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9747 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9813 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9819 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9823 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9829 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9833 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9839 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9903 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9909 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9915 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9919 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9925 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9931 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9945 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9951 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9955 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9961 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9965 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9971 MAPLEWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10602 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10603 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10607 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10608 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10610 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10611 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10613 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10614 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10925 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10931 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10937 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10943 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10947 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10951 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10957 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10961 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10967 LIGGETT ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
10973 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11003 LIGGETT ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
11011 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11017 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11023 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11029 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11035 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11041 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11047 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11053 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11059 LIGGETT ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11119 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11125 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11131 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11137 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11143 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11203 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11211 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11217 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11223 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11229 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11235 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11241 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11247 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11253 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11259 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11303 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11307 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11313 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11317 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11323 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11329 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11335 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11402 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11403 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11408 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11409 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11414 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11415 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11420 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11421 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11426 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11427 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11432 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11433 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11438 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11439 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11444 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11445 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11450 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11451 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11456 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11457 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11462 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11463 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11468 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11469 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11502 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11503 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11508 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11509 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11514 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11515 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11520 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11521 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11526 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11527 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11532 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11533 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11538 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11539 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11544 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11545 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11550 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11551 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11556 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11557 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11562 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11563 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12952 LIGGETT ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
12953 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12958 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12959 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12962 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12963 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13003 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13007 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13012 LIGGETT ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13013 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13017 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13018 LIGGETT ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13023 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13029 LIGGETT ST	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13030 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13033 LIGGETT ST	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
13034 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13038 LIGGETT ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13039 LIGGETT ST	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
13043 LIGGETT ST	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
13044 LIGGETT ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13049 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13054 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13055 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13059 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13060 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13064 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13065 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13068 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13069 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13102 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13103 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13107 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13108 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13112 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13113 LIGGETT ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13116 LIGGETT ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13119 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13123 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13128 LIGGETT ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13129 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13132 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13133 LIGGETT ST	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
13138 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13139 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13142 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13143 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9819 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9825 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9829 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9835 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9839 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9840 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9845 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9848 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9849 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9852 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9855 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9858 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9859 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9862 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9863 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9868 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9869 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9874 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9875 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9879 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9906 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9907 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9912 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9913 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9916 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9917 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9922 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9923 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9926 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9927 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9932 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9933 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9936 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9937 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9942 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9943 LIGGETT ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9947 LIGGETT ST	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
9948 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9953 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9957 LIGGETT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14002 CABELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14010 CABELL AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14016 CABELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14028 CABELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14302 CABELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14303 CABELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14320 CABELL AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14321 CABELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14402 CABELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14403 CABELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14409 CABELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14416 CABELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14417 CABELL AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14423 CABELL AVE	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
14429 CABELL AVE	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
14435 CABELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14440 CABELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14441 CABELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14502 CABELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14518 CABELL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10004 POTTER ST	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
10015 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10016 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10022 POTTER ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10025 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10028 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10603 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10609 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10613 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10619 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10625 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10629 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11402 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11403 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11408 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11409 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11414 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11415 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11420 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11421 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11426 POTTER ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11427 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11432 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11433 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11438 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11439 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11444 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11445 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11450 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11451 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11456 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11457 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11462 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11463 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11468 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11469 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11502 POTTER ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11503 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11508 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11509 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11514 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11515 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11520 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11521 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11526 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11527 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11532 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11533 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11538 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11539 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11544 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11545 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11550 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11551 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11556 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11557 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11562 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11563 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9828 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9829 POTTER ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9832 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9836 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9842 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9847 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9848 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9852 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9853 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9858 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9859 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9862 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9863 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9868 POTTER ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9869 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9872 POTTER ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9873 POTTER ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9878 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9879 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9882 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9888 POTTER ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9906 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9907 POTTER ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9912 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9913 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9916 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9917 POTTER ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9922 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9923 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9926 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9927 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9932 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9933 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9938 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9939 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9942 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9946 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9949 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9951 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9954 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9957 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9959 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9960 POTTER ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9965 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9966 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9972 POTTER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13403 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13409 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13415 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13421 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13425 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13602 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13603 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13608 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13609 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13614 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13615 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13620 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13625 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13626 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13631 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13632 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13636 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13637 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13642 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13643 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13705 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13706 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13711 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13717 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13723 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13729 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13735 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13802 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13808 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13814 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13818 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13824 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13830 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13836 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13842 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13846 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14001 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14002 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14005 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14008 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14011 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14014 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14017 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14020 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14023 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14024 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14027 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14030 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14033 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14036 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14042 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14046 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14143 DUNROBIN AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13802 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13803 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13808 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13809 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13812 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13813 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13818 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13819 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13824 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13825 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13830 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13831 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13836 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13837 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13841 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13842 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13846 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13847 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14002 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14003 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14008 EASTBROOK AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14009 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14014 EASTBROOK AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14015 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14019 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14020 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14024 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14025 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14030 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14031 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14036 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14037 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14041 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14042 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14046 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14047 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14500 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14503 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14504 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14505 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14508 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14514 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14515 EASTBROOK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13612 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13618 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13624 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13627 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13631 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13635 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13641 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13647 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13654 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13660 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13664 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13670 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13671 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13676 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13677 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13683 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13707 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13708 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13714 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13719 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13720 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13802 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13803 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13808 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13809 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13813 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13814 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13818 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13819 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13824 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13825 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13830 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13831 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13836 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13837 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13841 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13842 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13846 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13847 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14002 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14003 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14008 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14009 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14014 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14015 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14019 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14020 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14024 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14025 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
 PWS. CA 1910211
 SERVICE LINES INVENTORY
 IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14030 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14031 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14036 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14037 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14041 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14042 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14046 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14047 OCANA AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13602 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13610 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13616 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13617 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13622 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13623 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13627 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13630 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13633 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13636 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13639 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13642 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13645 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13702 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13705 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13708 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13711 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13714 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13717 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13720 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13721 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13726 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13727 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13732 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13733 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13738 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13739 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13802 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13803 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13808 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13809 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13813 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13814 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13818 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13819 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13824 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13825 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13830 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13831 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13836 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13837 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13841 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13842 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13846 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13847 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14002 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14003 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14008 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14009 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14014 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14015 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14019 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14020 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14024 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14025 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14030 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14031 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14036 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14037 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14041 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14042 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14046 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14047 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14542 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14544 CORNUTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14548 CORNUTA AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13602 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13603 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13609 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13612 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13613 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13618 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13619 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13624 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13625 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13630 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13631 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13636 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13637 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13702 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13703 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13708 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13709 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13714 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13715 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13720 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13721 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13726 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13727 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13730 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13731 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13736 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13737 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13802 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13803 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13808 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13809 IBBETSON AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13813 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13814 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13818 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13819 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13824 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13825 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13830 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13831 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13836 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13837 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13841 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13842 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13846 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13847 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14002 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14003 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14008 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14009 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14014 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14015 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14018 IBBETSON AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
14019 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14024 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14025 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14030 IBBETSON AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14031 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14036 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14037 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14041 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14042 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14046 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14047 IBBETSON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10002 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10008 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10014 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10018 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10024 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10030 BELFAIR ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
10036 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10040 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10046 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10052 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10058 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10062 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10068 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10102 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10108 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10112 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10118 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10124 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10130 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10136 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10140 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10146 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12831 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12835 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12836 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12841 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12842 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12848 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12902 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12903 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12907 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12908 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12912 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12913 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12918 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12919 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12925 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12928 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12929 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12934 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12935 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12940 BELFAIR ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
12941 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12944 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12945 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12950 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12951 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12955 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12960 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12961 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12966 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12967 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9834 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9837 BELFAIR ST	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
9844 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9845 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9851 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9854 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9859 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9862 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9868 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9871 BELFAIR ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9877 BELFAIR ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9878 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9901 BELFAIR ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9904 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9909 BELFAIR ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9916 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9924 BELFAIR ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
9932 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9940 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9941 BELFAIR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG BELFAIR ST/FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10201 CRESTBROOK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10205 CRESTBROOK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10211 CRESTBROOK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10217 CRESTBROOK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9835 CRESTBROOK ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9836 CRESTBROOK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9843 CRESTBROOK ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9846 CRESTBROOK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9851 CRESTBROOK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9852 CRESTBROOK ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9857 CRESTBROOK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9860 CRESTBROOK ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9860 CRESTBROOK ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9865 CRESTBROOK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9866 CRESTBROOK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9875 CRESTBROOK ST	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
9876 CRESTBROOK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9883 CRESTBROOK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9884 CRESTBROOK ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9887 CRESTBROOK ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9890 CRESTBROOK ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9899 CRESTBROOK ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14003 LEAHY AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14007 LEAHY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14015 LEAHY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14025 LEAHY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14033 LEAHY AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14099 LEAHY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14111 LEAHY AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14115 LEAHY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14118 LEAHY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14119 LEAHY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14123 LEAHY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14129 LEAHY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14135 LEAHY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14141 LEAHY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14143 LEAHY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13400 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13402 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13404 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13407 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13408 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13410 WOODRUFF AVE	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
13428 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13521 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13603 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13609 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13612 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13615 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13618 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13621 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13624 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13627 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13628 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13632 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13633 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13638 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13639 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13702 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13705 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13706 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13711 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13712 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13716 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13717 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13722 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13723 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13726 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13729 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13732 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13736 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13741 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13742 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13747 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13802 WOODRUFF AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13803 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13806 WOODRUFF AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13809 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13812 WOODRUFF AVE	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
13817 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13818 WOODRUFF AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13824 WOODRUFF AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13823 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13829 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13837 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13843 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14003 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14011 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14017 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14023 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14031 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14037 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14063 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14067 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14074 WOODRUFF AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
14075 WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
IRRIG WOODRUFF AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13402 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13403 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13408 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13409 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13409 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13415 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13416 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13419 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13427 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13602 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13603 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13606 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13609 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13614 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13620 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13624 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13627 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13630 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13633 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13636 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13639 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13640 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13643 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13646 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13649 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13702 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13703 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13706 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13709 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13712 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13712 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13713 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13716 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13719 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13722 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13723 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13726 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13729 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13732 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13733 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13736 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13739 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13742 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13743 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13748 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13749 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13802 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13803 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13806 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13809 FAUST AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13812 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13813 FAUST AVE	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13818 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13819 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13822 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13830 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13836 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13902 FAUST AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13903 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13909 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13910 FAUST AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13915 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13916 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13920 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13921 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13926 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13927 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14002 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14003 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14008 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14009 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14013 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14014 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14019 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14020 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14024 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14025 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14030 FAUST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13856 BELLFLOWER BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14001 BELLFLOWER BLVD	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
14001 BELLFLOWER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14008 BELLFLOWER BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14012 BELLFLOWER BLVD	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
14018 BELLFLOWER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14022 BELLFLOWER BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14028 BELLFLOWER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14102 BELLFLOWER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14108 BELLFLOWER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14114 BELLFLOWER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14118 BELLFLOWER BLVD	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
14130 BELLFLOWER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14200 BELLFLOWER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14201 BELLFLOWER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14209 BELLFLOWER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14210 BELLFLOWER BLVD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14220 BELLFLOWER BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14225 BELLFLOWER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14236 BELLFLOWER BLVD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14300 BELLFLOWER BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14301 BELLFLOWER BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14301 BELLFLOWER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14301 BELLFLOWER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
14312 BELLFLOWER BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14317 BELLFLOWER BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14320 BELLFLOWER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14332 BELLFLOWER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14338 BELLFLOWER BLVD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14342 BELLFLOWER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14348 BELLFLOWER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14343 BELLFLOWER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13883 BERGEN AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13902 BERGEN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13903 BERGEN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13906 BERGEN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13909 BERGEN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13912 BERGEN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13915 BERGEN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13920 BERGEN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13921 BERGEN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13926 BERGEN AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13927 BERGEN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14002 BERGEN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14003 BERGEN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14008 BERGEN AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14009 BERGEN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14014 BERGEN AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14015 BERGEN AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14019 BERGEN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14020 BERGEN AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
14025 BERGEN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14026 BERGEN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14031 BERGEN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13612 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13615 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13618 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13619 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13622 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13625 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13628 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13629 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13632 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13633 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13638 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13639 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13644 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13645 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13702 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13703 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13706 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13709 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13712 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13713 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13716 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13719 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13722 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13723 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13726 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13729 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13732 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13733 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13736 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13737 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13742 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13743 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13748 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13749 CARPINTERO AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13802 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13803 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13808 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13809 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13813 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13814 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13819 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13820 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13824 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13825 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13830 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13833 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13834 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13840 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13841 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13902 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13903 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13908 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13909 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13912 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13913 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13918 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13919 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13922 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13923 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13928 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13929 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13932 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13933 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13938 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13939 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13942 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13943 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14002 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14003 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14008 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14009 CARPINTERO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13703 HITE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13709 HITE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13710 HITE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13713 HITE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13716 HITE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13719 HITE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13613 REGENTVIEW AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13619 REGENTVIEW AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13625 REGENTVIEW AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13629 REGENTVIEW AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13635 REGENTVIEW AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13639 REGENTVIEW AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13645 REGENTVIEW AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13703 REGENTVIEW AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13709 REGENTVIEW AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13713 REGENTVIEW AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13719 REGENTVIEW AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13723 REGENTVIEW AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13729 REGENTVIEW AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13733 REGENTVIEW AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13739 REGENTVIEW AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13743 REGENTVIEW AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13749 REGENTVIEW AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13803 REGENTVIEW AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13809 REGENTVIEW AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13815 REGENTVIEW AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13819 REGENTVIEW AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13825 REGENTVIEW AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13829 REGENTVIEW AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13835 REGENTVIEW AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13839 REGENTVIEW AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13903 REGENTVIEW AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13909 REGENTVIEW AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13913 REGENTVIEW AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13919 REGENTVIEW AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13923 REGENTVIEW AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13929 REGENTVIEW AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13933 REGENTVIEW AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13939 REGENTVIEW AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13943 REGENTVIEW AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13612 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13613 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13618 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13619 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13622 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13625 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13628 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13629 MCNAB AVE UNIT A	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13629 MCNAB AVE UNIT B	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13632 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13635 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13638 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13639 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13644 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13645 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13702 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13703 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13706 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13709 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13712 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13713 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13716 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13719 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13722 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13723 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13726 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13729 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13732 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13733 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13736 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13739 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13742 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13743 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13748 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13749 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13802 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13803 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13807 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13808 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13813 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13814 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13818 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13819 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13823 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13824 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13828 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13829 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13834 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13835 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13840 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13841 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13902 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13903 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13908 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13909 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13912 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13913 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13918 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13919 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13923 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13924 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13928 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13929 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13933 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13934 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13939 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13940 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13943 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14002 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14003 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14009 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14500 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14500 MCNAB AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14601 MCNAB AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
F/S BAYSIDE DR/SHORELINE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
HOA E SHORELINE DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10002 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10006 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10010 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10016 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10017 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10021 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10022 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10026 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10027 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10030 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10035 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10039 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10040 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10045 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10602 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10603 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10608 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10609 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10612 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10613 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10616 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10619 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10622 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10623 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10628 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10629 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10633 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10637 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10638 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10641 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11402 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11403 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11408 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11409 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11414 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11415 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11420 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11421 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11426 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11427 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11432 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11433 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11438 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11439 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11444 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11445 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11450 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11451 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11456 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11457 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11462 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11463 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11468 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11469 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11502 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11503 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11508 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11509 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11514 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11515 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11520 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11521 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11526 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11527 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11532 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11533 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11538 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11539 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11544 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11545 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11550 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11551 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11556 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11557 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11562 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11563 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12952 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12953 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12958 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12959 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12963 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9902 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9906 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9909 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9912 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9915 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9916 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9919 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9922 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9925 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9926 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9929 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9934 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9935 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9941 LINDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10302 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10308 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10312 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10318 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10322 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10328 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10334 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10338 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10344 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10348 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10354 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10357 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10358 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10402 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10403 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10407 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10408 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10414 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10415 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10418 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10421 MAPLEDALE ST	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
10424 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10425 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10430 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10431 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10434 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10437 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10440 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10443 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10446 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10449 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10450 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10455 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10456 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10461 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
10462 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10466 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
10467 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10472 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10473 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
10477 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10478 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10816 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10840 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10916 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10940 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10970 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11266 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11270 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11276 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11302 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11308 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11314 MAPLEDALE ST	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
11318 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11324 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11330 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11334 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11340 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11346 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11402 MAPLEDALE ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11403 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11406 MAPLEDALE ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11409 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11412 MAPLEDALE ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11415 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11416 MAPLEDALE ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11421 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11422 MAPLEDALE ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11427 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11433 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11439 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11445 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11451 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11457 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11463 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11464 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11469 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11470 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11476 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11502 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11503 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11508 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11509 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11514 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11515 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11518 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11521 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11524 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11527 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11530 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11533 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11534 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11539 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11540 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11545 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11546 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11551 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11552 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11556 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11559 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11562 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11563 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11608 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11614 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11618 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11624 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11628 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11634 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11640 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11644 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11650 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11656 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11702 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11710 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11716 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11722 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11726 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11732 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11738 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11820 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11910 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11930 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12414 MAPLEDALE ST	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
12415 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12418 MAPLEDALE ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
12419 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12424 MAPLEDALE ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12425 MAPLEDALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12432 MAPLEDALE ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12438 MAPLEDALE ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12444 MAPLEDALE ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12448 MAPLEDALE ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12454 MAPLEDALE ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG MAPLEDALE ST/STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10402 FAIRTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10403 FAIRTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10408 FAIRTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10409 FAIRTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10414 FAIRTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10415 FAIRTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10418 FAIRTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10419 FAIRTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10424 FAIRTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10425 FAIRTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10430 FAIRTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10431 FAIRTON ST	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
10434 FAIRTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10435 FAIRTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10440 FAIRTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10441 FAIRTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10446 FAIRTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10447 FAIRTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10451 FAIRTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10452 FAIRTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10456 FAIRTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10457 FAIRTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10462 FAIRTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10463 FAIRTON ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
10467 FAIRTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10468 FAIRTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10472 FAIRTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10473 FAIRTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10478 FAIRTON ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
10479 FAIRTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
PBATH FAIRTON/DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14618 CARFAX AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14624 CARFAX AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14702 CARFAX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14706 CARFAX AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
14712 CARFAX AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14716 CARFAX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14722 CARFAX AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14728 CARFAX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14734 CARFAX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14738 CARFAX AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14744 CARFAX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14748 CARFAX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14754 CARFAX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15102 CARFAX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15108 CARFAX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15114 CARFAX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15118 CARFAX AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15124 CARFAX AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15128 CARFAX AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15132 CARFAX AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15138 CARFAX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15142 CARFAX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15148 CARFAX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15152 CARFAX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15302 CARFAX AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15306 CARFAX AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
IRRIG BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14602 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14605 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14609 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14610 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14615 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14616 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14621 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14622 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14625 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14626 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14631 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14632 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14703 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14704 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14709 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14710 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14713 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14716 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14719 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14722 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14723 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14728 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14729 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14802 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14803 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14808 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14811 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14816 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14817 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14822 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14823 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14828 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14829 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15405 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15416 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15417 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15704 CLARKDALE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10632 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10632 ALONDRA BLVD UNIT 36	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10644 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10710 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
10831 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10851 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10903 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10917 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10919 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10921 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10923 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10925 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10927 1/2 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10927 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10929 1/2 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10929 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10931 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10933 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10933 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10939 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
10941 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10943 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10945 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10947 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10949 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10951 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10962 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10967 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11011 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11011 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11011 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11025 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11027 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11029 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11029 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11031 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11269 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11273 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11279 ALONDRA BLVD	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11305 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11317 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11329 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11347 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11403 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11411 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11415 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11421 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11425 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11431 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11435 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11441 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11447 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11453 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11457 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11463 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11469 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11475 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11503 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11509 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11515 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11519 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11522 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11522 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11522 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11522 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11522 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11525 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11531 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11537 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11543 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11740 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11819 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11826 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11842 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11843 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11849 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
11850 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11855 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
11859 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
11860 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11865 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11866 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11910 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11914 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11929 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11946 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11949 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12003 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
12009 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12015 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
12021 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12027 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12035 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
12041 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
12044 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12047 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12050 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12053 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
12054 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12059 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12060 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12065 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
12066 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12070 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12105 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
12108 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12111 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
12114 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12117 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12118 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12123 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
12124 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12129 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
12130 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12132 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12134 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12136 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12137 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
12138 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12142 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12143 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12148 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12152 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12154 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12155 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12161 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12167 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12226 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12226 ALONDRA BLVD UNIT A	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12227 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12235 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12245 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12301 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12319 ALONDRA BLVD UNIT 101	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12319 ALONDRA BLVD UNIT # 102-103	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12321 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12323 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12344 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12348 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12354 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12359 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12360 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12366 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12417 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12427 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12503 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
12507 ALONDRA BLVD 11/19	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12513 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12515 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12523 ALONDRA BLVD	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12525 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12527 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12547 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12549 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12551 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12555 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9015 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9019 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9021 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9031 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9031 ALONDRA BLVD	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9045 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9045 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9053 ALONDRA BLVD	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
9057 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
9061 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9101 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9119 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9123 ALONDRA BLVD	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
9133 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9141 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9161 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9205 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9215 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9223 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9225 ALONDRA BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9251 ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9251 ALONDRA BLVD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9303 ALONDRA BLVD #1	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9303 ALONDRA BLVD #2	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9303 ALONDRA BLVD #3	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9303 ALONDRA BLVD #4	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
9303 ALONDRA BLVD #5	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
IRRIG ALONDRA BLVD	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
IRRIG ALONDRA BLVD	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
IRRIG ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
IRRIG ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
IRRIG ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG ALONDRA BLVD/BLOOMFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG ALONDRA BLVD / CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG ALONDRA BLVD/CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
IRRIG ALONDRA BLVD/GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
IRRIG ALONDRA BLVD/MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9140 SONRISA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9142 SONRISA ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
9150 SONRISA ST	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
9152 SONRISA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9152 SONRISA ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9160 SONRISA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9160 SONRISA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9201 SONRISA ST	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
9211 SONRISA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
9213 SONRISA ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9241 SONRISA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
9242 SONRISA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
9260 SONRISA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12001 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12007 NEWMIRE AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12011 NEWMIRE AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12015 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12017 NEWMIRE AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12021 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12026 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12027 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12031 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12033 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12037 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12043 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12051 NEWMIRE AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12055 NEWMIRE AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
12057 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12063 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12067 NEWMIRE AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
12068 NEWMIRE AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
12073 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12101 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12104 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12107 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12112 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12115 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12116 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12120 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12126 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12130 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12202 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12206 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12212 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12216 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12222 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12228 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12232 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12237 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12704 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12708 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12714 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12720 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12802 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12806 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13044 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13102 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13106 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13112 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13118 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13124 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13128 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13214 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13218 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13224 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13228 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13234 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13237 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13238 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13241 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13244 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13302 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13303 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13307 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13310 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13313 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13319 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13321 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13325 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13331 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13335 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13336 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13341 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13342 NEWMIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10401 CREWE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10404 CREWE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10407 CREWE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10410 CREWE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10411 CREWE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10414 CREWE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10415 CREWE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10418 CREWE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10419 CREWE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10422 CREWE ST	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
10423 CREWE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10402 SOLO ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10410 SOLO ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10414 SOLO ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10415 SOLO ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10418 SOLO ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10419 SOLO ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10424 SOLO ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10425 SOLO ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10602 SOLO ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10603 SOLO ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10607 SOLO ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10608 SOLO ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10613 SOLO ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10614 SOLO ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10616 SOLO ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10617 SOLO ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10621 SOLO ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10624 SOLO ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10627 SOLO ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10628 SOLO ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10633 SOLO ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10634 SOLO ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10637 SOLO ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10638 SOLO ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10641 SOLO ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10644 SOLO ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10647 SOLO ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10650 SOLO ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10651 SOLO ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10654 SOLO ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10657 SOLO ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10660 SOLO ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
10661 SOLO ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10666 SOLO ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10667 SOLO ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12102 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12103 NORDESTA DR	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
12107 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12108 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12109 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12113 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12114 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12120 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12204 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12209 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12215 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12216 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12219 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12221 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12224 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12227 NORDESTA DR	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
12232 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12233 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12235 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12238 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12239 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12245 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12246 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12250 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12251 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12257 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12261 NORDESTA DR	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
12267 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12302 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12303 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12307 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12313 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12319 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12323 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12329 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12402 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12403 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12409 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12415 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12419 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12425 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12428 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12429 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12435 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12439 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12445 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12451 NORDESTA DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12502 NORDESTA DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12503 NORDESTA DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12507 NORDESTA DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12513 NORDESTA DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12519 NORDESTA DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10600 OHM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10604 OHM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10608 OHM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10611 OHM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10612 OHM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10615 OHM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10616 OHM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10619 OHM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10620 OHM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10624 OHM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10627 OHM AVE	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
10628 OHM AVE	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
10631 OHM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10632 OHM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10636 OHM AVE	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
10637 OHM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10640 OHM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10641 OHM AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10643 OHM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10647 OHM AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
10648 OHM AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10652 OHM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10654 OHM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10658 OHM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10601 E FOIX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10604 E FOIX AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10605 E FOIX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10608 E FOIX AVE	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
10609 E FOIX AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
10612 E FOIX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10613 E FOIX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10617 E FOIX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10621 E FOIX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10625 E FOIX AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10629 E FOIX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10633 E FOIX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10637 E FOIX AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10641 E FOIX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10645 E FOIX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10649 E FOIX AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
10653 E FOIX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10654 E FOIX AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
10656 E FOIX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10659 E FOIX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10662 E FOIX AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10665 E FOIX AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10668 E FOIX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10669 E FOIX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10673 E FOIX AVE	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10677 E FOIX AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10681 E FOIX AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12113 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12117 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12123 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12127 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12133 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12203 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12209 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12213 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12218 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12219 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12223 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12224 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12227 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12235 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12618 CURTIS & KING	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12620 CURTIS & KING	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
12622 CURTIS & KING	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12624 CURTIS AND KING	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12626 1/2 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12626 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12628 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12630 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12632 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12634 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12702 CURTIS AND KING RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12709 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12712 CURTIS AND KING RD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12712 CURTIS AND KING RD UNIT A	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12712 CURTIS AND KING RD UNIT B	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12713 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12714 CURTIS AND KING RD	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
12714 CURTIS AND KING RD UNIT A	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12719 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12720 CURTIS AND KING RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12725 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12726 CURTIS AND KING RD	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
12726 CURTIS AND KING RD UNIT A	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12726 CURTIS AND KING RD UNIT B	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12726 CURTIS AND KING RD UNIT C	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12726 CURTIS AND KING RD UNIT D	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
 PWS. CA 1910211
 SERVICE LINES INVENTORY
 IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12726 CURTIS AND KING RD UNIT E	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12726 CURTIS AND KING RD UNIT F	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12731 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12802 CURTIS AND KING RD	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12805 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12809 CURTIS AND KING RD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13012 CURTIS AND KING RD	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13025 CURTIS AND KING RD	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13026 CURTIS AND KING RD	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13028 CURTIS AND KING RD	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13029 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13100 CURTIS AND KING RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13103 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13108 1/2 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13108 CURTIS AND KING RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13109 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13110 CURTIS AND KING RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13112 CURTIS AND KING RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13114 CURTIS AND KING RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13115 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13116 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13118 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13119 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13124 CURTIS AND KING RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13125 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13202 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13203 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13206 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13207 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13212 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13213 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13217 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13218 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13223 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13224 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13227 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13230 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13301 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13302 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13306 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13312 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13318 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13402 CURTIS AND KING RD	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13403 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13408 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13409 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13415 CURTIS AND KING RD	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
13416 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13421 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13422 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13423 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13426 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13431 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13434 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13502 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13505 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13508 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13511 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13512 CURTIS AND KING RD	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13514 CURTIS AND KING RD	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13517 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13520 CURTIS AND KING RD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13522 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13525 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13526 CURTIS AND KING RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13528 CURTIS AND KING RD	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
13532 CURTIS AND KING RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13601 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13602 CURTIS AND KING RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13604 CURTIS AND KING RD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13606 CURTIS AND KING RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13607 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13610 CURTIS AND KING RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13623 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13700 CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
IRRIG CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG CURTIS AND KING RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10401 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10407 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10408 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10413 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10414 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10418 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10419 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10421 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10424 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10428 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10429 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10433 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10434 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10438 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10439 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10444 SPRY ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
10502 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10503 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10508 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10511 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10514 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10518 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10602 SPRY ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
10603 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10608 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10609 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10614 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10615 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10618 SPRY ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10621 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10624 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10627 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10628 SPRY ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10633 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10633 1/2 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10634 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10635 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10637 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10640 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10643 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10644 SPRY ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10647 SPRY ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10649 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10650 SPRY ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
10653 SPRY ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10655 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10656 SPRY ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10659 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10660 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10661 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10666 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10667 SPRY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12400 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12401 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12404 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12405 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12409 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12410 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12415 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12419 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12420 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12425 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12426 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12429 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12430 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12435 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12436 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12502 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12503 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12507 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12508 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12512 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12513 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12517 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12518 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12523 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12524 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12529 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12530 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12533 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12534 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12539 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12702 BENFIELD AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
12703 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12707 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12708 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12711 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12712 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12715 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12716 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12718 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14402 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14403 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14408 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14409 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14414 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14415 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14420 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14421 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14426 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14427 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14432 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14433 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14438 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14439 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14502 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14503 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14508 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14509 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14514 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14515 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14520 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14521 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14526 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14527 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14532 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14533 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14538 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14539 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14544 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14545 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14602 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14603 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14608 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14609 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14614 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14615 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14620 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14621 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14626 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14627 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14632 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14633 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14638 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14639 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14702 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14703 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14708 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14709 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14714 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14715 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14720 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14721 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14726 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14727 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14732 BENFIELD AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14733 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14802 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14803 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14808 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14809 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14814 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14815 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14820 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14821 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14826 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14827 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14832 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14833 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14838 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14839 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15402 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15403 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15408 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15409 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15412 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15413 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15418 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15419 BENFIELD AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
15422 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15423 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15428 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15429 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15432 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15433 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15438 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15439 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15502 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15503 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15508 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15509 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15514 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15515 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15520 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15521 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15526 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15527 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15532 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15533 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15538 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15539 BENFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10403 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10407 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10408 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10413 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10414 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10418 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10419 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10424 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10425 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10428 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10429 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10502 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10503 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10508 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10509 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10512 LEEDS ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
10513 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10518 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10519 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10523 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10524 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10528 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10529 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10603 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10604 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10607 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10610 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10613 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10616 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10617 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10622 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10623 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10628 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10629 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10632 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10633 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10636 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10637 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10643 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10644 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10647 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10653 LEEDS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10403 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10407 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10408 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10413 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10414 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10419 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10420 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10424 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10425 MEADOW RD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10430 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10431 MEADOW RD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10502 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10503 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10508 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10509 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10512 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10513 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10518 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10519 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10524 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10525 E SOMERSET BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10525 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10530 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10531 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10602 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10603 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10607 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10608 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10612 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10613 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10616 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10619 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10622 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10623 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10627 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10628 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10632 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10633 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10636 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10639 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10642 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10643 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10648 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10649 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10652 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10653 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10658 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10659 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10663 MEADOW RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10403 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10407 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10408 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10413 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10414 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10419 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10420 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10423 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10424 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10429 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10430 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10433 EVEREST ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
10502 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10505 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10508 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10509 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10512 EVEREST ST	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
10515 EVEREST ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10518 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10519 EVEREST ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10524 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10525 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10530 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10531 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10602 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10603 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10606 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10609 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10612 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10613 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10618 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10619 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10622 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10623 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10626 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10629 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10632 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10633 EVEREST ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10637 EVEREST ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10638 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10642 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10643 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10648 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10649 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10652 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10653 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10657 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10658 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10662 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10663 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10669 EVEREST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10414 IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
10419 IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10400 E IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10420 E IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10423 E IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10426 IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10429 IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10435 IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10441 IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10500 IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10502 IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10503 IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10511 IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10430 E IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10512 E IMPERIAL HWY	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10516 E IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10517 E IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10520 E IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10524 E IMPERIAL HWY	Galvanized	No	Galvanized	Field inspection	Non-Lead
10521 IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10527 IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10531 IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10537 IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10602 IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10607 IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10620 IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10621 IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10622 1/2 IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10622 IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10626 IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10628 IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10630 IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10632 IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10634 IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10635 IMPERIAL HWY	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10636 IMPERIAL HWY	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10841 IMPERIAL HWY	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10901 IMPERIAL HWY	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
10901 IMPERIAL HWY	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10901 IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10901 IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10901 IMPERIAL HWY	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10905 IMPERIAL HWY	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10932 IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10936 IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10944 IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10948 IMPERIAL HWY STE 101	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10948 IMPERIAL HWY STE 102	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10948 IMPERIAL HWY STE 103	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10948 IMPERIAL HWY STE 104	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10948 IMPERIAL HWY STE 105	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10951 IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11005 IMPERIAL HWY	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11026 IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11053 IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11065 IMPERIAL HWY	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11065 IMPERIAL HWY	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
11101 IMPERIAL HWY	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11205 1/2 IMPERIAL HWY	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11205 IMPERIAL HWY	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG IMPERIAL HWY	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
IRRIG IMPERIAL HWY/FAIRFORD AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG IMPERIAL HWY/HALCOURT AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
IRRIG IMPERIAL HWY/STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12252 DEL RIO CT	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12300 DEL RIO CT	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12310 DEL RIO CT	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12320 DEL RIO CT	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12328 DEL RIO CT	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12402 DEL RIO CT	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12412 DEL RIO CT	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12426 DEL RIO CT	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12442 DEL RIO CT	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12456 DEL RIO CT	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
12506 DEL RIO CT	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12514 DEL RIO CT	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10502 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10503 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10509 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10510 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10516 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10517 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10521 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10522 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10526 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10527 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10532 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10533 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10538 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10539 LYNDORA ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
10544 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10545 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10548 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10549 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10555 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10561 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10565 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10571 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10575 LYNDORA ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10600 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10601 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10606 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10607 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10610 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10611 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10929 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10935 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10938 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10939 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10944 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10945 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10948 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10949 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10954 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10955 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10958 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10959 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11003 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11007 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11013 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11019 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11023 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11029 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11035 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11041 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11045 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11101 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11104 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11107 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11110 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11111 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11114 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11115 LYNDORA ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11117 LYNDORA ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11119 LYNDORA ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11120 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11121 LYNDORA ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11123 LYNDORA ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11125 LYNDORA ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11126 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11127 LYNDORA ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11129 LYNDORA ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11131 LYNDORA ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11132 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11133 LYNDORA ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11135 LYNDORA ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
11136 LYNDORA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11137 LYNDORA ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11139 LYNDORA ST	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
11141 LYNDORA ST	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
11143 LYNDORA ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11145 LYNDORA ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11147 LYNDORA ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11149 LYNDORA ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11151 LYNDORA ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11153 LYNDORA ST	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
11155 LYNDORA ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11157 LYNDORA ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11159 LYNDORA ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10500 CHEDDAR AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10502 CHEDDAR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10503 CHEDDAR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10510 CHEDDAR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10511 CHEDDAR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10516 CHEDDAR ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10517 CHEDDAR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10520 CHEDDAR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10521 CHEDDAR ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10526 CHEDDAR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10527 CHEDDAR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10531 CHEDDAR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10532 E IMPERIAL HWY	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
10538 E IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10532 CHEDDAR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10536 CHEDDAR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10537 CHEDDAR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10542 CHEDDAR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10543 CHEDDAR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10548 CHEDDAR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10549 CHEDDAR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10600 CHEDDAR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10603 CHEDDAR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10609 CHEDDAR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10615 CHEDDAR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11301 CHEDDAR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11302 CHEDDAR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11305 CHEDDAR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11306 CHEDDAR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11309 CHEDDAR ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10503 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10509 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10515 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10519 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10525 BORSON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10531 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10537 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10541 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10545 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10563 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10607 BORSON ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11002 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11007 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11008 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11012 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11013 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11017 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11018 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11022 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11023 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11028 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11029 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11032 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11035 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11038 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11039 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11044 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11045 BORSON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11048 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11049 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11052 BORSON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11053 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11100 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11104 BORSON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11108 BORSON ST	Galvanized	No	Galvanized	Field inspection	Non-Lead
11114 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11118 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11124 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11128 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11134 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11140 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11144 BORSON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11301 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11302 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11304 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11305 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11308 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11309 BORSON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11314 BORSON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11315 BORSON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12606 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12612 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12616 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12620 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12625 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12626 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12630 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12636 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12702 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12706 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12712 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13108 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13112 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13202 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13206 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13209 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13212 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13213 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13218 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13219 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13224 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13225 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13229 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13230 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13302 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13303 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13308 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13309 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13312 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13313 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13318 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13319 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13325 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13403 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13407 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13413 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13417 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13423 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13427 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13503 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13509 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13515 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13525 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13531 DOMART AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13536 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13537 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13542 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13543 DOMART AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13546 DOMART AVE	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
13560 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13566 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13570 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13574 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13575 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13578 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13601 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13602 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13607 DOMART AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13608 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13610 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13616 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13620 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13626 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13630 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13636 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13704 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13708 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13710 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13718 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13720 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13800 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13801 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13807 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13808 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13811 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13812 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13817 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14300 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14301 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14304 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14307 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14313 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14319 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14323 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14327 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14333 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14339 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14343 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14349 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14403 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14409 DOMART AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
14415 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14419 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14425 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14429 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14435 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14439 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14445 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14449 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14502 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14503 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14508 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14509 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14514 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14515 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14519 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14520 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14523 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14524 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14602 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14603 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14606 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14609 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14612 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14613 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14618 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14619 DOMART AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
14622 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14625 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14628 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14631 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14632 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14637 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14638 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14643 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14644 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14647 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14648 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14653 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14802 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14803 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14809 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14810 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14814 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14815 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14819 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14820 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14825 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14826 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14830 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14831 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14835 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14836 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14841 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14842 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14845 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14848 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14851 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14852 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14857 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14858 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14861 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15003 DOMART AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15004 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15009 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15010 DOMART AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
15013 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15016 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15019 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15020 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15023 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15026 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15029 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15030 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15035 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15102 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15105 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15106 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15111 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15112 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15117 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15118 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15121 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15124 DOMART AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
15127 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15128 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15203 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15204 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15209 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15210 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15213 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15216 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15219 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15220 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15223 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15226 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15229 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15230 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15303 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15304 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15309 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15310 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15313 DOMART AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
15316 DOMART AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
15319 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15320 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15323 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15326 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15329 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15330 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15335 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15403 DOMART AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15404 DOMART AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15409 DOMART AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15410 DOMART AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15413 DOMART AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15416 DOMART AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15419 DOMART AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15420 DOMART AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15425 DOMART AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
15426 DOMART AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15430 DOMART AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15431 DOMART AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15503 DOMART AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15504 DOMART AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15509 DOMART AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15510 DOMART AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15513 DOMART AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15516 DOMART AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15519 DOMART AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15520 DOMART AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15525 DOMART AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15526 DOMART AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15530 DOMART AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15531 DOMART AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
15603 DOMART AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15604 DOMART AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15608 DOMART AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15609 DOMART AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15613 DOMART AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15614 DOMART AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15619 DOMART AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15620 DOMART AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15625 DOMART AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15626 DOMART AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15631 DOMART AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15635 DOMART AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15641 1/2 DOMART AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15641 DOMART AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG DOMART AVE/14800	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12601 POPULAR PL	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12609 POPULAR PL	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12617 POPULAR PL	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12623 POPULAR PL	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12629 POPULAR PL	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12703 POPULAR PL	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10910 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10920 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10924 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10930 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10934 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10940 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10944 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10950 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10956 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11004 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11016 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11017 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11022 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11023 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11028 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11029 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11034 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11039 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11042 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11045 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11048 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11051 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11054 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11057 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11060 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11063 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11102 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11105 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11111 ADOREE ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11112 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11115 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11116 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11121 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11122 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11127 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11130 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11135 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11136 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11139 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11144 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11202 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11208 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11212 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11218 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11222 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11228 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11232 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11238 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11244 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11248 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11301 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11302 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11304 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11305 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11308 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11308 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11309 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11314 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11315 ADOREE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
IRRIG ADOREE ST/HALCOURT	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG ADOREE ST/HALCOURT	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12301 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12301 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12310 STUDEBAKER RD	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12312 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12400 STUDEBAKER RD	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
12400 STUDEBAKER RD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12401 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12401 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12618 STUDEBAKER RD	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
12618 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12627 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12627 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12702 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12708 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12712 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12718 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12719 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12722 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12739 STUDEBAKER RD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12820 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13000 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13000 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13100 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13100 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13100 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13132 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13210 STUDEBAKER RD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13226 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13226 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13817 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13820 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13823 1/2 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13823 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13825 1/2 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13825 STUDEBAKER RD	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13827 1/2 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13827 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13829 1/2 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13829 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13831 1/2 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13831 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13833 STUDEBAKER RD	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13835 1/2 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13835 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13837 1/2 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13837 3/4 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13837 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13903 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13907 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13913 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13917 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13923 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13927 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13933 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13937 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14003 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14007 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14013 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14017 STUDEBAKER RD	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
14023 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14027 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14033 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14037 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14043 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14049 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14402 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14408 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14409 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14413 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14414 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14419 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14420 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14423 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14426 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14429 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14432 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14435 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14438 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14441 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14502 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14503 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14508 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14509 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14513 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14514 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14519 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14520 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14523 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14526 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14529 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14532 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14535 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14538 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14541 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14544 STUDEBAKER RD	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
14545 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14602 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14608 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14609 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14613 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14614 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14619 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14620 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14623 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14626 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14627 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14632 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14633 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14637 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14638 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14643 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14702 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14705 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14708 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14711 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14714 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14717 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14720 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14721 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14725 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14726 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14731 STUDEBAKER RD	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
14732 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14735 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14802 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14805 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14808 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14811 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14814 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14815 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14820 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14821 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14825 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14826 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14829 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14832 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14835 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14838 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14839 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15003 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15007 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15013 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15014 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15019 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15023 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15029 STUDEBAKER RD	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
15103 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15109 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15110 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15113 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15116 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15119 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15125 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15129 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15135 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15202 STUDEBAKER RD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15205 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15206 STUDEBAKER RD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15211 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15212 STUDEBAKER RD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15215 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15218 STUDEBAKER RD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15221 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15222 STUDEBAKER RD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15225 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15226 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15301 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15304 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15307 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15310 STUDEBAKER RD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15311 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15316 STUDEBAKER RD	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
15317 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15320 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15323 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15326 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15327 STUDEBAKER RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15400 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
15406 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15409 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15412 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15413 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15418 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15419 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15423 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15424 STUDEBAKER RD	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
15428 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15429 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15433 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15434 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15438 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15439 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15503 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15504 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15508 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15509 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15513 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15514 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15519 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15520 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15522 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15523 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15529 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15532 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15538 STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15617 STUDEBAKER RD	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
IRRIG STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
IRRIG STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12603 CROSSDALE AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12604 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12608 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12612 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12613 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12616 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12622 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12626 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12632 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12638 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12644 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12702 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12703 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12707 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12708 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12711 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12712 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12715 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12716 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12718 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13000 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13001 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13002 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13003 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13008 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13009 CROSSDALE AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13014 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13015 CROSSDALE AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13018 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13021 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13024 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13027 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13030 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13033 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13102 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13103 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13106 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13109 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13112 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13115 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13118 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13121 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13124 CROSSDALE AVE	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
13202 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13203 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13208 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13209 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13212 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13215 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13218 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13219 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13224 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13225 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13228 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13231 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13302 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13303 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13308 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13309 CROSSDALE AVE	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
13312 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13315 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13318 CROSSDALE AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13319 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14302 CROSSDALE AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14305 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14306 CROSSDALE AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14311 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14314 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14315 CROSSDALE AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14320 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14323 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14402 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14403 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14410 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14411 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14416 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14417 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14422 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14423 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14428 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14429 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14434 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14435 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14440 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14441 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14502 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14503 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14508 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14509 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14514 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14515 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14520 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14521 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14526 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14527 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14532 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14533 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14538 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14539 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14544 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14545 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14602 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14603 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14608 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14609 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14614 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14615 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14620 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14621 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14626 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14627 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14632 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14633 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14638 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14639 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14702 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14703 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14708 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14709 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14714 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14715 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14720 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14721 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14726 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14727 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14732 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14733 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14802 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14803 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14808 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14809 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14814 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14815 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14820 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14821 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14826 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14827 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14832 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14833 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14838 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14839 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15202 CROSSDALE AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15203 CROSSDALE AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15208 CROSSDALE AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15209 CROSSDALE AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15212 CROSSDALE AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15213 CROSSDALE AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15216 CROSSDALE AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15219 CROSSDALE AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15222 CROSSDALE AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15223 CROSSDALE AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15303 CROSSDALE AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15309 CROSSDALE AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15312 CROSSDALE AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15313 CROSSDALE AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15317 CROSSDALE AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15402 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15403 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15406 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15407 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15412 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15413 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15416 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15419 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15422 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15423 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15426 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15429 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15432 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15433 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15438 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15439 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15502 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15503 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15508 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15509 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15512 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15515 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15518 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15519 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15522 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15523 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15526 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15529 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15532 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15535 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15536 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15541 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15542 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15602 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15605 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15608 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15611 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15612 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15616 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15617 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15621 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15622 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15627 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15628 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15631 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15632 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15637 CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12602 PECOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12603 PECOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12608 PECOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12609 PECOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12613 PECOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12614 PECOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12619 PECOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12622 PECOS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12625 PECOS AVE	Non-Lead - Plastic	No	Galvanized	Field inspection	Non-Lead
12628 PECOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12629 PECOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12637 PECOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12702 PECOS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12703 PECOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12707 PECOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12708 PECOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12713 PECOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12713 PECOS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12714 PECOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12717 PECOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12718 PECOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12722 PECOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12723 PECOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12728 PECOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12729 PECOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12733 PECOS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12734 PECOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12738 PECOS AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12739 PECOS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12602 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12603 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12608 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12611 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12614 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12617 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12620 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12623 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12628 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12629 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12633 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12634 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12638 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12641 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12702 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12705 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12708 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12711 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12712 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12717 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12718 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12721 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12724 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12727 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12730 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12733 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12902 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12907 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12908 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12912 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12913 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12918 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12919 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12923 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12924 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13002 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13003 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13007 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13008 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13012 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13013 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13018 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13019 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13024 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13025 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13102 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13103 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13108 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13109 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13112 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13113 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13118 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13119 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13122 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13123 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13202 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13203 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13208 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13209 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13212 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13213 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13216 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13219 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13222 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13223 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13228 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13229 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13232 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13233 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13302 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13303 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13308 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13309 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13312 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13315 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13319 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13830 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13831 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13836 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13902 LEFLOSS AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13903 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13906 LEFLOSS AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13909 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13912 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13913 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13916 LEFLOSS AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13919 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13922 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13923 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13926 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13929 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13932 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13933 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13936 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13939 LEFLOSS AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
14002 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14003 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14006 LEFLOSS AVE	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
14009 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14012 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14013 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14016 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14019 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14022 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14023 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14026 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14029 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14032 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14033 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14036 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14039 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14042 LEFLOSS AVE	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
14043 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14048 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14049 LEFLOSS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14402 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14403 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14408 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14409 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14414 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14415 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14418 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14419 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14423 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14424 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14428 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14429 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14434 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14435 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14438 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14441 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14502 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14503 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14506 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14507 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14512 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14513 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14518 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14519 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14523 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14524 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14528 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14529 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14534 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14535 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14538 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14539 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14602 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14606 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14607 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14612 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14613 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14617 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14618 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14621 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14622 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14627 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14628 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14631 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14632 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14637 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14638 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14702 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14703 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14708 LEFLOSS AVE	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14709 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14712 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14713 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14718 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14719 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14723 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14726 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14727 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14732 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14733 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14736 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14739 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14802 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14803 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14806 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14809 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14812 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14813 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14816 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14819 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14822 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14823 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14826 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14829 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14832 LEFLOSS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14837 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15002 LEFLOSS AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
15006 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15012 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15018 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15024 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15028 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15034 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15102 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15108 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15112 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15118 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15124 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15130 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15202 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15208 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15212 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15218 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15224 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15302 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15308 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15312 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15318 LEFLOSS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15402 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15403 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15408 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15409 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15412 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15413 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15418 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15419 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15422 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15423 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15428 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15429 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15432 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15433 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15438 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15439 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15502 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15503 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15508 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15509 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15512 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15513 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15518 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15519 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15522 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15523 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15527 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15528 LEFLOSS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15539 LEFLOSS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12601 HALCOURT AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12602 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12607 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12608 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12614 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12615 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12622 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12625 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12626 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12629 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12632 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12637 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12638 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12642 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12643 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12702 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12703 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12708 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12709 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12712 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12713 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12718 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12719 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12724 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12725 HALCOURT AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12730 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12902 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12903 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12908 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12909 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12912 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12913 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12918 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12919 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13002 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13003 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13006 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13009 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13012 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13013 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13018 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13019 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13024 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13025 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13102 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13103 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13107 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13108 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13112 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13113 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13118 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13118 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13119 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13123 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13124 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13202 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13203 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13206 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13209 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13212 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13213 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13218 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13219 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13223 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13224 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13228 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13229 HALCOURT AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13302 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13303 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13306 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13309 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13312 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13313 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13318 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13319 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13322 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13323 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13403 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13407 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13413 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13419 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13425 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13429 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13432 HALCOURT AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13435 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13441 HALCOURT AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13503 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13507 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13513 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13519 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13525 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13529 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13603 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13609 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13613 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13619 HALCOURT AVE	Galvanized	No	Galvanized	Field inspection	Non-Lead
13625 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13631 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13905 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13906 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13911 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13912 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13916 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13917 HALCOURT AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13921 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13921 HALCOURT AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13922 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13926 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13927 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13931 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13932 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13937 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13938 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13941 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13942 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13947 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13948 HALCOURT AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13951 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14002 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14005 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14006 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14011 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14012 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14015 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14016 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14021 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14022 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14025 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14028 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14031 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14032 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14035 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14038 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14041 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14044 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14045 HALCOURT AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
14050 HALCOURT AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14051 HALCOURT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14401 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14405 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14410 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14411 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14414 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14417 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14420 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14423 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14426 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14429 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14432 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14433 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14436 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14439 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14440 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14443 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14446 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14447 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14502 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14503 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14508 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14509 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14512 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14513 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14518 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14519 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14522 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14525 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14528 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14529 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14534 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14535 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14538 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14539 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14602 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14606 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14607 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14611 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14612 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14616 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14617 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14621 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14622 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14627 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14628 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14632 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14633 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14637 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14638 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14702 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14703 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14706 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14709 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14712 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14713 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14716 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14717 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14722 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14723 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14728 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14729 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14732 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14733 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14738 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14739 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14802 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14803 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14806 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14809 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14812 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14813 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14816 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14817 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14822 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14825 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14828 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14835 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15402 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15403 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15406 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15409 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15412 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15413 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15416 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15419 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15422 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15423 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15426 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15429 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15432 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15433 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15436 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15437 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15502 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15503 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15506 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15507 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15512 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15513 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15516 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15519 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15522 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15523 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15526 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15529 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15538 HALCOURT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG HALCOURT AVE/EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
IRRIG HALCOURT AVE/FOSTER RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12602 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12608 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12614 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12620 LEIBACHER AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
12626 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12630 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12636 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12640 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12702 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12708 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12714 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12718 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12724 LEIBACHER AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13402 LEIBACHER AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13403 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13406 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13407 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13412 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13413 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13418 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13419 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13423 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13424 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13429 LEIBACHER AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13430 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13433 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13434 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13439 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13502 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13505 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13508 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13511 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13512 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13515 LEIBACHER AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13518 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13521 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13522 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13525 LEIBACHER AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13528 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13531 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13534 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13537 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13602 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13603 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13608 LEIBACHER AVE	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
13609 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13613 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13614 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13618 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13619 LEIBACHER AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13625 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13626 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13629 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13634 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13635 LEIBACHER AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13720 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13902 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13905 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13906 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13911 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13912 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13916 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13917 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13922 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13923 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13926 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13927 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13932 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13933 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13936 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13937 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13942 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13943 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14002 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14003 LEIBACHER AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
14008 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14009 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14012 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14013 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14018 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14019 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14022 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14023 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14028 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14029 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14034 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14035 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14038 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14041 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14048 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14049 LEIBACHER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14302 LEIBACHER AVE	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
14303 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14308 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14309 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14312 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14313 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14318 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14319 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14323 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14324 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14328 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14329 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14332 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14333 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14402 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14403 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14406 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14409 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14412 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14413 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14417 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14418 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14422 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14423 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14428 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14429 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14434 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14435 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14438 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14439 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14502 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14503 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14507 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14508 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14512 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14513 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14516 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14517 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14522 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14523 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14528 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14529 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14533 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14534 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14538 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14539 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14602 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14606 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14607 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14612 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14613 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14616 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14617 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14621 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14622 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14627 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14628 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14632 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14633 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14636 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14637 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14702 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14703 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14706 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14709 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14712 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14713 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14716 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14717 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14722 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14723 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14727 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14728 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14732 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14733 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14736 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14739 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14802 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14803 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14806 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14812 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14813 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14816 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14825 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15402 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15403 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15406 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15409 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15412 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15413 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15416 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15419 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15422 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15423 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15426 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15429 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15432 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15433 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15436 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15439 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15502 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15503 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15506 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15509 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15512 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15513 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15516 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15519 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15522 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15523 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15526 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15529 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15533 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15538 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15539 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15543 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15603 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15608 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15609 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15612 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15613 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15618 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15619 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15624 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15625 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15628 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15629 LEIBACHER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG LEIBACHER AVE/ALONDRA BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG LEIBACHER AVE/IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
IRRIG LEIBACHER AVE/ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10900 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10901 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10904 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10905 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10908 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10909 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10914 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10915 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10920 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10921 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10924 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10925 RATLIFFE ST	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
10930 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10931 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10936 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10939 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11103 RATLIFFE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11109 RATLIFFE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11113 RATLIFFE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11119 RATLIFFE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11125 RATLIFFE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11129 RATLIFFE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11135 RATLIFFE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11139 RATLIFFE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11145 RATLIFFE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11151 RATLIFFE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11203 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11209 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11213 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11219 RATLIFFE ST	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
11223 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11229 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11235 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11241 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11245 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11249 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11255 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11261 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11267 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11301 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11313 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11402 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11406 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11410 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11416 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11420 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11426 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11430 RATLIFFE ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
11433 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11436 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11439 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11440 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11444 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11448 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11454 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11456 RATLIFFE ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
11459 RATLIFFE ST	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
11459 RATLIFFE ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11502 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11506 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11508 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11514 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11518 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11520 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11526 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11528 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11530 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11534 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11536 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11542 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11548 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11552 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11556 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11564 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11566 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11568 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11572 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11578 RATLIFFE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10500 ANGELL ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10502 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
10503 ANGELL ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10509 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10511 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10512 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10515 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10518 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10521 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10522 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10527 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10528 E IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10528 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10532 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10533 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11579 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10902 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10903 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10904 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10905 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10908 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10909 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10914 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10915 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10918 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10919 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10924 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10925 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10930 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10931 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10936 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10937 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11402 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11403 ANGELL ST	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
11406 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11408 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11409 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11410 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11414 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11415 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11417 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11418 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11421 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11424 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11425 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11428 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11429 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11433 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11434 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11436 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11437 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11441 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11442 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11445 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11446 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11447 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11452 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11455 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11456 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11457 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11459 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11501 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11504 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11507 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11508 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11509 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11514 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11519 ANGELL ST	Galvanized	No	Galvanized	Field inspection	Non-Lead
11520 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11523 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11526 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11527 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11532 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11533 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11536 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11537 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11543 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11544 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11545 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11547 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11548 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11552 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11553 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11554 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11557 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11561 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11562 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11563 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11564 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11565 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11571 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11572 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11603 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11607 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11611 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11617 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11621 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11627 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11631 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11637 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11641 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11647 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11651 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11657 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11661 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11703 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11707 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11713 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11719 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11723 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11727 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11733 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11739 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11743 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11744 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11749 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11750 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11753 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11754 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11759 ANGELL ST	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
11760 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11763 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11766 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11769 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11770 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11774 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11775 ANGELL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10900 MAZA ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10901 MAZA ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10904 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10905 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10908 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10909 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10914 MAZA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10915 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10920 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10921 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10924 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10925 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10930 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10931 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10936 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10937 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11403 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11406 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11407 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11408 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11411 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11414 MAZA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11415 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11416 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11423 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11424 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11425 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11426 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11429 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11432 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11434 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11435 MAZA ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11436 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11439 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11441 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11444 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11445 MAZA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11446 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11449 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11450 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11452 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11453 MAZA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11455 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11457 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11458 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11503 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11504 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11507 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11508 MAZA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11513 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11514 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11516 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11517 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11520 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11523 MAZA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11526 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11527 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11530 MAZA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11535 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11536 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11539 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11540 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11545 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11546 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11551 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11552 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11555 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11556 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11561 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11562 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11564 MAZA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11567 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11570 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11571 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11572 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11573 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11579 MAZA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10900 LITTCHEN ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
10903 LITTCHEN ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10904 LITTCHEN ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10906 LITTCHEN ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
10909 LITTCHEN ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10912 LITTCHEN ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10913 LITTCHEN ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10916 LITTCHEN ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10919 LITTCHEN ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10922 LITTCHEN ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10923 LITTCHEN ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10928 LITTCHEN ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10929 LITTCHEN ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10932 LITTCHEN ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10933 LITTCHEN ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10938 LITTCHEN ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10939 LITTCHEN ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11406 LITTCHEN ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
11411 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11412 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11415 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11416 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11421 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11424 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11425 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11428 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11429 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11433 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11434 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11437 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11438 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11441 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11442 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11445 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11446 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11447 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11450 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11453 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11454 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11458 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11459 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11501 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11502 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11504 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11505 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11506 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11507 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11508 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11513 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11516 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11517 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11518 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11519 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11525 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11526 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11529 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11532 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11534 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11535 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11536 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11538 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11541 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11544 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11545 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11546 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11551 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11553 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11554 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11556 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11557 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11562 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11563 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11564 LITTCHEN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11565 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11570 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11579 LITTCHEN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10900 BELCHER ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10903 BELCHER ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10904 BELCHER ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10906 BELCHER ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10909 BELCHER ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10912 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10913 BELCHER ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
10918 BELCHER ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10919 BELCHER ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10922 BELCHER ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10923 BELCHER ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10926 BELCHER ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10929 BELCHER ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10932 BELCHER ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
10933 BELCHER ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10938 BELCHER ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10939 BELCHER ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11401 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11404 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11405 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11406 BELCHER ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11407 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11408 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11412 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11413 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11414 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11415 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11416 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11418 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11419 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11420 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11421 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11425 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11426 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11428 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11429 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11432 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11434 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11435 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11436 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11437 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11438 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11443 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11444 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11445 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11448 BELCHER ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11450 BELCHER ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11451 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11453 BELCHER ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11454 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11455 BELCHER ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
11457 BELCHER ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11458 BELCHER ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11461 BELCHER ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11503 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11506 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11507 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11510 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11511 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11514 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11516 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11517 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11518 BELCHER ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11520 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11521 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11524 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11525 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11528 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11529 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11534 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11535 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11536 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11539 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11542 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11543 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11545 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11546 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11547 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11548 BELCHER ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
11551 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11552 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11555 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11556 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11560 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11561 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11564 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11565 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11568 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11571 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11574 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11577 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11580 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12902 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12903 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12906 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12907 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12912 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12913 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12916 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12917 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12922 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12923 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12926 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12929 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12932 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12933 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12938 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12939 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12940 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12943 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12946 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12948 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12952 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12956 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12962 BELCHER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10623 TOLLY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10631 TOLLY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10900 TOLLY ST	Galvanized	No	Galvanized	Field inspection	Non-Lead
10903 TOLLY ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10906 TOLLY ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10909 TOLLY ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10912 TOLLY ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10915 TOLLY ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10916 TOLLY ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10919 TOLLY ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10922 TOLLY ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10925 TOLLY ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10928 TOLLY ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10931 TOLLY ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10934 TOLLY ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10937 TOLLY ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10744 TONIBAR ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10750 TONIBAR ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10756 TONIBAR ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10760 TONIBAR ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10766 TONIBAR ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10772 TONIBAR ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10776 TONIBAR ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10806 TONIBAR ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10812 TONIBAR ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10818 TONIBAR ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10824 TONIBAR ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10828 TONIBAR ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10834 TONIBAR ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10838 TONIBAR ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10844 TONIBAR ST	Galvanized	No	Galvanized	Field inspection	Non-Lead
10850 TONIBAR ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10854 TONIBAR ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10860 TONIBAR ST	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
10864 TONIBAR ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10870 TONIBAR ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10876 TONIBAR ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10902 TONIBAR ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10903 TONIBAR ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10908 TONIBAR ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10909 TONIBAR ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10912 TONIBAR ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10913 TONIBAR ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10918 TONIBAR ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10919 TONIBAR ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10922 TONIBAR ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10925 TONIBAR ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10928 TONIBAR ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10931 TONIBAR ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10937 TONIBAR ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG CARFAX AVE/SOMERSET BLVD	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13902 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13905 DUMONT AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13906 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13910 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13911 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13916 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13917 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13920 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13923 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13926 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13927 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13930 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13933 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13936 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13937 DUMONT AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13940 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13943 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14002 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14003 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14006 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14009 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14012 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14013 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14016 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14019 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14022 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14023 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14026 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14029 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14032 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14035 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14042 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14043 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14302 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14308 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14312 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14318 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14324 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14328 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14332 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14335 DUMONT AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
14402 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14403 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14406 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14409 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14412 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14413 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14417 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14418 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14422 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14423 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14428 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14429 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14433 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14434 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14438 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14439 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14502 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14503 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14507 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14508 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14512 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14513 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14516 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14519 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14522 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14523 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14528 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14529 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14534 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14535 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14538 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14539 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14602 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14606 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14609 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14612 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14615 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14616 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14621 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14622 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14627 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14628 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14632 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14633 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14638 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14639 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14702 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14703 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14706 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14711 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14712 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14716 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14717 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14722 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14728 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14732 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14737 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14738 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14740 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14749 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15002 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15003 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15007 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15008 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15012 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15013 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15018 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15019 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15022 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15023 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15028 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15029 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15032 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15033 DUMONT AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
15038 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15039 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15102 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15103 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15107 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15108 DUMONT AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
15112 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15113 DUMONT AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
15118 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15119 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15123 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15129 DUMONT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15133 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15203 DUMONT AVE	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15213 DUMONT AVE	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15223 DUMONT AVE	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15309 DUMONT AVE	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15319 DUMONT AVE	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15402 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15406 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15409 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15412 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15413 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15416 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15419 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15422 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15423 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15426 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15429 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15432 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15433 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15436 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15439 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15502 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15503 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15508 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15509 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15512 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15513 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15518 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15522 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15523 DUMONT AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15526 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15532 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15533 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15536 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15602 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15606 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15612 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15616 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15622 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15626 DUMONT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15632 DUMONT AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG ACROSS 15616 DUMONT	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13402 BEHRENS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13406 BEHRENS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13412 BEHRENS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13418 BEHRENS AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13422 BEHRENS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13428 BEHRENS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13432 BEHRENS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13438 BEHRENS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13502 BEHRENS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13508 BEHRENS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13512 BEHRENS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13518 BEHRENS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13522 BEHRENS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13528 BEHRENS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13529 BEHRENS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13534 BEHRENS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13602 BEHRENS AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13603 BEHRENS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13608 BEHRENS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13614 BEHRENS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13618 BEHRENS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13619 BEHRENS AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13624 BEHRENS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13629 BEHRENS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13630 BEHRENS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13635 BEHRENS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13638 BEHRENS AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13902 BEHRENS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13906 BEHRENS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13912 BEHRENS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13916 BEHRENS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13922 BEHRENS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13926 BEHRENS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13932 BEHRENS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13938 BEHRENS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14004 BEHRENS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14010 BEHRENS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14014 BEHRENS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14020 BEHRENS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14026 BEHRENS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14032 BEHRENS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14042 BEHRENS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14420 BEHRENS AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
14424 BEHRENS AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
14428 BEHRENS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14434 BEHRENS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14438 BEHRENS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14502 BEHRENS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14506 BEHRENS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14512 BEHRENS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14516 BEHRENS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14522 BEHRENS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14528 BEHRENS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14534 BEHRENS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14538 BEHRENS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14602 BEHRENS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14608 BEHRENS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14614 BEHRENS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14620 BEHRENS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14626 BEHRENS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14632 BEHRENS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14638 BEHRENS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14644 BEHRENS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
IRRIG ACROSS FRM 14614 BEHRENS	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
IRRIG ACROSS 14042 BEHRENS	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
IRRIG ACROSS/13518 BEHRENS	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12602 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12603 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12606 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12609 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12612 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12613 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12616 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12619 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12622 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12623 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12626 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12629 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12632 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12633 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12636 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12639 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12642 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12643 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12702 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12703 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12706 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12707 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12712 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12713 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12716 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12719 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12722 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12723 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12726 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12729 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12732 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12733 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12736 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12739 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12742 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12743 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12746 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12747 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12902 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12903 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12906 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12907 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12912 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12913 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12916 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12917 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13002 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13003 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13006 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13009 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13012 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13013 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13017 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13018 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13022 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13023 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13102 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13103 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13108 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13109 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13112 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13113 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13117 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13118 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13122 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13123 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13202 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13203 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13207 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13208 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13212 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13213 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13217 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13218 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14402 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14403 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14408 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14409 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14414 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14415 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14420 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14421 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14426 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14427 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14432 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14433 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14438 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14439 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14444 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14445 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14502 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14503 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14508 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14509 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14514 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14515 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14520 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14521 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14526 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14527 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14532 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14533 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14538 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14539 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14544 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14545 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14602 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14603 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14608 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14609 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14614 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14615 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14620 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14621 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14626 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14627 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14632 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14633 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14638 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14639 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14644 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14645 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14650 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14651 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15013 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15019 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15025 GRAYSTONE AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15103 GRAYSTONE AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15109 GRAYSTONE AVE	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
15111 GRAYSTONE AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15115 GRAYSTONE AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15202 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15203 GRAYSTONE AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15204 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15206 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15207 GRAYSTONE AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15211 GRAYSTONE AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15212 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15216 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15217 GRAYSTONE AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
15222 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15223 GRAYSTONE AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15226 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15227 GRAYSTONE AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15302 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15303 GRAYSTONE AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
15308 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15311 GRAYSTONE AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15312 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15316 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15317 GRAYSTONE AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15322 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15325 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15328 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15422 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15428 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15434 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15438 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15442 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15448 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15450 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
15453 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15456 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15459 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15460 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15461 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
15502 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15503 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15507 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15508 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15512 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15513 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15516 GRAYSTONE AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15517 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15522 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15523 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15526 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15527 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15532 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15533 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15536 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15539 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15602 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15603 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15607 GRAYSTONE AVE	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
15608 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15612 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15613 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15616 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15617 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15622 GRAYSTONE AVE	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
15623 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15627 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15628 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15632 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15633 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15638 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15639 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15642 GRAYSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12603 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12608 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12609 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12612 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12613 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12618 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12619 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12623 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12624 LONGWORTH AVE	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
12628 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12629 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12632 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12633 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12638 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12639 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12642 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12643 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12702 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12703 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12708 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12709 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12712 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12713 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12718 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12719 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12722 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12723 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12728 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12729 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12732 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12733 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12738 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12739 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12742 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12743 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12747 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12748 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12752 LONGWORTH AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
12902 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12903 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12906 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12909 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12912 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12913 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12916 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12917 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13002 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13003 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13006 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13007 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13012 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13013 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13017 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13018 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13022 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13023 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13102 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13103 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13107 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13108 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13112 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13113 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13115 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13116 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13117 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13122 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13123 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13202 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13203 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13207 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13208 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13212 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13213 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13216 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13219 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14402 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14403 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14408 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14409 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14414 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14415 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14420 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14421 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14424 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14425 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14430 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14431 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14436 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14437 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14442 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14443 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14448 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14449 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14502 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14503 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14508 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14509 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14512 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14515 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14518 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14519 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14524 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14525 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14530 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14531 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14536 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14537 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14542 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14543 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14612 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14613 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14617 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14618 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14622 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14623 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14628 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14628 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14629 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14633 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14634 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14638 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14639 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14644 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14645 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14650 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14651 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14702 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14703 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14706 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14707 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14712 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14713 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14716 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14717 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14722 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14723 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14726 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14727 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14802 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14803 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14806 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14807 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14812 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14813 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14818 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14819 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14822 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14823 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14828 LONGWORTH AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
14829 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15407 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15408 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15412 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15413 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15416 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15417 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15420 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15423 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15427 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15428 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15431 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15432 LONGWORTH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15435 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15503 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15504 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15507 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15511 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15512 LONGWORTH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15516 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15517 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15522 LONGWORTH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15525 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15526 LONGWORTH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15529 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15532 LONGWORTH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15535 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15602 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15603 LONGWORTH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15606 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15609 LONGWORTH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15612 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15613 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15617 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15620 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15623 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15624 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15627 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15628 LONGWORTH AVE	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15702 LONGWORTH AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
15703 LONGWORTH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15707 LONGWORTH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15708 LONGWORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15713 LONGWORTH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12702 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12703 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12704 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12706 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12707 ELMCROFT AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
12712 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12713 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12718 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12719 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12722 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12723 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12728 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12729 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12732 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12733 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12738 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12739 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13002 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13003 ELMCROFT AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13007 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13008 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13012 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13013 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13017 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13018 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13022 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13023 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13102 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13103 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13107 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13108 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13112 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13113 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13117 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13118 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13122 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13123 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13202 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13203 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13206 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13207 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13212 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13213 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13216 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13219 ELMCROFT AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13222 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13223 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13228 ELMCROFT AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13229 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13302 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13303 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13308 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13309 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13312 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13313 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13316 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13317 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13323 ELMCROFT AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14402 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14403 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14408 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14409 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14414 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14415 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14420 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14421 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14426 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14427 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14432 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14433 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14438 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14439 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14444 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14445 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14502 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14503 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14508 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14509 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14514 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14515 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14520 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14521 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14526 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14527 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14532 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14533 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14538 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14539 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14544 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14545 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14602 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14603 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14608 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14609 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14614 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14615 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14620 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14621 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14626 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14627 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14632 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14633 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14638 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14639 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14644 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14645 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14650 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14651 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14657 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14703 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14711 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14716 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14716 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14717 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14723 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14729 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14803 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14809 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14815 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14821 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14827 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15402 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15403 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15406 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15407 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15412 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15413 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15418 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15419 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15422 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15423 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15427 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15428 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15432 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15433 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15438 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15439 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15502 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15503 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15508 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15509 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15512 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15513 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15518 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15519 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15522 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15523 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15528 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15529 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15532 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15533 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15536 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15537 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15602 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15603 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15606 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15609 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15612 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15613 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15616 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15619 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15622 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15623 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15626 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15627 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15632 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15633 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15638 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15639 ELMCROFT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12608 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12612 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12618 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12622 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12628 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12629 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12632 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12637 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12638 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12641 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12702 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12703 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12706 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12711 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12712 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12716 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12717 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12721 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12722 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12726 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12727 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12731 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12732 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12735 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12736 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12802 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12806 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12812 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12816 FAIRFORD AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
12817 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12825 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12837 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12845 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12902 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12906 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12912 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12915 FAIRFORD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12916 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12921 FAIRFORD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13002 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13003 FAIRFORD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13006 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13009 FAIRFORD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13012 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13015 FAIRFORD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13018 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13019 FAIRFORD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13022 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13025 FAIRFORD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13102 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13103 FAIRFORD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13108 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13109 FAIRFORD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13112 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13115 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13118 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13121 FAIRFORD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13122 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13125 FAIRFORD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13202 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13205 FAIRFORD AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13208 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13211 FAIRFORD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13212 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13215 FAIRFORD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13216 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13221 FAIRFORD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13225 FAIRFORD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13305 FAIRFORD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13311 FAIRFORD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13315 FAIRFORD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13321 FAIRFORD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14402 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14403 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14408 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14409 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14414 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14415 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14420 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14421 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14426 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14427 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14432 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14433 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14438 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14439 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14444 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14445 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14502 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14503 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14508 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14509 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14514 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14515 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14520 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14521 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14526 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14527 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14532 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14533 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14538 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14539 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14544 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14545 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14602 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14603 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14608 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14609 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14614 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14615 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14620 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14621 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14626 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14627 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14632 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14633 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14638 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14639 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14644 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14645 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14650 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14651 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15403 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15407 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15413 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15417 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15423 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15426 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15427 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15430 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15433 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15436 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15437 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15502 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15503 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15506 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15507 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15512 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15513 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15516 FAIRFORD AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
15517 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15522 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15523 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15526 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15527 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15532 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15533 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15538 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15539 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15602 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15603 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15608 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15609 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15612 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15613 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15618 FAIRFORD AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15619 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15622 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15623 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15628 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15629 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15632 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15633 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15638 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15639 FAIRFORD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11702 CARDELL ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11703 CARDELL ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
11708 CARDELL ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
11709 CARDELL ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11713 CARDELL ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11714 CARDELL ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11718 CARDELL ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11719 CARDELL ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11724 CARDELL ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11725 CARDELL ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11730 CARDELL ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11731 CARDELL ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11736 CARDELL ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11737 CARDELL ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11702 SENWOOD ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
11703 SENWOOD ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11708 SENWOOD ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11709 SENWOOD ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11713 SENWOOD ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11714 SENWOOD ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11718 SENWOOD ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11719 SENWOOD ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
11724 SENWOOD ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11725 SENWOOD ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11730 SENWOOD ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11731 SENWOOD ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11736 SENWOOD ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11737 SENWOOD ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG SENWOOD ST/PIONEER BLVD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11803 LESSER ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11806 LESSER ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11807 LESSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11813 LESSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11814 LESSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11818 LESSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11819 LESSER ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11821 LESSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11824 LESSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11827 LESSER ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11831 LESSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11837 LESSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11841 LESSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11847 LESSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11848 LESSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11851 LESSER ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11854 LESSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11857 LESSER ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11860 LESSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11861 LESSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11864 LESSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11867 LESSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11870 LESSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11871 LESSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11876 LESSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11877 LESSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11881 LESSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11903 LESSER ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11907 LESSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11913 LESSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11917 LESSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11929 LESSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11933 LESSER ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11939 LESSER ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11945 LESSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11949 LESSER ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13603 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13609 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13612 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13615 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13619 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13620 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13623 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13626 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13629 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13630 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13633 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13636 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13639 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13642 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13643 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13648 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13649 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13653 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13654 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13659 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13663 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13703 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13709 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13712 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13713 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13720 ARLEE AVE	Galvanized	No	Galvanized	Field inspection	Non-Lead
13811 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13817 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13820 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13821 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13825 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13826 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13830 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13831 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13836 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13837 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13841 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13845 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14822 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14823 ARLEE AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
14828 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14829 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14835 ARLEE AVE	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
14841 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14847 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14853 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14859 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15101 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15105 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15106 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15107 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15110 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15111 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15114 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15115 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15117 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15123 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15129 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15203 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15209 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15213 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15219 ARLEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13320 PIONEER BLVD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13400 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13419 PIONEER BLVD	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13425 PIONEER BLVD	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
13431 PIONEER BLVD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13503 PIONEER BLVD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13511 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13514 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13519 PIONEER BLVD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13522 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13528 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13604 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13610 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13616 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13620 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13626 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13630 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13636 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13640 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13702 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13706 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13712 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13716 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13722 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13819 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13819 PIONEER BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13819 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13819 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13901 PIONEER BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13905 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13913 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13917 PIONEER BLVD	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13917 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13917 PIONEER BLVD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13927 PIONEER BLVD	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13933 PIONEER BLVD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13935 PIONEER BLVD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13937 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14021 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14021 PIONEER BLVD	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
14027 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14035 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14037 PIONEER BLVD	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
14041 PIONEER BLVD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14119 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14133 PIONEER BLVD	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
14609 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14634 PIONEER BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14634 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14637 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14706 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14717 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14717 PIONEER BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14717 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14717 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14730 PIONEER BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14730 PIONEER BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14730 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14730 PIONEER BLVD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14802 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14808 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14814 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14815 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14815 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14820 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14826 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14832 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14835 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14838 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14841 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15002 PIONEER BLVD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15007 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15013 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15017 PIONEER BLVD	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15025 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15028 PIONEER BLVD	Galvanized	No	Galvanized	Field inspection	Non-Lead
15029 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15034 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15035 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15102 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15103 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15107 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15110 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15113 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15116 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15119 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15120 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15126 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
15127 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15200 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15206 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15210 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15213 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15213 PIONEER BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15216 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15302 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15306 PIONEER BLVD	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
15308 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15311 PIONEER BLVD	Galvanized	No	Galvanized	Field inspection	Non-Lead
15312 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15314 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15316 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15328 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15333 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15336 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15338 PIONEER BLVD	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15340 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15342 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15402 PIONEER BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15406 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15408 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15408 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15410 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15414 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15415 PIONEER BLVD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15418 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15510 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15512 1/2 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15604 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15616 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15700 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15702 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15706 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15711 PIONEER BLVD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15716 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15720 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15802 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15816 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15900 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15902 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15910 PIONEER BLVD	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
15910 PIONEER BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15911 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15912 PIONEER BLVD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15915 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15917 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15919 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15923 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15925 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15927 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15928 PIONEER BLVD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15929 1/2 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15929 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15931 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15933 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15940 PIONEER BLVD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16000 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
16001 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16001 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16010 PIONEER BLVD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16014 PIONEER BLVD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16024 PIONEER BLVD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16026 PIONEER BLVD	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
16031 PIONEER BLVD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16031 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
16031 PIONEER BLVD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16038 PIONEER BLVD	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
16042 PIONEER BLVD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16102 PIONEER BLVD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16114 PIONEER BLVD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16204 PIONEER BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16215 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16220 PIONEER BLVD	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
16306 PIONEER BLVD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16330 PIONEER BLVD	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
16330 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16330 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16337 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16341 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16400 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
16415 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
16425 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16434 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16438 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
16438 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16441 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
16502 PIONEER BLVD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16511 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
16511 PIONEER BLVD	Galvanized	No	Galvanized	Field inspection	Non-Lead
16511 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
16511 PIONEER BLVD # 108	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16516 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16604 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16617 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16620 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
16620 PIONEER BLVD UNITS A-H	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
16632 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
16632 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16638 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
16644 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16649 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16703 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16706 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16707 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
16707 PIONEER BLVD	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
16712 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16712 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16725 PIONEER BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
16905 PIONEER BLVD	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
16905 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16905 PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16907 PIONEER BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
IRRIG PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG PIONEER BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG PIONEER BLVD/ BARNWALL	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11712 BRIMLEY ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11702 BRIMLEY ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11708 BRIMLEY ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11716 BRIMLEY ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11719 BRIMLEY ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11722 BRIMLEY ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11723 BRIMLEY ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11729 BRIMLEY ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11735 BRIMLEY ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11741 BRIMLEY ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11742 BRIMLEY ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11747 BRIMLEY ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11748 BRIMLEY ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11751 BRIMLEY ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11752 BRIMLEY ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11802 BRIMLEY ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11807 BRIMLEY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11808 BRIMLEY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11812 BRIMLEY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11813 BRIMLEY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11818 BRIMLEY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11819 BRIMLEY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11824 BRIMLEY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11825 BRIMLEY ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13602 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13606 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13611 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13612 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13616 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13617 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13621 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13622 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13626 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13627 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13632 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13633 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13636 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13639 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13642 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13646 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13650 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13656 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14702 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14703 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14708 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14709 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14714 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14715 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14720 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14721 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14725 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14726 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14733 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14734 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14802 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14803 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14810 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14811 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14816 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14817 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14822 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14823 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14828 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14829 BRINK AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13027 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13115 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
13121 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13205 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13209 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13212 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13213 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13216 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13219 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13220 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13224 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13225 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13230 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13231 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13302 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13303 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13308 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13309 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13313 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13314 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13319 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13324 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13325 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13403 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13407 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13413 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13419 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13423 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13429 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13433 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13439 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13503 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13509 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13513 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13517 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13523 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13529 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13535 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13541 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13547 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13603 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13609 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13615 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13621 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13627 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13631 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13637 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13643 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13649 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13703 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13709 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13713 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13719 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13902 FLATBUSH AVE	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13905 FLATBUSH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13911 FLATBUSH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13916 FLATBUSH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13917 FLATBUSH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13922 FLATBUSH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13923 FLATBUSH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13927 FLATBUSH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13933 FLATBUSH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14003 FLATBUSH AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
14502 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14503 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14508 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14509 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14512 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14513 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14517 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14520 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14523 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14524 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14602 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14603 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14607 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14608 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14612 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14613 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14618 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14619 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14623 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14624 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14629 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14630 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14633 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14634 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14639 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14640 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14645 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14646 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14651 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14652 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14804 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14805 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14810 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14811 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14815 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14816 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14820 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14821 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14825 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14826 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14830 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14831 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14836 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14837 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14842 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14843 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14846 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14847 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14852 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14853 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14858 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14859 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15002 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15003 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15006 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15007 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15012 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15013 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15018 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15019 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15024 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15025 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15028 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15029 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15102 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15103 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15106 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15107 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15112 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15113 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15118 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15119 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15124 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15125 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15128 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15129 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15202 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15203 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15206 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15207 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15212 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15213 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15218 FLATBUSH AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
15219 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15224 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15225 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15228 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15229 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15302 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15303 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15306 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15307 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15312 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15313 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15318 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15319 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15324 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15325 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15328 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15329 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15402 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15403 FLATBUSH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15407 FLATBUSH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15408 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15412 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15413 FLATBUSH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15416 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15417 FLATBUSH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15422 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15423 FLATBUSH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15427 FLATBUSH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15428 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15502 FLATBUSH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15503 FLATBUSH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15506 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15507 FLATBUSH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15512 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15513 FLATBUSH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15516 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15519 FLATBUSH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15522 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15523 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15526 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15529 FLATBUSH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15532 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15533 FLATBUSH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15602 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15603 FLATBUSH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15606 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15607 FLATBUSH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15612 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15613 FLATBUSH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15618 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15619 FLATBUSH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15622 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15623 FLATBUSH AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15632 FLATBUSH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG CARNE ST/HARVEST AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
IRRIG CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10500 PRISCILLA ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
10502 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10503 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10509 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10512 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10513 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10518 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10519 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12801 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12805 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12809 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12815 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12819 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12825 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12829 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12835 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12839 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12845 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12851 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12855 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12903 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12906 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12907 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12910 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12911 PRISCILLA ST	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
12916 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12917 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12920 PRISCILLA ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
12921 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12926 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12927 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12930 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12931 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12936 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12937 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12942 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12943 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12946 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12947 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12951 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12957 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12959 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12961 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12967 PRISCILLA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10502 BRANSCOMB ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10503 BRANSCOMB ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10509 BRANSCOMB ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10512 BRANSCOMB ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10515 BRANSCOMB ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10518 BRANSCOMB ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10521 BRANSCOMB ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10524 BRANSCOMB ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
 PWS. CA 1910211
 SERVICE LINES INVENTORY
 IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10525 BRANSCOMB ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10619 BRANSCOMB ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10620 BRANSCOMB ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10625 BRANSCOMB ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10645 BRANSCOMB ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10625 BERKELEY CRT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10626 BERKELEY CRT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10633 BERKELEY CRT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10634 BERKELEY CRT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10638 BERKELEY CRT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10639 BERKELEY CRT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10642 BERKELEY CRT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10643 BERKELEY CRT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10647 BERKELEY CRT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10630 ELEANOR CRT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10631 ELEANOR CRT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10634 ELEANOR CRT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10635 ELEANOR CRT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10638 ELEANOR CRT	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
10639 ELEANOR CRT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10642 ELEANOR CRT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10643 ELEANOR CRT	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10604 BRIAR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10606 BRIAR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10612 BRIAR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10616 BRIAR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10626 BRIAR ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10627 BRIAR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10630 BRIAR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10631 BRIAR ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
10636 BRIAR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10620 BRIAR ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10603 IVY CRT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10607 IVY CRT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10613 IVY CRT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10619 IVY CRT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10623 IVY CRT	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10627 IVY CRT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10633 IVY CRT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10602 FIRWOOD CRT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10603 FIRWOOD CRT	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10609 FIRWOOD CRT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10610 FIRWOOD CRT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10615 FIRWOOD CRT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10616 FIRWOOD CRT	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10617 FIRWOOD CRT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10626 FIRWOOD CRT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10627 FIRWOOD CRT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10629 FIRWOOD CRT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10632 FIRWOOD CRT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10635 FIRWOOD CRT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10604 E SHORELINE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10606 E SHORELINE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10608 E SHORELINE DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10610 E SHORELINE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10612 E SHORELINE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10614 E SHORELINE DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10620 E SHORELINE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10622 E SHORELINE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10624 E SHORELINE DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10626 E SHORELINE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10628 E SHORELINE DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10630 E SHORELINE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10634 E SHORELINE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10636 E SHORELINE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10638 E SHORELINE DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10640 E SHORELINE DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10642 E SHORELINE DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10644 E SHORELINE DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG FLATBUSH	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
F/S E SHORELINE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13915 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13917 BAYSIDE DR	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13919 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13921 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13923 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13925 BAYSIDE DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13931 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13933 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13935 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13937 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13939 BAYSIDE DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13941 BAYSIDE DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14001 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14003 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14005 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14007 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14009 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14011 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14013 BAYSIDE DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14015 BAYSIDE DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14017 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14019 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14021 BAYSIDE DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14023 BAYSIDE DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14025 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14027 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14029 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14031 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14033 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14035 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14037 BAYSIDE DR	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
14039 BAYSIDE DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14041 BAYSIDE DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14043 BAYSIDE DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14045 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14047 BAYSIDE DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14049 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14051 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14053 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14055 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14057 BAYSIDE DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14059 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14061 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14063 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14065 BAYSIDE DR	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
14067 BAYSIDE DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14069 BAYSIDE DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14071 BAYSIDE DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14073 BAYSIDE DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14075 BAYSIDE DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14077 BAYSIDE DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14079 BAYSIDE DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14081 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14083 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14085 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14087 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14089 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14091 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14093 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14095 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14101 BAYSIDE DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14103 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14105 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14107 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14109 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14111 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14113 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14115 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14117 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14119 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14121 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14123 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14125 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14127 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14129 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14131 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14133 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14135 BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
F/S BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
F/S BAYSIDE DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
F/S BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
HOA BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
HOA BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG FOSTER RD/HANWELL AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
IRRIG HAYFORD ST/STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13900 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13902 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13904 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13906 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13908 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13910 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13912 S EDGEWATER DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13914 S EDGEWATER DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13916 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13918 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13920 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13922 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13924 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13926 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13928 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13930 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13932 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13934 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13936 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13938 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13940 S EDGEWATER DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13948 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13950 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13952 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13954 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13956 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13958 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13960 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13962 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13964 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13972 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13974 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13976 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13978 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13980 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13982 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13984 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13986 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13988 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14000 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14002 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14004 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14006 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14008 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14010 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14030 S EDGEWATER DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14032 S EDGEWATER DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14034 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14036 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14038 S EDGEWATER DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14040 S EDGEWATER DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14100 S EDGEWATER DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14102 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14104 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14106 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14108 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14110 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14112 S EDGEWATER DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14114 S EDGEWATER DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14116 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14118 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14120 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14122 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14124 S EDGEWATER DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14126 S EDGEWATER DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14128 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14130 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14132 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14134 S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
F/S S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
HOA S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
HOA S EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10615 E LAKEFRONT DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10601 E LAKEFRONT DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10603 E LAKEFRONT DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10605 E LAKEFRONT DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10607 E LAKEFRONT DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10609 E LAKEFRONT DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10611 E LAKEFRONT DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10613 E LAKEFRONT DR	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
10617 E LAKEFRONT DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10619 E LAKEFRONT DR	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
10621 E LAKEFRONT DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10623 E LAKEFRONT DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10625 E LAKEFRONT DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10627 E LAKEFRONT DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10629 E LAKEFRONT DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10631 E LAKEFRONT DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10633 E LAKEFRONT DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10635 E LAKEFRONT DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10637 E LAKEFRONT DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10639 E LAKEFRONT DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10641 E LAKEFRONT DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10643 E LAKEFRONT DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10645 E LAKEFRONT DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10647 E LAKEFRONT DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10649 E LAKEFRONT DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10651 E LAKEFRONT DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10653 E LAKEFRONT DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10655 E LAKEFRONT DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10657 E LAKEFRONT DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10659 E LAKEFRONT DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
F/S E LAKEFRONT DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
F/S E LAKEFRONT DR/EDGEWATER DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
F/S E LAKEFRONT DR/BAYSIDE DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12709 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12712 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12715 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12716 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12720 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12724 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12727 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12728 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12732 HARVEST AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12733 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12736 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12737 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12740 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12744 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12800 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12804 HARVEST AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12808 HARVEST AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12812 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12816 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12822 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12824 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12828 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12832 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12836 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12844 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12846 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14314 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14320 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14324 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14402 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14403 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14408 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14409 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14414 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14415 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14418 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14421 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14424 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14425 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14430 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14431 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14436 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14437 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14442 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14443 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14448 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14449 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14502 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14503 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14508 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14509 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14512 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14515 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14518 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14519 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14524 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14525 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14530 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14531 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14536 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14537 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14542 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14543 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14638 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14639 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14644 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14645 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14650 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14651 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14702 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14703 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14707 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14708 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14712 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14713 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14717 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14718 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14722 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14723 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14727 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14728 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14802 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14803 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14807 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14808 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14812 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14813 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14818 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14819 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14822 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14823 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14828 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14829 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14832 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15202 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15203 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
15206 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15209 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15212 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15213 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15216 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15217 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15222 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15223 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15226 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15229 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15302 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15303 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15306 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15309 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15312 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15313 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15316 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15319 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15322 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15323 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15328 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15329 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15420 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15421 HARVEST AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15424 HARVEST AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15427 HARVEST AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15430 HARVEST AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15433 HARVEST AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15439 HARVEST AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15441 HARVEST AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15503 HARVEST AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15509 HARVEST AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15512 HARVEST AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15515 HARVEST AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
15518 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15521 HARVEST AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15524 HARVEST AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15527 HARVEST AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15530 HARVEST AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15535 HARVEST AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15536 HARVEST AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15541 HARVEST AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15542 HARVEST AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15547 HARVEST AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15550 HARVEST AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15553 HARVEST AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15558 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15603 HARVEST AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15604 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15609 HARVEST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15610 HARVEST AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15615 HARVEST AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15621 HARVEST AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
15627 HARVEST AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15631 HARVEST AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15636 HARVEST AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
15637 HARVEST AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15642 HARVEST AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15643 HARVEST AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15648 HARVEST AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15649 HARVEST AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12703 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12707 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12710 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12711 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12714 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12715 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12718 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12721 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12722 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12723 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12726 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12727 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12730 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12731 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12736 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12737 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12738 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12742 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12743 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12802 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12803 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12804 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12805 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12809 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12810 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12812 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12813 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12816 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12817 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12820 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12823 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12824 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12827 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12828 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12831 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12832 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12833 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12903 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12909 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12913 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12919 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12925 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13003 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13009 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13013 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13019 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13023 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13103 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13104 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13109 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13113 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13114 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13116 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13119 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13123 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13203 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13209 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13215 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13216 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14315 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14321 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14327 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14331 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14337 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14343 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14349 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14353 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14405 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14411 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14417 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14423 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14429 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14435 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14439 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14445 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14451 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14505 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14511 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14517 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14615 GRIDLEY RD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14615 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14640 GRIDLEY RD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14643 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14644 GRIDLEY RD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14647 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14653 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14703 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14707 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14713 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14717 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14723 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14727 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14800 GRIDLEY RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14800 GRIDLEY RD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14803 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14807 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14812 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14812 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14813 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14819 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14822 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14823 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14827 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14831 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15014 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15018 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15024 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15028 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15102 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15106 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15112 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15116 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15121 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15122 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15202 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15203 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15206 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15209 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15212 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15213 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15216 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15219 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15222 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15223 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15226 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15227 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15302 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15303 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15306 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15307 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15312 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15313 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15316 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15317 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15321 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15322 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15326 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15327 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15402 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15406 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15412 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15416 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15422 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15426 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15432 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15435 GRIDLEY RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15502 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15505 GRIDLEY RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15506 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15511 GRIDLEY RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15512 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15516 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15517 GRIDLEY RD	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
15522 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15523 GRIDLEY RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15526 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15529 GRIDLEY RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15602 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15605 GRIDLEY RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15606 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15612 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15613 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15616 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15619 GRIDLEY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15625 GRIDLEY RD	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
11318 CARNE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11324 CARNE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11328 CARNE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11336 CARNE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11360 CARNE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11402 CARNE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11410 CARNE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG HOXIE AVE/DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12707 ORR & DAY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12708 ORR & DAY RD	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12711 ORR & DAY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12713 ORR & DAY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12714 ORR & DAY RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12717 ORR & DAY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12720 ORR & DAY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12721 ORR & DAY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12725 ORR & DAY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12728 ORR & DAY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12729 ORR & DAY RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12732 ORR & DAY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12733 ORR & DAY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12800 ORR & DAY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12803 ORR & DAY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12805 ORR & DAY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12806 ORR & DAY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12809 ORR & DAY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12810 ORR & DAY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12815 ORR & DAY RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12816 ORR & DAY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12819 ORR & DAY RD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12820 ORR & DAY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12824 ORR & DAY RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12829 ORR & DAY RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12830 ORR & DAY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12833 ORR & DAY RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12836 ORR & DAY RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12710 VISTA VERDE DR	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12716 VISTA VERDE DR	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
12726 VISTA VERDE DR	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12734 VISTA VERDE DR	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12802 VISTA VERDE DR	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12808 VISTA VERDE DR	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12814 VISTA VERDE DR	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12822 VISTA VERDE DR	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12824 VISTA VERDE DR	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12701 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12707 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12713 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12717 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12718 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12722 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12723 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12728 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12729 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12734 DALWOOD AVE	Galvanized	No	Galvanized	Field inspection	Non-Lead
12735 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12738 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12739 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12744 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12745 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12748 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12749 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12754 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12755 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12758 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12759 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12763 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12923 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13005 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13006 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13011 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13012 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13016 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13017 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13021 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13022 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13026 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13027 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13102 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13103 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13106 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13109 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13112 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13113 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13116 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13119 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13122 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13123 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13202 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13203 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13208 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13209 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13212 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13213 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13218 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13219 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13222 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13223 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13228 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13229 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13302 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13303 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13306 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13309 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13312 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13313 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13318 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13319 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13323 DALWOOD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14402 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14405 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14408 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14413 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14414 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14419 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14420 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14425 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14426 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14432 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14433 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14438 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14439 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14444 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14445 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14502 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14503 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14508 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14509 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14514 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14515 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14520 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14521 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14526 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14527 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14532 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14533 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14538 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14539 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14544 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14545 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14602 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14603 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14608 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14609 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14614 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14615 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14620 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14621 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14626 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14627 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14632 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14633 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14638 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14639 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14702 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14703 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14708 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14709 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14714 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14715 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14720 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14721 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14726 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14727 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14732 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14733 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14802 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14803 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14808 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14809 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14814 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14815 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14820 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14821 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14826 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14827 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14832 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14833 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14838 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14839 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15402 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15403 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15407 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15408 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15412 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15413 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15418 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15419 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15422 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15423 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15428 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15429 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15432 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15433 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15436 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15437 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15502 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15503 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15507 DALWOOD AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
15508 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15512 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15513 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15518 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15519 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15522 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15523 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15528 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15529 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15532 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15533 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15537 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15538 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15602 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15603 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15607 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15608 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15612 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15613 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15617 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15618 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15622 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15623 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15626 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15627 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15632 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15633 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15638 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15639 DALWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13005 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13008 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13014 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13020 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13102 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13104 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13107 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13110 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13116 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13120 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13202 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13205 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13206 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13209 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13210 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13214 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13215 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13220 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13300 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13306 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13307 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13310 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13315 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13404 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14324 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14330 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14334 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14340 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14344 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14350 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14356 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14402 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14408 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14414 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14418 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14422 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14502 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14508 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14518 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14522 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14528 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14602 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14620 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14703 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14713 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14800 S JERSEY AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14800 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14800 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14800 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14821 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14821 S JERSEY AVE	Galvanized	No	Galvanized	Field inspection	Non-Lead
15005 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15014 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15019 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15020 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15024 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15025 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15028 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15029 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15102 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15103 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15107 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15108 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15112 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15113 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15116 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15117 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15122 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15123 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15202 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15203 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15206 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15207 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15212 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15213 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15216 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15217 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15222 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15223 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15226 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15227 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15302 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15303 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15306 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15307 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15312 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15313 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15316 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15317 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15322 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15323 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15328 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15329 S JERSEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10625 LEFFINGWELL RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10625 LEFFINGWELL RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10625 LEFFINGWELL RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10761 LEFFINGWELL RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10767 LEFFINGWELL RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10771 LEFFINGWELL RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10777 LEFFINGWELL RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10783 LEFFINGWELL RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10789 LEFFINGWELL RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10795 LEFFINGWELL RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10807 LEFFINGWELL RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10813 LEFFINGWELL RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10817 LEFFINGWELL RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10823 LEFFINGWELL RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10827 LEFFINGWELL RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10833 LEFFINGWELL RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10839 LEFFINGWELL RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10842 LEFFINGWELL RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10845 LEFFINGWELL RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10846 LEFFINGWELL RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10849 LEFFINGWELL RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10850 LEFFINGWELL RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10855 LEFFINGWELL RD	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10856 LEFFINGWELL RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10859 LEFFINGWELL RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10860 LEFFINGWELL RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10903 LEFFINGWELL RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10904 LEFFINGWELL RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10907 LEFFINGWELL RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10913 LEFFINGWELL RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10919 LEFFINGWELL RD	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
10925 LEFFINGWELL RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10929 LEFFINGWELL RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11505 LEFFINGWELL RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11517 LEFFINGWELL RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11521 LEFFINGWELL RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11527 LEFFINGWELL RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11533 LEFFINGWELL RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11539 LEFFINGWELL RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11541 LEFFINGWELL RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11553 LEFFINGWELL RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11571 LEFFINGWELL RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13308 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13416 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13422 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15011 MCRAE AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
15014 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15015 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15018 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15019 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15022 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15025 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15028 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15029 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15102 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15103 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15106 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15107 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15112 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15113 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15116 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15117 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15123 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15202 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15209 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15212 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15213 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15218 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15219 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15222 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15223 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15228 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15229 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15301 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15302 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15307 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15308 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15312 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15313 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15317 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15318 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15322 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15323 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15328 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15329 MCRAE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13101 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13107 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13110 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13111 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13116 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13117 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13120 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13121 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13126 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13127 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13130 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13131 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13202 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13203 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13208 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13209 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13212 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13213 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13216 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13217 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13222 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13223 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13302 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13303 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13308 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13309 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13312 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13313 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15005 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15014 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15015 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15020 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15021 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15023 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15024 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15029 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15030 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15101 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15102 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15106 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15107 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15110 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15111 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15116 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15117 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15120 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15123 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15202 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15203 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15206 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15207 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15212 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15213 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15216 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15217 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15222 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15223 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15226 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15227 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15302 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15303 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15306 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15307 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15312 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15313 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15316 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15317 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15322 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15323 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15328 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15329 FLALLON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13201 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13207 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13208 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13213 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13214 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13217 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13220 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13223 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13224 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13227 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13230 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13302 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13303 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13308 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13309 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13313 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13314 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13318 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13319 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13324 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13325 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13502 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13503 ALBURTIS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13508 ALBURTIS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13509 ALBURTIS AVE	Galvanized	No	Galvanized	Field inspection	Non-Lead
13514 ALBURTIS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13515 ALBURTIS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13520 ALBURTIS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13521 ALBURTIS AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13525 ALBURTIS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13526 ALBURTIS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13530 ALBURTIS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13531 ALBURTIS AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13536 ALBURTIS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13537 ALBURTIS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13542 ALBURTIS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13543 ALBURTIS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13613 ALBURTIS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13619 ALBURTIS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13623 ALBURTIS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13629 ALBURTIS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13635 ALBURTIS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13639 ALBURTIS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13645 ALBURTIS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13703 ALBURTIS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13709 ALBURTIS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13713 ALBURTIS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13719 ALBURTIS AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15014 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15015 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15018 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15019 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15024 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15025 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15028 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15029 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15102 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15103 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15106 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15109 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15113 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15114 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15118 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15119 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15122 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15123 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15203 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15206 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15211 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15215 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15221 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15225 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15231 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15303 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15307 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15313 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15317 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15323 ALBURTIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13301 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13307 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13310 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13311 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13314 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13317 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13320 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13323 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13324 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13329 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13330 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13333 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13339 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13502 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13503 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13508 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13509 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13514 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13515 CORBY AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13519 CORBY AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13520 CORBY AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13524 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13525 CORBY AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13530 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13531 CORBY AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13534 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13537 CORBY AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13540 CORBY AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13541 CORBY AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15005 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15014 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15015 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15020 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15021 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15025 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15026 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15031 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15100 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15103 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15104 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15107 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15110 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15113 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15116 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15117 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15122 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15123 CORBY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13620 KALNOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13621 KALNOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13624 KALNOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13627 KALNOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13630 KALNOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13633 KALNOR AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13636 KALNOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13639 KALNOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13640 KALNOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13643 KALNOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13646 KALNOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13647 KALNOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13650 KALNOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13653 KALNOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13654 KALNOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13659 KALNOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13660 KALNOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13663 KALNOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13666 KALNOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13703 KALNOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13704 KALNOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13708 KALNOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13709 KALNOR AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13714 KALNOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13715 KALNOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13720 KALNOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13721 KALNOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13724 KALNOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13730 KALNOR AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13734 KALNOR AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13700 ERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13704 ERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13709 ERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13710 ERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13714 ERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13717 ERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13720 ERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13721 ERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13724 ERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13725 ERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13730 ERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13731 ERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13736 ERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13737 ERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13743 ERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13802 ERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13803 ERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13808 ERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13809 ERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13812 ERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13813 ERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13818 ERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13819 ERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13823 ERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13824 ERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13828 ERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13829 ERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13832 ERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13835 ERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13838 ERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13839 ERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13844 ERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13845 ERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13848 ERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13852 ERWOOD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13711 SAN ANTONIO DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13715 SAN ANTONIO DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13721 SAN ANTONIO DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13727 SAN ANTONIO DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13803 SAN ANTONIO DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13809 SAN ANTONIO DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13813 SAN ANTONIO DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13819 SAN ANTONIO DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13823 SAN ANTONIO DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13829 SAN ANTONIO DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13833 SAN ANTONIO DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13903 SAN ANTONIO DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13907 SAN ANTONIO DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13915 SAN ANTONIO DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13919 SAN ANTONIO DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13923 SAN ANTONIO DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10818 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10825 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10829 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10835 BARNWALL ST	Galvanized	No	Galvanized	Field inspection	Non-Lead
10839 BARNWALL ST	Galvanized	No	Galvanized	Field inspection	Non-Lead
10845 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10851 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10857 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10903 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10911 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10915 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10921 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10925 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10931 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10937 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10941 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10947 BARNWALL ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10978 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11019 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11027 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11037 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11051 BARNWALL ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
11059 BARNWALL ST	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
11065 BARNWALL ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11071 BARNWALL ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11101 BARNWALL ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11103 BARNWALL ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11105 BARNWALL ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11107 BARNWALL ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11109 BARNWALL ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11111 BARNWALL ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11113 BARNWALL ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11115 BARNWALL ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11117 BARNWALL ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11119 BARNWALL ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11121 BARNWALL ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11123 BARNWALL ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11125 BARNWALL ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11129 BARNWALL ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11131 BARNWALL ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11133 BARNWALL ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11135 BARNWALL ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11137 BARNWALL ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11139 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11143 BARNWALL STREET #A	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11143 BARNWALL STREET #B	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11145 BARNWALL STREET #A	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11145 BARNWALL STREET #B	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11147 BARNWALL STREET	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11149 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11149 BARNWALL STREET #A	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11149 BARNWALL STREET #B	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11153 BARNWALL ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
11217 BARNWALL ST (EAST)	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11217 BARNWALL ST (WEST)	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11217 BARNWALL ST	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
11227 BARNWALL ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11228 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11229 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11231 1/2 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11231 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11233 BARNWALL ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11234 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11237 BARNWALL ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11238 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11244 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11245 BARNWALL ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11248 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11254 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11260 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11302 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11322 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11332 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11338 BARNWALL ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
11344 BARNWALL ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11350 BARNWALL ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11356 BARNWALL ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11440 BARNWALL ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11446 BARNWALL ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11450 BARNWALL ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11454 BARNWALL ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11460 BARNWALL ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11502 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11508 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11514 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11518 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11524 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11530 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11536 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11542 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11669 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11811 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11812 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11817 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11818 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11819 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11820 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11825 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11826 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11828 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11829 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11830 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11834 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11835 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11836 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11837 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11840 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11841 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11844 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11845 BARNWALL ST	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
11846 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11847 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11849 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11850 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11855 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11856 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11857 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11860 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11861 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11865 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11900 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11902 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11903 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11906 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11907 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11910 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11911 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11916 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11917 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11918 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11920 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11921 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11922 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11926 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11927 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11929 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11931 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11932 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11936 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11937 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11938 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11942 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11943 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11948 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11949 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11950 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11951 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11956 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11957 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11958 BARNWALL ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11960 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11961 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11964 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11965 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11967 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12002 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12003 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12006 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12007 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12008 BARNWALL ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
12011 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12012 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12015 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12016 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12018 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12019 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12021 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12024 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12025 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12027 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12028 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12030 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12031 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12036 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12037 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12040 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12041 BARNWALL ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
12044 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12045 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12046 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12047 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12048 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12051 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12053 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12054 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12057 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12060 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12061 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12065 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12066 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12067 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12101 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12102 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12105 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12106 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12108 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12109 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12110 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12111 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12113 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12116 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12117 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12118 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12121 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12124 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12126 BARNWALL ST	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
12127 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12128 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12129 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12132 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12135 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12136 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12139 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12140 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12143 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12146 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12147 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12148 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12151 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12152 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12156 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12157 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12160 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12161 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12165 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12166 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12167 BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
IRRIG BARNWALL ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG BARNWALL ST/STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10802 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10803 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10806 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10807 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10812 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10813 MOLETTE ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
10818 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10819 MOLETTE ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
10822 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10823 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10828 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10829 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10832 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10835 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10838 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10839 MOLETTE ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
10902 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10903 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10907 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10908 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10912 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10913 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10918 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10919 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10922 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10923 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10928 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10929 MOLETTE ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10934 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10935 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10938 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10939 MOLETTE ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
11024 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11028 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11032 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11036 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11041 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11042 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11045 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11046 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11051 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11054 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11055 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11056 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11102 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11108 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11112 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11113 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11119 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11120 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11123 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11124 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11128 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11129 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11132 MOLETTE ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11133 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11137 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11138 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11143 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11144 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11811 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11816 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11817 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11818 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11819 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11823 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11826 MOLETTE ST	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
11827 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11830 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11831 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11831 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11835 MOLETTE ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11836 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11837 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11838 MOLETTE ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
11841 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11844 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11845 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11847 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11851 MOLETTE ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
11852 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11855 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11857 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11858 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11860 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11861 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11864 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11866 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11867 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11902 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11903 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11906 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11907 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11909 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11910 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11914 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11915 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11916 MOLETTE ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
11917 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11918 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11920 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11923 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11926 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11927 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11928 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11929 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11931 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11934 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11935 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11936 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11937 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11938 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11939 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11940 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11941 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11945 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11946 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11947 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11949 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11950 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11951 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11955 MOLETTE ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11956 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11957 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11960 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11961 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11963 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11964 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12002 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12003 MOLETTE ST	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
12004 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12006 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12007 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12011 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12014 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12017 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12019 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12020 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12022 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12024 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12027 MOLETTE ST	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
12029 MOLETTE ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
12030 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12035 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12036 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12037 MOLETTE ST	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
12040 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12041 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12044 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12046 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12049 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12051 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12054 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12057 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12058 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12061 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12062 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12065 MOLETTE ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
12066 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12102 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12105 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12107 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12108 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12114 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12115 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12116 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12117 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12121 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12122 MOLETTE ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
12125 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12126 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12127 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12128 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12129 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12130 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12135 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12136 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12138 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12139 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12141 MOLETTE ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
12144 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12147 MOLETTE ST	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
12148 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12151 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12154 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12155 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12158 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12159 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12161 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12167 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12168 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12602 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12606 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12612 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12618 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12622 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12628 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12634 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12640 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12644 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12650 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12654 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12660 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12702 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12706 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12712 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12718 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12722 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12728 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12734 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12738 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12744 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12750 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12756 MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10802 HOPLAND ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10803 HOPLAND ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10807 HOPLAND ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
10808 HOPLAND ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10812 HOPLAND ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10813 HOPLAND ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10817 HOPLAND ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10818 HOPLAND ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10822 HOPLAND ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10823 HOPLAND ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10828 HOPLAND ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10829 HOPLAND ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10834 HOPLAND ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10835 HOPLAND ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10838 HOPLAND ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10839 HOPLAND ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10902 HOPLAND ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10903 HOPLAND ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10907 HOPLAND ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10908 HOPLAND ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10912 HOPLAND ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
10913 HOPLAND ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10918 HOPLAND ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10919 HOPLAND ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10922 HOPLAND ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10923 HOPLAND ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10928 HOPLAND ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10929 HOPLAND ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10933 HOPLAND ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10934 HOPLAND ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10938 HOPLAND ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10939 HOPLAND ST	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
11810 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11814 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11816 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11820 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11826 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11830 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11833 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11834 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11837 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11838 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11842 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11843 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11846 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11849 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11850 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11854 HOPLAND ST	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
11855 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11859 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11860 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11864 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11865 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11871 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11902 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11903 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11908 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11909 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11912 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11915 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11916 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11919 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11922 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11925 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11926 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11928 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11931 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11935 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11936 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11938 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11940 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11941 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11944 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11945 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11948 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11951 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11954 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11958 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11964 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11966 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12004 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12006 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12010 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12016 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12018 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12022 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12026 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12032 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12038 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12042 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12046 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12048 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12051 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12054 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12057 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12058 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12063 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12064 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12067 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12101 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12104 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12105 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12106 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12110 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12111 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12114 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12117 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12118 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12121 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12122 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12126 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12127 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12134 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12136 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12138 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12142 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12145 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12146 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12148 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12150 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12156 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12158 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12162 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12165 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12166 HOPLAND ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12004 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12012 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12020 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12021 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12028 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12036 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12107 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12217 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12225 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14402 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14406 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14411 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14412 PIUMA AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
14416 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14417 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14421 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14422 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14426 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14427 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14431 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14432 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14437 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14438 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14442 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14443 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14448 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14502 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14503 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14506 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14507 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14512 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14513 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14518 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14519 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14523 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14524 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14603 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14606 PIUMA AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14607 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14613 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14618 PIUMA AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14619 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14623 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14626 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14629 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14632 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14635 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14639 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14642 PIUMA AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
14645 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14648 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14651 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14654 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14657 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14660 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14805 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14810 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
14811 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14814 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
14815 PIUMA AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
14820 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
14821 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14826 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
14827 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14830 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
14831 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14836 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
14837 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14840 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14841 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14846 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14847 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14852 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14853 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15002 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15003 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15006 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15007 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15012 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15013 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15018 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15019 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15024 PIUMA AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
15025 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15028 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15029 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15102 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15103 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15106 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15107 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15112 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15113 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15118 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15119 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15122 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15123 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15128 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15129 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15202 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15203 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15208 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15209 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15212 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15213 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15218 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15219 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15222 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15225 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15228 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15229 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15302 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15303 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15307 PIUMA AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
15308 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15312 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15313 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15318 PIUMA AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
15319 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15324 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15325 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15329 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15330 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15402 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15403 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15406 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15409 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15412 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15413 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15416 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15419 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15422 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15423 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15426 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15429 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15432 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15433 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15436 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15439 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15502 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15503 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15507 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15508 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15512 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15513 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15517 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15518 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15523 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15529 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15533 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15912 PIUMA AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10602 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10603 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10606 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10607 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10612 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10613 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10616 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10617 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10620 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10621 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10624 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11402 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11403 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11408 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11409 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11414 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11415 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11420 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11421 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11426 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11427 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11432 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11433 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11438 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11439 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11444 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11445 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11450 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11451 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11456 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11457 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11462 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11463 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11468 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11469 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11502 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11503 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11508 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11509 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11514 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11515 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11520 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11521 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11526 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11527 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11532 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11533 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11538 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11539 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11544 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11545 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11550 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11551 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11556 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11557 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11562 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11563 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12900 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12906 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12912 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12916 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12919 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12922 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12928 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12932 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12938 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12948 MCLAREN ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10616 HAYFORD ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10621 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10622 HAYFORD ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10628 HAYFORD ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10629 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10632 HAYFORD ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10637 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10638 HAYFORD ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10644 HAYFORD ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10702 HAYFORD ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10708 HAYFORD ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10709 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10909 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10913 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10914 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10919 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10920 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10924 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10930 HAYFORD ST	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
10934 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10937 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10940 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
10941 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10944 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10950 HAYFORD ST	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
10954 HAYFORD ST	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
10957 HAYFORD ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10960 HAYFORD ST	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
10964 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10965 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10970 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10971 HAYFORD ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10976 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10977 HAYFORD ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11004 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11008 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11014 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11018 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11024 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11028 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11034 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11038 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11042 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11050 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11054 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11058 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11402 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11403 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11407 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11408 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11412 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11413 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11418 HAYFORD ST	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11419 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11422 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11425 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11426 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11432 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11435 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11438 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11441 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11442 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11445 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11448 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11451 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11454 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11455 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11460 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11461 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11464 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11470 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11502 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11503 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11508 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11509 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11514 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11515 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11520 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11521 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11524 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11525 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11530 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11531 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11536 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11537 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11542 HAYFORD ST	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
11543 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11827 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11829 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11830 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11835 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11836 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11839 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11840 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11845 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11846 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11849 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11850 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11854 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11857 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11858 HAYFORD ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
11860 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11864 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11865 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11866 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11902 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11903 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11905 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11906 HAYFORD ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
11907 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11909 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11910 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11911 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11912 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11915 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11916 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11918 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11919 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11921 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11924 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11928 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11929 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11931 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11932 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11937 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11940 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11941 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11944 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11947 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11948 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11949 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11950 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11955 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11956 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11958 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11963 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11964 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12003 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12004 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12006 HAYFORD ST	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
12007 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12009 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12010 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12014 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12015 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12017 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12020 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12023 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12024 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12029 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12030 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12033 HAYFORD ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12034 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12035 HAYFORD ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12039 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12043 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12044 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12047 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12050 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12051 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12053 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12054 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12057 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12059 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12060 HAYFORD ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
12064 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12067 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12101 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12102 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12107 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12108 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12110 HAYFORD ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
12111 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12116 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12117 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12120 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12121 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12124 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12125 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12126 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12129 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12134 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12135 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12136 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12138 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12139 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12142 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12143 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12146 HAYFORD ST	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
12147 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12150 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12151 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12155 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12158 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12159 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12160 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12161 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12165 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12166 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12167 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12452 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12453 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12458 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12459 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12462 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12463 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12468 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12469 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12472 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12502 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12503 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12506 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12509 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12512 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12515 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12518 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12519 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12522 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12528 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12529 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12534 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12535 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12538 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12541 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12544 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12545 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12548 HAYFORD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG MC NAB AVE/ROSECRANS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14402 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14403 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14408 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14409 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14414 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14415 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14420 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14421 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14426 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14427 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14432 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14433 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14438 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14439 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14502 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14503 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14508 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14509 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14514 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14515 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14517 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14520 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14521 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14526 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14527 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14532 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14533 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14538 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14539 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14544 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14545 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14602 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14603 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14608 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14609 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14614 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14615 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14620 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14621 ALLINGHAM AVE	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14626 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14627 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14632 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14633 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14638 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14639 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14702 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14703 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14708 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14709 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14714 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14715 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14720 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14721 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14726 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14727 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14732 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14733 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14802 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14803 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14808 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14809 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14814 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14815 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14820 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14821 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14826 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14827 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14832 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14833 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14838 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14839 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15202 ALLINGHAM AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15203 ALLINGHAM AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15206 ALLINGHAM AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15209 ALLINGHAM AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15212 ALLINGHAM AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15213 ALLINGHAM AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
15216 ALLINGHAM AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15219 ALLINGHAM AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15222 ALLINGHAM AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15225 ALLINGHAM AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15402 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15403 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15407 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15408 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15412 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15413 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15418 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15419 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15422 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15425 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15428 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15429 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15434 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15435 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15439 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15440 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15502 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15503 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15508 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15509 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15514 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15515 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15520 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15521 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15526 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15527 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15532 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15533 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15538 ALLINGHAM AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15539 ALLINGHAM AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11502 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11503 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11506 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11507 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11512 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11513 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11518 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11519 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11522 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11525 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11528 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11529 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11534 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11535 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11540 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11541 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11546 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11547 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11550 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11551 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11556 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11557 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11560 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11563 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11566 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11567 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11572 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11573 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11578 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11579 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11604 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11608 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11609 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11614 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11615 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11618 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11621 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11624 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11625 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11630 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11631 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11634 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11635 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11640 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11641 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11646 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11647 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11651 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11652 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11702 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11703 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11707 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11708 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11712 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11713 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11718 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11719 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11724 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11725 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11729 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11730 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11734 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11735 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11740 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11741 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11747 EVERSTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11402 GARCIA CRT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11403 GARCIA CRT	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11408 GARCIA CRT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11409 GARCIA CRT	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11414 GARCIA CRT	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11415 GARCIA CRT	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11419 GARCIA CRT	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
11425 GARCIA CRT	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14602 NAWA LN	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14608 NAWA LN	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14612 NAWA LN	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14618 NAWA LN	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14622 NAWA LN	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14628 NAWA LN	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14629 NAWA LN	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14632 NAWA LN	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14633 NAWA LN	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14638 NAWA LN	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
14639 NAWA LN	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14644 NAWA LN	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14645 NAWA LN	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11500 SIBLEY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11503 SIBLEY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11504 SIBLEY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11506 SIBLEY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11507 SIBLEY ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11512 SIBLEY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11513 SIBLEY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11516 SIBLEY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11517 SIBLEY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11522 SIBLEY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11523 SIBLEY ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11528 SIBLEY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11529 SIBLEY ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11532 SIBLEY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11535 SIBLEY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11538 SIBLEY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11539 SIBLEY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11544 SIBLEY ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11545 SIBLEY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11549 SIBLEY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11552 SIBLEY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11555 SIBLEY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11558 SIBLEY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11559 SIBLEY ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11565 SIBLEY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12404 SIBLEY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12407 SIBLEY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12413 SIBLEY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12417 SIBLEY ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12420 SIBLEY ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12423 SIBLEY ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15014 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15015 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15018 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15019 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15024 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15025 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15029 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15030 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15102 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15103 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15106 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15107 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15112 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15113 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15117 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15118 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15122 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15125 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15202 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15203 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15207 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15208 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15213 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15214 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15216 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15217 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15222 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15223 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15227 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15228 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15302 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15303 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15307 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15308 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15312 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15313 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15316 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15319 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15322 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15323 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15328 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15329 ROSETON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15014 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15015 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15019 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15020 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15024 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15025 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15029 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15102 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15103 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15108 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15109 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15113 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15118 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15119 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15122 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15123 MAIDSTONE AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15202 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15203 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15204 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15205 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15206 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15207 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15212 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15213 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15216 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15217 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15222 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15223 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15226 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15229 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15302 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15303 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15306 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15307 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15312 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15313 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15316 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15317 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15322 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15323 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15328 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15329 MAIDSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16017 MAIDSTONE AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16121 MAIDSTONE AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10801 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10807 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10823 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10829 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10833 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10839 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10905 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10911 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10917 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10932 EXCELSIOR DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10939 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10945 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10951 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10973 EXCELSIOR DR	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
11042 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11042 EXCELSIOR DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11042 EXCELSIOR DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11042 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11062 EXCELSIOR DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11066 EXCELSIOR DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11072 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11102 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11112 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11114 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11118 EXCELSIOR DR	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11118 EXCELSIOR DR	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11120 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11120 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11120 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11124 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11132 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11132 EXCELSIOR DR	Galvanized	No	Galvanized	Field inspection	Non-Lead
11210 EXCELSIOR DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11214 EXCELSIOR DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11226 EXCELSIOR DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11232 EXCELSIOR DR	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
11242 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11246 EXCELSIOR DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11252 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11256 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11301 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11302 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11306 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11312 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11316 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11322 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11326 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11332 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11338 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11342 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11346 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11352 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11358 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11402 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11405 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11408 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11409 EXCELSIOR DR	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
11414 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11415 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11417 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11423 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11425 EXCELSIOR DR APT A	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11425 EXCELSIOR DR APT B	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11427 EXCELSIOR DR APT A	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11427 EXCELSIOR DR APT B	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11427 EXCELSIOR DR APT C	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11427 EXCELSIOR DR APT D	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11433 EXCELSIOR DR	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
11433 EXCELSIOR DR	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11433 EXCELSIOR DR	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11436 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11443 1/2 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11443 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11445 1/2 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11445 1/4 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11445 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11447 1/2 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11447 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11449 1/2 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11449 EXCELSIOR DR	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11451 1/2 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11451 EXCELSIOR DR	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11453 1/2 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11453 EXCELSIOR DR	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11454 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11455 1/2 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11455 1/4 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11455 EXCELSIOR DR	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11457 1/2 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11457 1/4 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11457 EXCELSIOR DR	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11459 1/2 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11459 EXCELSIOR DR	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11460 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11461 1/2 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11461 1/4 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11461 EXCELSIOR DR	Non-Lead - Plastic	No	Galvanized	Field inspection	Non-Lead
11463 1/2 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11463 1/4 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11463 EXCELSIOR DR	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11465 1/2 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11465 EXCELSIOR DR	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11467 1/2 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11467 EXCELSIOR DR	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11468 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11504 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11508 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11510 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11514 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11530 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11534 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11544 EXCELSIOR DR	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
11600 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11608 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11614 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11630 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11640 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11654 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11658 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11664 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11668 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11702 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11704 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11706 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11712 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11714 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11727 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11728 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11818 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11822 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11828 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11832 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11833 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11837 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11838 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11843 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11844 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11847 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11848 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11853 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11854 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11859 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11863 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11866 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11869 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11900 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11903 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11906 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11909 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11910 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11913 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11916 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11919 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11920 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11923 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11926 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11929 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11932 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11933 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11936 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11939 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11942 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11943 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11946 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11949 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11952 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11953 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12002 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12003 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12007 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12008 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12012 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12013 EXCELSIOR DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12017 EXCELSIOR DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12018 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12022 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12023 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12027 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12028 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12032 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12033 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12037 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12038 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12042 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12043 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12047 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12048 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12052 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12053 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12062 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12063 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12068 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12069 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12073 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12074 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12078 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12079 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12102 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12103 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12107 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12108 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12112 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12113 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12117 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12118 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12122 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12123 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12127 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12128 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12132 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12133 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12144 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12145 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12150 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12151 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12155 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12156 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12160 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12161 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12166 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12167 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12500 EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
IRRIG EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
IRRIG EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
IRRIG EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
F/S EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG EXCELSIOR DR/CROSSDALE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
IRRIG EXCELSIOR DR/STUDEBAKER RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15005 GARD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15014 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15015 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15020 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15024 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15025 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15028 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15031 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15100 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15103 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15106 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15107 GARD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15112 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15113 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15118 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15119 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15203 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15206 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15207 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15212 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15213 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15216 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15217 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15220 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15223 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15227 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15228 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15302 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15303 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15307 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15308 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15312 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15313 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15316 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15319 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15322 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15325 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15326 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15329 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15403 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15409 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15413 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15417 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15423 GARD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15503 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15509 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15513 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15519 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15523 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15527 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15533 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15537 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15543 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15547 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15603 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15607 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15613 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15619 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15019 GARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG GARD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11003 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11007 FERINA ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11017 FERINA ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11025 FERINA ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11037 FERINA ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11040 FERINA ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11043 FERINA ST APT A	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11043 FERINA ST APT B	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11044 FERINA ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11045 FERINA ST APT A	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11045 FERINA ST APT B	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11047 FERINA ST APT A	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11047 FERINA ST APT B	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11049 FERINA ST APT A	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11049 FERINA ST APT B	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11050 FERINA ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11051 FERINA ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11051 FERINA ST APT A	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11051 FERINA ST APT B	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11053 FERINA ST APT A	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11053 FERINA ST APT B	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11054 FERINA ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11057 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11065 FERINA ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11101 FERINA ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11111 FERINA ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11117 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11118 FERINA ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11121 FERINA ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11122 FERINA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11126 FERINA ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11127 FERINA ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11131 FERINA ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11132 FERINA ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11136 FERINA ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11140 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11148 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11153 FERINA ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11153 FERINA ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11154 FERINA ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11205 FERINA ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11208 FERINA ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11208 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11215 FERINA ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11223 FERINA ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11234 FERINA ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11237 FERINA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11242 FERINA ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11245 FERINA ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11251 FERINA ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11257 FERINA ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11303 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11309 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11313 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11317 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11323 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11327 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11333 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11339 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11343 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11347 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11353 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11442 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11455 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11471 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11502 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11503 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11708 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11712 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11722 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11830 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11831 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11835 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11836 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11841 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11842 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11846 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11847 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11851 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11852 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11857 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11858 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11864 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11865 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11902 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11903 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11908 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11909 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11913 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11914 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11918 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11919 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11924 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11925 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11928 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11929 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11934 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11935 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11939 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11940 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11944 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11945 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11949 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11950 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11954 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11955 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12062 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12068 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12069 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12073 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12074 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12078 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12079 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12102 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12103 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12107 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12108 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12112 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12113 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12117 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12118 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12122 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12123 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12127 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12128 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12133 FERINA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15004 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15014 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15015 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15018 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15019 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15024 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15025 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15028 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15029 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15102 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15103 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15106 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15109 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15112 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15113 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15117 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15118 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15122 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15123 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15202 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15203 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15206 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15207 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15212 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15213 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15216 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15217 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15222 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15223 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15226 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15227 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15302 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15303 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15306 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15307 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15312 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15313 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15316 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15319 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15322 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15323 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15326 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15329 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15403 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15404 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15407 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15410 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15413 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15417 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15418 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15423 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15429 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15433 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15503 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15507 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15513 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15517 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15523 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15527 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15603 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15607 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15613 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15617 SYLVANWOOD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10804 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10805 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10812 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10816 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11832 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11836 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11842 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11848 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11852 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11858 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11862 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11868 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11872 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11876 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11902 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11908 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11912 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11916 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11922 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11928 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11932 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11938 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11942 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12002 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12003 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12008 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12009 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12012 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12015 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12018 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12021 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12022 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12028 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12032 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12033 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12038 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12039 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12042 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12045 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12048 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12051 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12052 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12062 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12063 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12068 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12069 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12074 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12075 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12078 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12079 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12084 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12085 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12088 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12102 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12103 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12108 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12109 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12112 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12113 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12117 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12118 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12122 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12123 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12234 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12240 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12248 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12251 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12256 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12257 ABINGDON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14602 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14603 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14606 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14609 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14612 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14613 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14616 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14619 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14622 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14623 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14626 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14629 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14702 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14703 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14706 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14709 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14712 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14713 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14716 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14719 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14722 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14723 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14726 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14729 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14802 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14803 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14806 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14809 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14812 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14813 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14816 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14819 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14822 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14823 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15021 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15118 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15121 GRAYLAND AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11434 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11440 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11443 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11446 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11447 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11450 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11451 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11456 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11457 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11502 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11503 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11508 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11509 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11514 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11515 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11520 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11521 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11524 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11525 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11530 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11531 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11536 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11537 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11542 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11543 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11804 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11810 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11811 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11816 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11817 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11818 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11819 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11820 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11821 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11824 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11827 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11828 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11829 CHESHIRE ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11830 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11835 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11836 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11838 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11839 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11840 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11844 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11847 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11849 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11850 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11852 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11853 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11856 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11857 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11858 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11860 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11861 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11900 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11906 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11908 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11909 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11914 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11915 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11918 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11919 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11920 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11923 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11924 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11926 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11927 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11928 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11930 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11931 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11934 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11935 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11936 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11938 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11939 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11943 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11944 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11946 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11947 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11949 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11950 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11953 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11954 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11957 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11958 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12002 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12005 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12006 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12007 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12010 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12013 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12014 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12017 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12018 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12021 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12022 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12025 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12026 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12027 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12028 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12031 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12034 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12037 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12038 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12040 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12041 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12043 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12046 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12047 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12048 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12050 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12051 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12054 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12055 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12057 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12058 CHESHIRE ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
12059 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12060 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12064 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12065 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12066 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12104 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12105 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12107 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12108 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12110 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12111 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12116 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12117 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12118 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12119 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12125 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12126 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12127 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12130 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12131 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12135 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12136 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12137 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12138 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12139 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12142 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12147 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12148 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12150 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12153 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12154 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12156 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12157 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12159 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12160 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12161 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12166 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12167 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12202 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12203 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12208 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12218 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12219 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12224 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12225 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12227 1/2 CHESHIRE ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12227 CHESHIRE ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12229 CHESHIRE ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12230 CHESHIRE ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12231 1/2 CHESHIRE ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12231 CHESHIRE ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
12233 CHESHIRE ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12235 CHESHIRE ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12238 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12239 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12241 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12247 CHESHIRE ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12248 CHESHIRE ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12253 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12254 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12301 CHESHIRE ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12301 CHESHIRE ST UNIT A	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
12301 CHESHIRE ST UNIT B	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12301 CHESHIRE ST UNIT C	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12303 CHESHIRE ST UNIT A	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
12303 CHESHIRE ST UNIT B	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12303 CHESHIRE ST UNIT C	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12303 CHESHIRE ST UNIT D	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12303 CHESHIRE ST UNIT E	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12304 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12307 CHESHIRE ST UNIT A	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12307 CHESHIRE ST UNIT B	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12309 CHESHIRE ST UNIT A	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12309 CHESHIRE ST UNIT B	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12309 CHESHIRE ST UNIT C	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12309 CHESHIRE ST UNIT D	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12310 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12311 CHESHIRE ST UNIT A	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12311 CHESHIRE ST UNIT B	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12311 CHESHIRE ST UNIT C	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12311 CHESHIRE ST UNIT D	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12313 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12313 CHESHIRE ST UNIT A	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12313 CHESHIRE ST UNIT B	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12313 CHESHIRE ST UNIT C	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12313 CHESHIRE ST UNIT D	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12313 CHESHIRE ST UNIT E	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12318 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12319 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12322 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12325 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12326 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12326 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12343 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12347 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12348 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12351 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12357 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12361 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12362 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12367 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12403 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12409 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12413 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12416 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12417 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12423 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12427 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12428 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12433 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12439 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12443 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12449 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12453 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12459 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12463 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12469 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12473 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12503 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12507 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12513 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12517 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12523 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12527 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12533 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12537 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12543 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12547 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12553 CHESHIRE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG NORTH SHOEMAKER	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11434 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11435 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11440 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11441 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11444 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11445 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11450 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11451 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11454 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11455 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11502 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11503 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11508 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11509 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11514 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11515 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11518 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11519 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11524 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11525 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11530 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11531 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11536 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11537 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11542 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11543 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11811 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11815 LOWEMONT ST	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
11816 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11818 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11819 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11824 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11825 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11827 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11828 LOWEMONT ST	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
11829 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11830 LOWEMONT ST	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
11831 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11831 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11834 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11835 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11837 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11838 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11842 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11845 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11847 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11848 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11849 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11852 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11855 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11856 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11859 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11860 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11865 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11902 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11903 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11906 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11907 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11908 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11909 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11911 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11914 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11917 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11918 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11919 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11921 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11924 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11925 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11926 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11930 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11931 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11934 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11936 LOWEMONT ST	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
11937 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11938 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11941 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11944 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11946 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11947 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11948 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11951 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11953 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11954 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11957 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11958 LOWEMONT ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
11964 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11965 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12002 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12003 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12006 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12007 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12011 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12012 LOWEMONT ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
12016 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12017 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12018 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12020 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12021 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12024 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12027 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12029 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12030 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12031 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12033 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12036 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12037 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12038 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12039 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12041 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12042 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12046 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12049 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12050 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12054 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12055 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12058 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12061 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12064 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12065 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12102 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12103 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12106 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12107 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12108 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12109 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12111 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12112 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12115 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12118 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12119 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12121 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12124 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12125 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12128 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12129 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12134 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12135 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12136 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12137 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12138 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12140 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12143 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12144 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12146 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12148 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12149 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12150 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12151 LOWEMONT ST	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
12153 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12154 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12157 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12158 LOWEMONT ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
12162 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12163 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12166 LOWEMONT ST	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12167 LOWEMONT ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11434 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11435 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11440 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11441 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11444 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11445 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11450 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11451 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11454 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11455 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11502 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11503 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11508 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11509 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11514 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11515 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11518 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11521 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11524 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11525 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11530 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11531 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11536 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11537 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11542 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11543 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11819 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11821 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11825 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11827 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11828 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11829 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11834 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11835 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11839 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11840 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11844 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11845 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11848 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11849 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11850 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11853 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11856 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11858 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11859 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11860 NAVA ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11864 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11865 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11903 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11907 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11908 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11909 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11912 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11915 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11916 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11918 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11919 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11924 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11925 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11926 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11929 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11930 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11931 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11935 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11936 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11938 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11939 NAVA ST	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
11940 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11943 NAVA ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11946 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11947 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11948 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11949 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11954 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11955 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11957 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11958 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11961 NAVA ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
11964 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11967 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12003 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12004 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12006 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12007 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12011 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12012 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12016 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12017 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12022 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12023 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12026 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12027 NAVA ST	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
12028 NAVA ST	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
12029 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12030 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12034 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12035 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12036 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12039 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12040 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12045 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12046 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12048 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12049 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12052 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12055 NAVA ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12056 NAVA ST	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
12057 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12058 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12063 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12064 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12065 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12101 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12102 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12107 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12108 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12109 NAVA ST	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
12110 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12112 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12115 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12116 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12119 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12120 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12121 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12125 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12126 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12128 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12129 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12134 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12135 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12136 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12138 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12139 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12140 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12141 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12144 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12145 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12147 NAVA ST	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
12148 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12149 NAVA ST	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
12150 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12151 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12154 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12157 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12158 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12160 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12162 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12163 NAVA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12166 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12167 NAVA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11502 COLLEGE DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11503 COLLEGE DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11506 COLLEGE DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11507 COLLEGE DR	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
11512 COLLEGE DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11513 COLLEGE DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11518 COLLEGE DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11519 COLLEGE DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11522 COLLEGE DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11523 COLLEGE DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11527 COLLEGE DR	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11528 COLLEGE DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11532 COLLEGE DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11533 COLLEGE DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11536 COLLEGE DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11537 COLLEGE DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11542 COLLEGE DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11543 COLLEGE DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11548 COLLEGE DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11549 COLLEGE DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11554 COLLEGE DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11555 COLLEGE DR	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
11558 COLLEGE DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11559 COLLEGE DR	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11564 COLLEGE DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11565 COLLEGE DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11568 COLLEGE DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11569 COLLEGE DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11574 COLLEGE DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11502 DARTMOUTH DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11503 DARTMOUTH DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11506 DARTMOUTH DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11507 DARTMOUTH DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11512 DARTMOUTH DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11513 DARTMOUTH DR	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11518 DARTMOUTH DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11519 DARTMOUTH DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11522 DARTMOUTH DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11523 DARTMOUTH DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11527 DARTMOUTH DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11528 DARTMOUTH DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11532 DARTMOUTH DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11533 DARTMOUTH DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11536 DARTMOUTH DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11537 DARTMOUTH DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11542 DARTMOUTH DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11543 DARTMOUTH DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11546 DARTMOUTH DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11547 DARTMOUTH DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11552 DARTMOUTH DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11553 DARTMOUTH DR	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
11556 DARTMOUTH DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11558 DARTMOUTH DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11559 DARTMOUTH DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11562 DARTMOUTH DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11563 DARTMOUTH DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11567 DARTMOUTH DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11570 DARTMOUTH DR	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11826 164TH ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11830 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11831 164TH ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11836 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11837 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11841 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11843 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11844 164TH ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11846 164TH ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11847 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11853 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11856 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11861 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12002 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12003 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12005 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12008 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12012 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12013 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12016 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12017 164TH ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12024 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12025 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12028 164TH ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12031 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12032 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12035 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12036 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12039 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12040 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12043 164TH ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12044 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12048 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12051 164TH ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12058 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12103 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12106 164TH ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12107 164TH ST	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
12108 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12109 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12113 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12116 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12121 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12122 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12126 164TH ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
12129 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12130 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12131 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12136 164TH ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12139 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12142 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12145 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12148 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12149 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12150 164TH ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12151 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12152 164TH ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12030 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12031 160TH ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12036 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12037 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12040 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12041 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12044 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12047 160TH ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12052 160TH ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
12053 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12058 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12059 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12100 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12101 160TH ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12106 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12107 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12110 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12113 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12114 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12117 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12120 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12121 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12124 160TH ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12127 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12128 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12131 160TH ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12134 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12135 160TH ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12138 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12139 160TH ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12144 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12145 160TH ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12236 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12237 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12242 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12243 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12248 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12249 160TH ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12252 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12253 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12256 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12259 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12262 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12263 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12268 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12269 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12272 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12273 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12302 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12303 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12306 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12309 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12312 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12311 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12317 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12318 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12322 160TH ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12323 160TH ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12328 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12329 160TH ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12332 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12336 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12340 160TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12030 ALGARDI ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12031 ALGARDI ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12037 ALGARDI ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12038 ALGARDI ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12040 ALGARDI ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12041 ALGARDI ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12046 ALGARDI ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12047 ALGARDI ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12052 ALGARDI ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12053 ALGARDI ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12058 ALGARDI ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12059 ALGARDI ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12101 ALGARDI ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12102 ALGARDI ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12106 ALGARDI ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12107 ALGARDI ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12110 ALGARDI ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12111 ALGARDI ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12114 ALGARDI ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12115 ALGARDI ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12120 ALGARDI ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12121 ALGARDI ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12124 ALGARDI ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12127 ALGARDI ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12128 ALGARDI ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12131 ALGARDI ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12134 ALGARDI ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12137 ALGARDI ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12140 ALGARDI ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12141 ALGARDI ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12144 ALGARDI ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12145 ALGARDI ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12030 161ST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12031 161ST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12036 161ST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12037 161ST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12040 161ST ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12041 161ST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12046 161ST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12047 161ST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12052 161ST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12053 161ST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12059 161ST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12100 161ST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12101 161ST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12106 161ST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12107 161ST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12110 161ST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12113 161ST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12114 161ST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12117 161ST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12120 161ST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12121 161ST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12124 161ST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12125 161ST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12128 161ST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12129 161ST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12134 161ST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12135 161ST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12138 161ST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12139 161ST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12144 161ST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12145 161ST ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11959 162ND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12002 162ND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12008 162ND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12014 162ND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12022 162ND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12028 162ND ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12031 162ND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12032 162ND ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12036 162ND ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12037 162ND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12040 162ND ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12041 162ND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12042 162ND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12046 162ND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12047 162ND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12050 162ND ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12053 162ND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12054 162ND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12061 162ND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12101 162ND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12104 162ND ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12106 162ND ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12107 162ND ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12110 162ND ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12111 162ND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12116 162ND ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12117 162ND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12120 162ND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12121 162ND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12124 162ND ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12125 162ND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12127 162ND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12128 162ND ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
12134 162ND ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12137 162ND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12138 162ND ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12140 162ND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12141 162ND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12143 162ND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12146 162ND ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
12150 162ND ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12156 162ND ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11818 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12002 163RD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12005 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12007 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12008 163RD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12010 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12011 163RD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12018 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12019 163RD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12020 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12021 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12026 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12029 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12032 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12033 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12036 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12037 163RD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12044 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12045 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12048 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12049 163RD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12053 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12106 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12107 163RD ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12110 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12111 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12116 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12117 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12118 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12121 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12122 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12123 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12126 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12127 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12128 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12129 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12130 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12131 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12134 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12135 163RD ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
12139 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12140 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12144 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12145 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12146 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12147 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12150 163RD ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12154 163RD ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14412 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14413 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14416 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14417 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14422 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14423 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14428 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14429 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14432 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
14435 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14438 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14439 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14442 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14445 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14502 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14503 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14506 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14509 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14512 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14513 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14516 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14519 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14522 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14523 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14526 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14529 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14532 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14533 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14538 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14539 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14542 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14545 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14602 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14603 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14606 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14609 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14612 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14615 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14616 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14622 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14623 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14626 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14630 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14631 FIDEL AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10400 DOWNEY NORWALK RD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10452 DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10456 DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10507 DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10513 DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10517 DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10520 DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
10523 DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10526 DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
10527 DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10529 DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10533 DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
10602 DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10605 DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
10608 DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10609 DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10611 DOWNEY NORWALK RD	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
10614 DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10615 DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10617 DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10618 DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10621 DOWNEY NORWALK RD	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
10622 DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10627 DOWNEY NORWALK RD	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
10632 DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10633 DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10637 DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10638 DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10643 DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
10644 DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10648 DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10649 DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10651 DOWNEY NORWALK RD	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10652 DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10655 DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10658 DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10659 DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10661 DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10662 DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10669 DOWNEY NORWALK RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14602 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14603 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14606 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14609 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14612 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14613 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14616 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14619 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14622 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14623 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14626 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14629 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14702 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14703 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14706 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14709 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14711 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14712 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14713 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14715 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14718 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14719 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14722 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14723 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14728 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14729 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14802 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14803 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14806 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14809 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14812 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14813 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14819 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14822 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14823 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14828 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14829 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14903 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14904 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14909 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14910 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14913 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14914 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14919 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14920 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14923 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14926 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14932 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15013 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15019 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15025 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15029 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15103 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15109 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15113 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15119 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
15123 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15203 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15209 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15213 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15219 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15306 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15306 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15306 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15917 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15920 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15921 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15926 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15929 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15931 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15936 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15937 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15941 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15946 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15947 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15953 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16002 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16005 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16009 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16011 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16015 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16019 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16027 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16035 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16037 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
16043 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16105 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16109 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
16111 NORWALK BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16115 NORWALK BLVD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16217 NORWALK BLVD	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
16311 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
16315 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
16325 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16331 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
16339 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
16407 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16411 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16425 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
16431 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16439 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
16503 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
16505 NORWALK BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16511 NORWALK BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11963 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11967 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11968 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11973 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11974 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11977 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12000 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12005 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12006 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12010 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12015 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12021 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12025 HERMOSURA ST	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
12030 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12031 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12036 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12037 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12040 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12043 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12044 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12049 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12052 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12053 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12058 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12059 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12100 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12101 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12106 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12107 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12110 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12113 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12114 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12117 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12120 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12121 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12124 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12127 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12128 HERMOSURA ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12131 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12134 HERMOSURA ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12135 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12140 HERMOSURA ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12141 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12144 HERMOSURA ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12145 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12226 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12233 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12238 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12241 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12242 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12248 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12251 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12254 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12257 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12258 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12263 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12264 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12268 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12269 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12274 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12302 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12303 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12308 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12309 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12312 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12315 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12316 HERMOSURA ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
12321 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12322 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12328 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12333 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12339 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12345 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12349 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12352 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12353 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12357 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12358 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12363 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12364 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12369 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12371 HERMOSURA ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15520 BELSHIRE AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
15531 BELSHIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15531 BELSHIRE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
 PWS. CA 1910211
 SERVICE LINES INVENTORY
 IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15602 BELSHIRE AVE	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15602 BELSHIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15609 BELSHIRE AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15614 BELSHIRE AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15615 BELSHIRE AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15620 BELSHIRE AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
15620 BELSHIRE AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15627 BELSHIRE AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15700 BELSHIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15704 BELSHIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15707 BELSHIRE AVE	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
15902 BELSHIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15903 BELSHIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15908 BELSHIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15939 BELSHIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15945 BELSHIRE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14602 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14603 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14608 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14609 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14613 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14614 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14618 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14619 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14623 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14624 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14628 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14629 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14702 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14703 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14708 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14709 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14712 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14713 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14718 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14719 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14722 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14802 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14808 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14812 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14815 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14818 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14821 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14822 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14826 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14827 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14832 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14833 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14836 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14837 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14842 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14843 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14848 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14849 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14852 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14853 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14858 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14859 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14862 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14863 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15902 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15903 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15908 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15909 DISNEY AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG DISNEY AVE/EXCELSOR DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14602 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14603 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14608 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14609 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14614 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14615 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14618 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14619 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14624 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14625 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14628 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14631 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14702 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14703 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14706 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14709 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14712 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14713 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14716 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14719 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14722 HORST AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14723 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14726 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14729 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14802 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14803 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14806 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14809 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14812 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14813 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
 PWS. CA 1910211
 SERVICE LINES INVENTORY
 IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14816 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14819 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14822 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14823 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15304 HORST AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
16107 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16212 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16215 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16303 HORST AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
16304 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16309 HORST AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
16312 HORST AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
16315 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16327 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
16333 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
16337 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16400 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16405 HORST AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
16407 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16411 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16413 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16416 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16426 HORST AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
16427 HORST AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
16431 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
16439 HORST AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
16505 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16513 HORST AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12002 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12003 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12006 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12009 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12010 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12013 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12016 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12017 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12018 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12020 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12021 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12024 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12027 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12030 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12031 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12034 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12035 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12039 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12044 CHESTERTON ST	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12046 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12047 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12048 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12051 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12102 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12108 CHESTERTON ST	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
12111 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12113 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12114 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12119 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12124 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12125 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12126 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12129 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12130 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12135 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12136 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12139 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12140 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12142 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12144 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12145 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12148 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12149 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12151 CHESTERTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12003 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12006 CEDARVALE ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
12009 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12011 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12012 CEDARVALE ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12017 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12018 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12021 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12026 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12028 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12029 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12033 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12034 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12037 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12038 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12044 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12045 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12050 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12051 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12058 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12109 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12114 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12116 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12117 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12119 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12122 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12124 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12127 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12128 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12131 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12134 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12137 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12138 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12142 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12143 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12146 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12147 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12150 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12151 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12159 CEDARVALE ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11815 165TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11818 165TH ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
11827 165TH ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12000 165TH ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
12007 165TH ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12008 165TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12011 165TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12012 165TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12016 165TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12017 165TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12020 165TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12025 165TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12028 165TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12029 165TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12032 165TH ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12035 165TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12036 165TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12039 165TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12042 165TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12045 165TH ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12048 165TH ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12049 165TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12050 165TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12101 165TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12102 165TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12106 165TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12107 165TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12108 165TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12110 165TH ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12111 165TH ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12117 165TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12120 165TH ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12121 165TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12127 165TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12128 165TH ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12130 165TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12137 165TH ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12138 165TH ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12139 165TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12140 165TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12142 165TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12143 165TH ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
12147 165TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12148 165TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12149 165TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11816 166TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12013 166TH ST	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
12019 166TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12029 166TH ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12031 166TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12037 166TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12043 166TH ST	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
12047 166TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12053 166TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12109 166TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12115 166TH ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12119 166TH ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12123 166TH ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12135 166TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12139 166TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12143 166TH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14412 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14413 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14416 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14419 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14422 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14423 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14428 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14429 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14432 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14433 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14438 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14439 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14442 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14443 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14502 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14503 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14508 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14509 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14512 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14513 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14517 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14518 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14522 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14523 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14528 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14529 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14533 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14534 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14538 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14539 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14543 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14544 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14549 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14602 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14603 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14608 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14611 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14612 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14616 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14622 PAINTER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14602 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14605 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14606 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14611 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14612 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14617 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14618 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14623 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14624 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14628 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14629 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14702 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14703 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14706 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14709 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14712 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14713 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14716 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14719 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14722 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14723 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14726 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14729 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14732 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14733 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14802 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14805 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14808 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14811 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14812 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14817 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14818 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14823 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14829 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15415 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
15419 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15507 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15902 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15903 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15908 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15909 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15915 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15921 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15925 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15930 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15931 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15934 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15935 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15940 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15941 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15944 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15945 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15950 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15951 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15952 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15953 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15956 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
16432 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
16442 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
16512 ELAINE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
ELAINE AVE & BARNWALL ST.	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15903 COBOS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15904 COBOS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15906 COBOS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15909 COBOS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15930 COBOS ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15936 COBOS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15940 COBOS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15946 COBOS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15952 COBOS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15958 COBOS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14601 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14604 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14607 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14610 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14613 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14614 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14617 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14620 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14623 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14624 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14629 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14630 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14633 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14634 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14639 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14640 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14702 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14703 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14708 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14709 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14713 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14714 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14718 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14719 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14723 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14724 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14728 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14729 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14733 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14734 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14738 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14739 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14802 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14803 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14808 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14809 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14813 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14814 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14818 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14819 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14824 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14825 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14828 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14829 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14834 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14835 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14838 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14839 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15503 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15505 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15511 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15512 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15516 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15517 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15522 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15526 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15527 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15532 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15533 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15537 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15538 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15602 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15603 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15606 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15607 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15612 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15613 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15616 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15617 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15622 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15623 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15627 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15628 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15633 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15634 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15702 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15703 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15707 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15708 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15712 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15713 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15717 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15718 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15723 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15724 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15727 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15728 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15733 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15734 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15739 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15903 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15907 MADRIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14602 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14603 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14607 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14608 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14612 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14613 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14617 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14618 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14622 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14623 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14627 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14628 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14632 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14633 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14702 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14703 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14707 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14708 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14712 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14713 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14718 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14719 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14723 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14728 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14729 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14735 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14805 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14808 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14813 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14814 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14817 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14818 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14822 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14823 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14827 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14828 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14833 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14834 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14837 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14838 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14842 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14843 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15400 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15401 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15406 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15407 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15412 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15413 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15416 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15417 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15425 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15510 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15511 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15514 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15517 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15520 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15521 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15524 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15527 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15602 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15603 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15606 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15609 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15612 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15613 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15616 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15619 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15622 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15623 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15626 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15629 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15702 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15703 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15706 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15709 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15712 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15713 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15716 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15719 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15722 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15723 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15730 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15731 THORNLAKE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15502 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15508 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15509 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15512 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15513 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15518 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15519 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15522 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15523 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15528 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15529 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15532 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15533 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15602 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15603 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15607 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15608 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15612 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15613 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15616 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15617 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15622 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15623 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15626 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15627 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15632 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15633 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15702 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15703 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15708 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15709 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15712 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15713 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15718 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15719 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15722 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15723 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15728 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15729 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15732 CLARETTA AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14302 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14303 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14308 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14309 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14312 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14315 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14318 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14319 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14322 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14325 CAMEO AVE	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
14328 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14329 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14332 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14335 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14338 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14339 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14402 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14403 CAMEO AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
14406 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14409 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14412 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14413 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14416 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14419 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14422 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14423 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14426 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14429 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14432 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14433 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14502 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14503 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14509 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14510 CAMEO AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14513 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14519 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14521 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14527 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14532 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14533 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14538 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14539 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14702 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14708 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14712 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14718 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14719 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14722 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14723 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14728 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14729 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14732 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14733 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14738 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14739 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14802 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14803 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14808 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14809 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14812 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14813 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14818 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14819 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14822 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14823 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14828 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14829 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14832 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14833 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15506 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15507 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15512 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15513 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15516 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15519 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15522 CAMEO AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
15523 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15526 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15529 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
15532 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15533 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15602 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15603 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15606 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15607 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15612 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15613 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15617 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15618 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15622 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15623 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15626 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15627 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15632 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15633 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15702 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15703 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15708 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15709 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15712 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15713 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15716 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15719 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15722 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15723 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15726 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15729 CAMEO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14302 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14307 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14308 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14313 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14318 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14319 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14323 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14324 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14328 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14329 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14333 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14334 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14338 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14339 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14343 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14344 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14403 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14404 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14408 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14409 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14413 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14414 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14418 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14419 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14423 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14424 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14427 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14428 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14504 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14505 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14508 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14511 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14514 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14517 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14518 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14523 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14524 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14527 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14530 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14533 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14536 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14539 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14542 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14543 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14548 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14549 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14602 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14603 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14608 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14609 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14612 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14613 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14618 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14619 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14622 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14623 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14628 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14629 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14632 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14633 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14638 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14639 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14702 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14703 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14706 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14709 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14712 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14715 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14716 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14719 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14722 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14725 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14726 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14729 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14732 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14735 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14736 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14739 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14741 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14802 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14803 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14808 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14809 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14814 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14815 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14818 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14819 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14824 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14825 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14828 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14829 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14834 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14835 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14838 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14839 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15502 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15503 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15506 SEAFORTH AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
15507 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15512 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15513 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15516 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15517 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15522 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15523 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15526 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15527 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15532 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15533 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15602 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15603 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15608 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15609 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15612 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15613 SEAFORTH AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
15618 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15619 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15625 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15629 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15635 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15703 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15709 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15712 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15715 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15716 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15719 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15722 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15723 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15726 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15729 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15732 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15735 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15738 SEAFORTH AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14403 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14406 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14409 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14412 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14413 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14419 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14420 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14423 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14424 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14429 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14430 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14433 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14434 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14439 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14440 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14443 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14444 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14449 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14450 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14453 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14454 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14503 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14504 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14509 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14510 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14515 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14516 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14520 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14521 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14526 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14527 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14531 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14534 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14534 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14537 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14540 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14541 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14546 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14547 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14602 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14603 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14608 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14609 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14612 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14613 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14618 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14619 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14622 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14623 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14628 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14629 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14632 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14633 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14638 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14639 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14702 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14703 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14708 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14709 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14712 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14715 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14718 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14719 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14722 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14725 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14728 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14729 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14732 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14735 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14738 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14739 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14802 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14803 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14808 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14809 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14814 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14815 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14818 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14819 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14824 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14825 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14828 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14829 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14834 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14835 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14838 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14839 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15502 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15503 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15506 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15507 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15512 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15513 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15516 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15517 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15522 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15523 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15526 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15527 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15532 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15533 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15602 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15603 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15608 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15609 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15612 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15613 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15618 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15619 WHEATSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG WHEATSTONE AVE/EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14328 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14332 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14338 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14342 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14348 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14404 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14408 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14412 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14413 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14418 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14422 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14423 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14426 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14431 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14432 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14436 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14439 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14442 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14443 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14446 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14449 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14452 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14453 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14456 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14459 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14502 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14503 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14506 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14509 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14512 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14513 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14516 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14519 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14522 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14523 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14526 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14529 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14532 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14533 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14536 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14539 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14539 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14542 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14543 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14548 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14549 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14602 DARTMOOR AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14603 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14608 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14609 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14612 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14613 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14618 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14619 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14622 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14623 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14628 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14629 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14632 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14633 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14638 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14639 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14702 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14703 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14706 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14709 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14712 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14715 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14716 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14719 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14722 DARTMOOR AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
14725 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14726 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14729 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14732 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14735 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14736 DARTMOOR AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
14739 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14802 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14803 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14808 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14809 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14812 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14815 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14818 DARTMOOR AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
14819 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14822 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14825 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14828 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14829 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14832 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14835 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14838 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14839 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14842 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15502 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15503 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15506 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15507 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15512 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15513 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15516 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15517 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15522 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15523 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15526 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15527 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15532 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15533 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15602 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15603 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15608 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15609 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15612 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15613 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15618 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15619 DARTMOOR AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13222 BLOOMFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13330 BLOOMFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13604 BLOOMFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14401 BLOOMFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
14420 BLOOMFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14420 BLOOMFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
14420 BLOOMFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
14800 BLOOMFIELD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14800 BLOOMFIELD AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14926 BLOOMFIELD AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14926 BLOOMFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15021 BLOOMFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15301 BLOOMFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15307 BLOOMFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15321 BLOOMFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15327 BLOOMFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15402 BLOOMFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15419 BLOOMFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15423 BLOOMFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15429 BLOOMFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15503 BLOOMFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15509 BLOOMFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15513 BLOOMFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15519 BLOOMFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15523 BLOOMFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15529 BLOOMFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15533 BLOOMFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15603 BLOOMFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
IRRIG BLOOMFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
IRRIG BLOOMFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG BLOOMFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG BLOOMFIELD AVE/MAPLEDALE AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
IRRIG BLOOMFIELD AVE/MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
IRRIG BLOOMFIELD AVE/MOLETTE ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14602 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14603 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14607 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14608 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14612 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14613 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14617 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14618 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14622 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14623 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14627 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14628 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14702 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14703 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14707 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14708 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14712 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14713 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14717 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14718 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14723 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14724 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14727 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14730 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14803 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14804 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14807 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14810 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14813 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14814 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14817 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14820 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14823 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14824 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14830 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14834 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14902 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14908 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14912 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15016 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15020 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15026 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15102 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15108 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15112 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15118 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15122 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15202 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15206 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15207 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15212 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15218 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15221 IBEX AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14605 DEVLIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14608 DEVLIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14613 DEVLIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14614 DEVLIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14617 DEVLIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14622 DEVLIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14623 DEVLIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14626 DEVLIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14627 DEVLIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14631 DEVLIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14632 DEVLIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14702 DEVLIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14703 DEVLIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14708 DEVLIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14709 DEVLIN AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14713 DEVLIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14714 DEVLIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14718 DEVLIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14719 DEVLIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14723 DEVLIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14724 DEVLIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14728 DEVLIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14729 DEVLIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14803 DEVLIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14804 DEVLIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14809 DEVLIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14810 DEVLIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14816 DEVLIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14817 DEVLIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14822 DEVLIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14823 DEVLIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14828 DEVLIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14829 DEVLIN AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14602 FUNSTON AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14603 FUNSTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14608 FUNSTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14609 FUNSTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14612 FUNSTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14615 FUNSTON AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14618 FUNSTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14619 FUNSTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14622 FUNSTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14625 FUNSTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14628 FUNSTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14629 FUNSTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14702 FUNSTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14703 FUNSTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14706 FUNSTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14709 FUNSTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14712 FUNSTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14713 FUNSTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14716 FUNSTON AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14719 FUNSTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14722 FUNSTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14723 FUNSTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14726 FUNSTON AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14729 FUNSTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14802 FUNSTON AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14803 FUNSTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14806 FUNSTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14809 FUNSTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14812 FUNSTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14813 FUNSTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14816 FUNSTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14819 FUNSTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14822 FUNSTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14823 FUNSTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14333 HELWIG AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
14402 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14405 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14406 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14411 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14412 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14416 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14419 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14422 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14423 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14426 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14429 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14432 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14433 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14502 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14503 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14506 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14509 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14512 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14513 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14516 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14519 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14522 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14523 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14526 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14529 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14532 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14533 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14602 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14603 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14608 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14609 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14612 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14613 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14618 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14619 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14622 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14623 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14628 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14629 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14632 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14633 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14639 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14640 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14643 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14647 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14651 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14654 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14703 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14708 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14709 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14712 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14715 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14718 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14719 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14722 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14725 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14728 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14729 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14802 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14803 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14808 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14809 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14812 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14813 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14818 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14819 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14822 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14823 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14828 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14829 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14832 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14833 HELWIG AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG HELWIG AVE/EXCELSIOR DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14302 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14303 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14308 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14309 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14312 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14315 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14318 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14319 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14322 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14325 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14328 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14329 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14332 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14335 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14338 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14339 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14402 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14403 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14406 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14409 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14412 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14413 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14416 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14419 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14422 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14423 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14426 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14429 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14502 FALCO AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14503 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14506 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14509 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14512 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14516 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14522 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14528 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14538 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14542 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14543 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14547 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14548 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14549 FALCO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12402 PAIZ PLACE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12403 PAIZ PLACE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12406 PAIZ PLACE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12407 PAIZ PLACE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12410 PAIZ PLACE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12411 PAIZ PLACE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12416 PAIZ PLACE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12420 PAIZ PLACE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12426 PAIZ PLACE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12427 PAIZ PLACE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12430 PAIZ PLACE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12431 PAIZ PLACE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12436 PAIZ PLACE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12437 PAIZ PLACE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12440 PAIZ PLACE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12441 PAIZ PLACE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13402 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13403 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13406 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13407 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13412 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13413 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13418 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13419 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13422 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13423 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13428 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13429 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13502 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13503 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13506 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13507 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13512 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13513 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13518 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13519 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13522 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13523 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13528 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13529 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13602 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13603 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13608 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13609 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13612 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13613 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13618 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13619 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13623 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13624 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13628 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13629 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13702 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13703 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13706 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13707 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13712 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13713 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13718 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13719 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13724 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13725 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13730 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13731 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13802 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13803 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13808 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13809 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13812 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13813 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13816 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13819 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13822 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13826 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15103 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15106 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15107 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15112 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15113 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15118 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15119 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15122 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15123 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15128 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15129 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15132 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15135 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15202 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15203 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15208 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15209 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15212 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15213 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15218 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15219 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15224 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15225 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15228 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15229 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15302 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15303 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15308 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15309 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15312 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15313 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15318 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15319 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15324 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15325 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15328 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15329 LANCELOT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13202 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13203 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13208 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13209 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13214 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13215 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13218 CAULFIELD AVE	Non-Lead - Copper	No	Galvanized	Field inspection	Non-Lead
13219 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13302 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13303 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13307 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13308 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13312 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13313 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13317 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13318 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13322 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13323 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13703 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13707 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13711 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13802 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13803 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13807 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13808 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13812 CAULFIELD AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13813 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13817 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13818 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13822 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13823 CAULFIELD AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13826 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13827 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15102 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15103 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15108 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15109 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15113 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15114 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15118 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15119 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15124 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15125 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15128 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15131 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15202 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15203 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15208 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15209 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15212 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15213 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15218 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15219 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15224 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15225 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15228 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15229 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15302 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15303 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15308 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15309 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15312 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15313 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15318 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15319 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15324 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15325 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15328 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
15329 CAULFIELD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13201 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13202 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13206 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13207 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13212 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13213 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13216 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13217 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13222 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13223 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13229 BECHARD AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13231 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13233 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13239 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13245 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13251 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13403 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13404 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13407 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13413 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13419 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13423 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13503 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13507 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13510 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13513 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13519 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13523 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13529 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13535 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13541 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13542 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13545 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13551 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13603 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13606 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13609 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13612 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13613 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13619 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13625 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13704 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13705 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13710 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13711 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13715 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13716 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13722 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13723 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13802 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13803 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13806 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13807 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13812 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13813 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13816 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13817 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13822 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13823 BECHARD AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13826 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13827 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13832 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13833 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13838 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13839 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15102 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15103 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15106 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15109 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15112 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15113 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15118 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15119 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15122 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15125 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15128 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15129 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15202 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15203 BECHARD AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
15206 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15209 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15212 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15213 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15218 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15219 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15224 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15225 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15228 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15229 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15302 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15303 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15308 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15309 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15312 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15313 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15318 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15319 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15324 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15325 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15328 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15329 BECHARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13201 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13202 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13206 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13207 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13210 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13213 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13214 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13217 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13220 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13223 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13226 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13302 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13308 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13312 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13318 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13710 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13711 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13716 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13717 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13720 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13721 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13802 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13803 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13806 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13807 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13812 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13813 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13816 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13817 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13822 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13823 WILDER AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13826 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13827 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13832 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13833 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13838 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13839 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15102 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15103 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15106 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15109 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15112 WILDER AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15115 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15118 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15119 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15124 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15125 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15128 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15131 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15202 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15203 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15208 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15209 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15212 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15213 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15218 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15219 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15224 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15225 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15228 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15229 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15302 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15303 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15308 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15309 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15312 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15313 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15318 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15319 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15323 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15324 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15328 WILDER AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
15329 WILDER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13201 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13204 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13207 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13210 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13211 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13216 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13217 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13222 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13223 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13302 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13303 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13307 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13308 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13312 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13313 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13317 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13318 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13322 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13323 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13702 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13708 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13711 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13714 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13717 ROPER AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13720 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13721 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13802 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13803 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13806 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13809 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13812 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13813 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13816 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13819 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13822 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13823 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13826 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13827 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13832 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13833 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13838 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13839 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15102 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15103 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15108 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15109 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15112 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15113 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15118 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15119 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15122 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
15125 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15128 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15131 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15202 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15203 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15207 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15208 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15212 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15213 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15218 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15219 ROPER AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
15224 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15225 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15228 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15229 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15302 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
15303 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15308 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15309 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15312 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15313 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15318 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15319 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
15324 ROPER AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
15325 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15328 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
15329 ROPER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13202 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13204 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13208 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13209 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13214 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13215 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13219 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13220 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13223 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13224 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13302 GREENSTONE AVE	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead
13303 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13308 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13309 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13312 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13313 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13318 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13319 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13322 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13323 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13406 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13412 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13418 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13422 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13502 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13508 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13516 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13522 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13604 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13608 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13614 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13618 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13619 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13624 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13625 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13628 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13634 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13637 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13640 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13643 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13644 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13649 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13650 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13654 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13702 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13703 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13706 GREENSTONE AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13709 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13712 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13715 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13718 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13726 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13803 GREENSTONE AVE	Galvanized	No	Galvanized	Field inspection	Non-Lead
13804 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13809 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13810 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13815 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13816 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13820 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13823 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13826 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13829 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13830 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13835 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13836 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13840 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13841 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13846 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13852 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13902 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13907 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13908 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13913 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13919 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14011 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14012 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14017 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14018 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
14023 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14024 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14028 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14029 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14032 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14033 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14038 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14039 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14044 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14045 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14302 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14303 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14308 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14309 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14314 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14315 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14318 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14321 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14324 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14325 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14402 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14403 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14408 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14409 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14412 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14415 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14418 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14421 GREENSTONE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14303 LOCH NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14309 LOCH NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14315 LOCH NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14321 LOCH NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14323 LOCH NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14325 LOCH NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14403 LOCH NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14409 LOCH NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14415 LOCH NEVIS AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
14423 LOCH NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14429 LOCH NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14432 LOCH NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14435 LOCH NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14440 LOCH NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14441 LOCH NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14446 LOCH NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14502 LOCH NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14508 LOCH NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14509 LOCH NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14514 LOCH NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14517 LOCH NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13203 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13205 BEN NEVIS AVE	Galvanized	No	Non-Lead - Plastic	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13211 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13215 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13221 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13227 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13303 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13309 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13313 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13319 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13323 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14013 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14017 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14023 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14027 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14033 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14039 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14044 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14045 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14300 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14301 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14306 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14307 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14312 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14313 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14318 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14319 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14324 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14325 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14402 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14403 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14408 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14409 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14413 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14414 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14418 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14423 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14424 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14430 BEN NEVIS AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13039 SHOEMAKER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13039 SHOEMAKER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13520 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13520 SHOEMAKER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13520 SHOEMAKER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13520 SHOEMAKER AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
13717 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13717 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13717 SHOEMAKER AVE	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13804 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13811 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13811 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13820 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13900 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13913 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13920 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13930 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13930 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14008 SHOEMAKER AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14010 SHOEMAKER AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14010 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14010 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14024 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14100 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14100 SHOEMAKER AVE	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
14114 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14114 SHOEMAKER AVE	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14121 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14402 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14406 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14412 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14416 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14422 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14426 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14432 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14502 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14506 SHOEMAKER AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
14512 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14516 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14522 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14526 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14602 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14606 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14612 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14912 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14920 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14928 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14938 SHOEMAKER AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
IRRIG SOUTH SHOEMAKER	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
IRRIG TONIBAR ST	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13922 GRACEBEE AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
14000 GRACEBEE AVE	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
14006 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14010 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14010 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
14011 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14016 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
14016 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
14412 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14413 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14416 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14419 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14422 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14423 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14426 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14429 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14432 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14433 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14502 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14503 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14506 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14509 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14512 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14513 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14516 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14519 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14522 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14523 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14526 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14529 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14532 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14533 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14602 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14603 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14606 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14609 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14612 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14613 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14616 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14619 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14622 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14625 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14626 GRACEBEE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14412 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14413 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14416 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14419 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14422 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14423 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14428 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14429 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14432 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14435 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14438 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14439 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14442 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14445 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14502 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14503 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14506 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14509 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14512 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14513 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14516 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14519 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14522 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14523 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14526 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14527 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14529 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14532 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14533 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14538 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14539 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14544 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14545 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14602 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14603 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14606 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14609 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14612 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14613 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14616 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14619 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14622 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14623 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14626 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14629 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14632 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14636 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14639 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14642 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14646 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14647 MARYTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14302 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14308 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14314 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14320 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14326 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14400 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14406 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14412 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14413 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14418 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14419 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14423 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14424 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14429 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14430 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14435 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14436 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14439 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14442 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14445 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14502 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14503 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14508 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14509 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14513 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14514 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14519 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14520 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14523 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14526 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14529 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14530 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14533 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14536 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14539 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14542 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14545 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14603 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14609 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14613 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14616 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14616 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14619 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14623 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14629 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14633 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14703 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14711 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14717 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14725 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14729 DINARD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14303 CABRILLO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14311 CABRILLO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14317 CABRILLO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14321 CABRILLO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14327 CABRILLO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14331 CABRILLO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14337 CABRILLO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14343 CABRILLO AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14347 CABRILLO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14353 CABRILLO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14357 CABRILLO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14363 CABRILLO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14403 CABRILLO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14407 CABRILLO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14411 CABRILLO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14417 CABRILLO AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14423 CABRILLO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14427 CABRILLO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14503 CABRILLO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14507 CABRILLO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14513 CABRILLO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14517 CABRILLO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14523 CABRILLO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14527 CABRILLO AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12621 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12624 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12625 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12628 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12629 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12634 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12635 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12638 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12643 REXTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12644 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12648 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12651 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12654 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12658 REXTON ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12664 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12665 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12668 REXTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12669 REXTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12674 REXTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12675 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12680 REXTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12681 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12684 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12702 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12706 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12707 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12712 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12713 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12716 REXTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12722 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12727 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12728 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12733 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12734 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12738 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12739 REXTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12742 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12748 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12751 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12752 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12757 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12758 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12764 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12765 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12768 REXTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12774 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12777 REXTON ST	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12778 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12783 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12784 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12789 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12790 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12802 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12803 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12806 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12809 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12812 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12815 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12818 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12819 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12822 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12828 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12833 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12834 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12838 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12839 REXTON ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12845 REXTON ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13802 MAYPORT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13803 MAYPORT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13806 MAYPORT AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13807 MAYPORT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13810 MAYPORT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13811 MAYPORT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13814 MAYPORT AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13815 MAYPORT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13819 MAYPORT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13820 MAYPORT AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
14003 MAYPORT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
14007 MAYPORT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14011 MAYPORT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14016 MAYPORT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14017 MAYPORT AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
14020 MAYPORT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14023 MAYPORT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14024 MAYPORT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14027 MAYPORT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14030 MAYPORT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14033 MAYPORT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14034 MAYPORT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14037 MAYPORT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14040 MAYPORT AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
14043 MAYPORT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14048 MAYPORT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
14049 MAYPORT AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12803 MANSА DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12806 MANSА DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12807 MANSА DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12811 MANSА DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12812 MANSА DR	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
12817 MANSА DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12818 MANSА DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12823 MANSА DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12824 MANSА DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12829 MANSА DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12830 MANSА DR	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12836 MANSА DR	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13402 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13403 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13406 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13407 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13412 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13413 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13418 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13419 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13422 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13423 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13428 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13429 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13502 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13503 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13506 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13507 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13512 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13513 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13518 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13519 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13522 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13523 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13528 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13529 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13602 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13608 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13612 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13613 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13618 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13619 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13623 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13624 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13628 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13629 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13702 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13703 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13706 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13707 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13712 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13713 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13718 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13719 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13724 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13725 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13730 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13731 STANSTEAD AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12707 DILWORTH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12710 DILWORTH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12713 DILWORTH ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12716 DILWORTH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12717 DILWORTH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12723 DILWORTH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12727 DILWORTH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12730 DILWORTH ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12733 DILWORTH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12734 DILWORTH ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12739 DILWORTH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12742 DILWORTH ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12743 DILWORTH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12749 DILWORTH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12753 DILWORTH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12759 DILWORTH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12802 DILWORTH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12803 DILWORTH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12806 DILWORTH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12807 DILWORTH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12812 DILWORTH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12813 DILWORTH ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12816 DILWORTH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12819 DILWORTH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12822 DILWORTH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12823 DILWORTH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12826 DILWORTH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12827 DILWORTH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12832 DILWORTH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12833 DILWORTH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12838 DILWORTH ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12839 DILWORTH ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12706 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12707 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12712 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12713 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12716 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12717 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12722 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12723 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12726 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12727 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12732 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12733 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12738 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12739 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12742 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12743 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12748 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12749 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12752 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12753 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12758 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12759 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12802 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12803 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12806 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12807 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12812 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12813 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12816 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12817 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12822 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12823 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
12826 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12827 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12832 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12833 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12838 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12839 LARWIN RD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13303 HAYDEN AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13307 HAYDEN AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13310 HAYDEN AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13311 HAYDEN AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13316 HAYDEN AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13317 HAYDEN AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13320 HAYDEN AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13321 HAYDEN AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13326 HAYDEN AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13327 HAYDEN AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13003 MILLER AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13007 MILLER AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13010 MILLER AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13011 MILLER AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13016 MILLER AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13017 MILLER AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13020 MILLER AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13021 MILLER AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13024 MILLER AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13025 MILLER AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13030 MILLER AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13031 MILLER AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13036 MILLER AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13037 MILLER AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13040 MILLER AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13041 MILLER AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13046 MILLER AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13047 MILLER AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13050 MILLER AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13051 MILLER AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13057 MILLER AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13061 MILLER AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13067 MILLER AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13071 MILLER AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13077 MILLER AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13081 MILLER AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13302 MILLER AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13305 MILLER AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13306 MILLER AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13309 MILLER AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13312 MILLER AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13313 MILLER AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13318 MILLER AVE	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
13319 MILLER AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13322 MILLER AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13326 MILLER AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13202 ROSS ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13208 ROSS ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13211 ROSS ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13214 ROSS ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13215 ROSS ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13218 ROSS ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13222 ROSS ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13228 ROSS ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13232 ROSS ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13238 ROSS ST	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13242 ROSS ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13203 ARREY AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13209 ARREY AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13212 ARREY AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13215 ARREY AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13220 ARREY AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13221 ARREY AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13226 ARREY AVE	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13227 ARREY AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13231 ARREY AVE	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
13303 ARREY AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13309 ARREY AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13313 ARREY AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13319 ARREY AVE	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
13023 TOM WHITE WAY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13040 TOM WHITE WAY	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13045 TOM WHITE WAY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11827 ARKANSAS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11832 ARKANSAS ST	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11835 ARKANSAS ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11836 ARKANSAS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11837 ARKANSAS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11838 ARKANSAS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11843 ARKANSAS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11844 ARKANSAS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11846 ARKANSAS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11847 ARKANSAS ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11848 ARKANSAS ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11850 ARKANSAS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11853 ARKANSAS ST	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
11856 ARKANSAS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11857 ARKANSAS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11860 ARKANSAS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11861 ARKANSAS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11866 ARKANSAS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11867 ARKANSAS ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11868 ARKANSAS ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11873 ARKANSAS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11905 ARKANSAS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11908 ARKANSAS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11909 ARKANSAS ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11914 ARKANSAS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11915 ARKANSAS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11916 ARKANSAS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11917 ARKANSAS ST	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
11922 ARKANSAS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11926 ARKANSAS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11927 ARKANSAS ST	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
11928 ARKANSAS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11930 ARKANSAS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11931 ARKANSAS ST	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10524 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10524 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10555 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10555 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10600 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10600 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10600 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10618 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10641 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10707 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10710 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
10710 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10710 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10710 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10830 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10840 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10850 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10850 FIRESTONE BLVD	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10850 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10860 FIRESTONE BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
10900 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10902 FIRESTONE BLVD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10902 FIRESTONE BLVD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10950 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
10950 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
10970 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12360 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12366 FIRESTONE BLVD	Non-Lead - Plastic	No	Non-Lead - Copper	Field inspection	Non-Lead
12380 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12386 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12440 FIRESTONE BLVD 211	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12440 FIRESTONE BLVD 211	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12500 FIRESTONE BLVD	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
12500 FIRESTONE BLVD	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12500 FIRESTONE BLVD	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12500 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12500 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12500 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12500 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12800 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12800 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12900 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12900 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12940 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12940 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
13000 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13000 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13030 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13048 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
13060 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13100 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13100 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
13124 FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
13146 FIRESTONE BLVD	Non-Lead - Plastic	No	Galvanized	Field inspection	Non-Lead
13146 FIRESTONE BLVD	Non-Lead - Plastic	No	Galvanized	Field inspection	Non-Lead
IRRIG FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
IRRIG FIRESTONE BLVD/12500	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
IRRIG FIRESTONE BLVD/E BLOOMFIELD AV	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
IRRIG FIRESTONE SOUTH	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
IRRIG FIRESTONE BLVD & HOXIE AVE	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
IRRIG W/HOXIE AVE/S-S FIRESTONE BLVD	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11946 HOXIE AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11946 HOXIE AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
11946 HOXIE AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12120 HOXIE AVE	Galvanized	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12208 HOXIE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12210 HOXIE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
12214 HOXIE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12216 HOXIE AVE	Galvanized	No	Non-Lead - Copper	Field inspection	Non-Lead
12324 HOXIE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12324 HOXIE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12324 HOXIE AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12450 HOXIE AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
12500 HOXIE AVE	Non-Lead - Copper	No	Non-Lead - Other	Installation date is after state or local lead ban	Non-Lead
MC NAB AVE/FAIRTON AVE	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
HOXIE AVE & IMPERIAL HWY	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11633 THE PLAZA	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11657 THE PLAZA	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11661 THE PLAZA	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11669 THE PLAZA	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK

PWS. CA 1910211

SERVICE LINES INVENTORY

IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11673 THE PLAZA	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11689 THE PLAZA	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11693 THE PLAZA	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11695 THE PLAZA	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11699 THE PLAZA	Galvanized	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11719 THE PLAZA	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11719 THE PLAZA	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11729 THE PLAZA	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11731 THE PLAZA	Non-Lead - Plastic	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11733 THE PLAZA	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11735 THE PLAZA	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11743 THE PLAZA	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
11637 PETTICOAT LN	Non-Lead - Copper	No	Non-Lead - Plastic	Field inspection	Non-Lead
11719 PETTICOAT LN	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead



LIBERTY UTILITIES - BELLFLOWER/NORWALK
PWS. CA 1910211
SERVICE LINES INVENTORY
IN COMPLIANCE WITH THE LEAD AND COPPER RULE REVISION (LCRR)

Street Address	System-Owned Portion Service Line Material Classification	Lead Connector Present?	Customer-Owned Portion Service Line Material Classification	Basis of Material Classification	Entire Service Line Material Classification
11729 PETTICOAT LN	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12000 PORTUGAL CT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12001 PORTUGAL CT	Non-Lead - Plastic	No	Non-Lead - Plastic	Field inspection	Non-Lead
12003 PORTUGAL CT	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12004 PORTUGAL CT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12006 PORTUGAL CT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12007 PORTUGAL CT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12010 PORTUGAL CT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead
12015 PORTUGAL CT	Non-Lead - Copper	No	Non-Lead - Copper	Field inspection	Non-Lead
12016 PORTUGAL CT	Non-Lead - Copper	No	Non-Lead - Other	Statistical analysis or predictive models	Non-Lead